


## A. Technical Specifications

| Item No | Product Name         | Product Specifications   | Quantity | Unit  | Reference Pictures   |
|---------|----------------------|--|----------|-------|--|
| 1.      | <b>BRC Fences</b>    | <ul style="list-style-type: none"> <li>- <b>BRC Fence:</b> Normal BRC fencing (wire mesh net galvanized materials).</li> <li>- <b>Roller:</b> (1.8 m high, 5*5 cm spaces, thickness 2.5mm), each role 20-meter length.</li> </ul>  | 5        | Role  | <br> |
| 2.      | <b>Latex gloves.</b> | <ul style="list-style-type: none"> <li>- Chemical Resistant, Rough and durable hand glove specifically for concrete work operations.</li> <li>- Grip surface for wet and dry applications.</li> <li>- Flock lined for comfort.</li> <li>- Red or black color .</li> </ul>  | 500      | Pair  |   |
| 3.      | <b>Hand Gloves</b>   | <ul style="list-style-type: none"> <li>- Material ( Mixed Rubber in the front with fabric in the back ), Weight ( not less than 650 gram/ dozen).</li> <li>- Smooth finished excellent grip in dry conditions for safe and secure handing comfort.</li> <li>- The seamless knitted nylon liner and provides exceptional comfort and reduces hand fatigue.</li> <li>- The back of the glove is uncoated allowing the hand to breathe.</li> <li>- Durable medium duty offering good puncture and abrasion resistance. Dozen equals 12 pair.</li> </ul> | 1,500    | Dozen |   |

|     |                             |   |       |     |   |
|-----|-----------------------------|---|-------|-----|---|
| 4.  | <b>High Visibility Vest</b> | <ul style="list-style-type: none"> <li>- High visibility, Reflective, Weight (not less than 120 gm) 2500 pcs Green color and the rest Red or ( orange ) color .</li> </ul>  | 3,500 | pcs |    |
| 5.  | <b>Rain coat</b>            | <ul style="list-style-type: none"> <li>- Ain coats/pvc/ poly rainwear/raincoat for heavy rain yellow color.</li> <li>- Turkish standard or equivalent international standards.</li> </ul>   | 300   | pcs |    |
| 6.  | <b>Traffic cone</b>         | <ul style="list-style-type: none"> <li>- Cone, 1 reflective color Orange approx.</li> <li>- 75 cm Hight , min. weight 2 kg.</li> <li>- Specially formulated PVC with rubber base Turkish standard or equivalent international standards.</li> </ul> | 100   | pcs |    |
| 7.  | <b>Shovel with handle</b>   | <ul style="list-style-type: none"> <li>- Metal shovel with wooden handle, Weight of steel shovel not less than 1.0 kg.</li> <li>- Turkish standard or equivalent international standards.</li> </ul>  | 1,000 | pcs |  |
| 8.  | <b>Sickle</b>               | <ul style="list-style-type: none"> <li>- Standard size metal sickle, National standards is preferred or any other regional or international similar standard. Metal sickle more than 35 cm.</li> </ul>  | 200   | pcs |  |
| 9.  | <b>Small sickle</b>         | <ul style="list-style-type: none"> <li>- Standard small size metal sickle, National standards is preferred or any other regional or international similar standard. Metal sickle more than 15 cm.</li> </ul>  | 100   | pcs |  |
| 10. | <b>Small Axe</b>            | <ul style="list-style-type: none"> <li>- Standard size Metal Axe (DAS) in Kurdish, National Standards local preferred or any other regional or international similar standard. Using for cutting wood.</li> </ul>                                   | 50    | pcs |  |

|     |                       |  |       |      |   |
|-----|-----------------------|--|-------|------|---|
| 11. | <b>Rake</b>           | <ul style="list-style-type: none"> <li>- Metal rake with wooden handle, approx. width of metal not less than 40 cm and the weight not less than 1 kg.</li> <li>- Turkish standard or equivalent international standards.</li> </ul>  | 500   | pcs  |    |
| 12. | <b>Floor sweeper</b>  | <ul style="list-style-type: none"> <li>- Made from sponge and plastic or metal case blade with wooden handle , used in ordinary cleaning works.</li> <li>- Long handle made Bawitec hand broom .</li> <li>- Total Length of sweeper not less than 40 cm with wood handle not less than 120 cm.</li> <li>- Quality elaston/Eralon decoration in red Ideal for at home, in the yard, garden and workshop.</li> </ul> | 360   | pcs  |    |
| 13. | <b>Hand saw</b>       | <ul style="list-style-type: none"> <li>- Metal Bow saw, metal, size not less than 35 cm ,using for wood cutting , Taiwan standards or equivalent international standards.</li> </ul>   | 30    | pcs  |  |
| 14. | <b>Plastic / Boot</b> | <ul style="list-style-type: none"> <li>- Upper: High quality PVC/Nitrile.</li> <li>- Lining: Abrasion resistant fabric mesh.</li> <li>- Outsole: High quality PVC/Nitrile.</li> <li>- Application fields: Automobile; Energy supply; Construction; Mining; Logistics; Steel industry etc. The Sizes must be equally of 38,40,42,44.</li> </ul>   | 2,000 | pair |  |

|     |                                  |  |       |        |   |
|-----|----------------------------------|--|-------|--------|---|
| 15. | <b>Construction Safety Boots</b> | <ul style="list-style-type: none"> <li>- INTERNATIONAL CE EN20345 standard for safety shoes safety class (Reference EN345-1) Basic Function Anti-slipping, Shock-absorption heel, Oil/fuel resistant, Weak acids/alkali resistant</li> <li>Outsole SB - Basic safety boots . The Sizes must be equally of 38,40,42,44</li> </ul> | 1,000 | pair   |    |
| 16. | <b>Cutting disc</b>              | <ul style="list-style-type: none"> <li>- Thick type , for steel section works Turkish standard or equivalent international standards. the quantities equally</li> <li>- The Sizes must be equally of 15 , 25 , 35 cm size.</li> </ul>  | 75    | pcs    |    |
| 17. | <b>Wilding bars</b>              | <ul style="list-style-type: none"> <li>- Approx. 2.25mm thick.</li> <li>- Turkish standard or equivalent international standards.</li> </ul>   | 30    | packet |   |
| 18. | <b>Polishing disk</b>            | <ul style="list-style-type: none"> <li>- The Sizes must be equally of 15, 25 , 35 cm size , or steel section works thick type.</li> <li>- Turkish standard or equivalent international standards.</li> </ul>   | 75    | pcs    |  |
| 19. | <b>Roles and brushes</b>         | <p>For painting,<br/>Different sizes .4",3"and 2" 4 cm, 10 cm ,Roles 4",6"and10" the numbers equally 50/50/50/50/50/50</p>   | 300   | pcs    |  |

|     |  |  |     |        |   |
|-----|--|--|-----|--------|---|
| 20. | <b>Hand Street broom</b>                   | <p>Long handle made Bawitec hand broom</p> <p>Total Length of broom not less than 35 cm and the handle not its wood handle not less than 120 cm.</p> <p>Quality elaston/Eralon decoration in red</p> <p>Ideal for at home, in the yard, garden and workshop</p>                | 400 | pcs    |    |
| 21. | <b>Face mask</b>                           | <p>for dust protection, blue color</p> <p>Turkish standard or equivalent international standards. .</p>  | 500 | packet |    |
| 22. | <b>pickaxe</b>                             | <p>Manufactured with a 900mm length glass fiber shaft</p> <p>Comfortable shock absorbing rubber grip</p> <p>Drop forged head</p> <p>2 kg metal pickaxe with good glass viber handle and Turkish, European, Or Local made is preferred.</p>                                     | 400 | pcs    |  |
| 23. | <b>Mattock (small pickaxe with handle.</b> | <p>National made, the length of the handle is about 40 cm and the steel part is about 15 cm.</p>   | 150 | pcs    |  |
| 24. | <b>Irrigation PE Plastic Tube 3/4"</b>     | <p>Hose 25 meter length , 3/4 " diameter .</p> <p>Hardness: Hoses</p> <p>Color: BLACK, or RED or GREEN.</p> <p>Shape: Round</p> <p>Size: 3/4"</p> <p>Length: 25 meter per one roller.</p> <p>Material: PVC</p> <p>Type: Thermoplastic Pipe</p> <p>Usage: Water Supply Pipe</p> | 30  | Role   |  |

|     |  |   |       |      |   |
|-----|--|---|-------|------|---|
| 25. | <b>Irrigation PE Plastic Tube 1/2"</b> | Hose 25 meter length, 1/2" diameter Hardness: Hoses. Color: Black, or Red or Green. Shape: Round. Size: 1/2". Length: 25 metered per one roller. Material: PVC. Type: Thermoplastic Pipe. Usage: Water Supply Pipe. Turkish standard or equivalent international standards. | 25    | Role |    |
| 26. | <b>Rope roll</b>                       | Plastic rope roll, used for bending the green houses net and nylon, dia 9mm or thicker.   | 2,000 | M.L  |    |
| 27. | <b>Garbage bags</b>                    | Environmentally Friendly, plastic material, black color, Middle size 70 x 90 cm dimensions , <b>Each sack is 20 kg of bags .</b>  | 500   | sack |  |
| 28. | <b>Outdoor Plastic Cooler Box</b>      | Plastic Circular cooler box, with orange or blue and custom color, and with the capacity not less than 15 liters, with one tap.   | 100   | pcs  |  |

|     |                                |   |       |     |   |
|-----|--------------------------------|---|-------|-----|---|
| 29. | <b>Heavy garbage bags</b>      | (Empty flour sack )Heavy garbage bags for heavy duty to transport rubble materials agricultural activities 100 kg . Dimension 1.5 x 1.5 metre .   | 1,500 | PCS |    |
| 30. | <b>Sieves</b>                  | Sieve for sand plaster. Steel material mesh with Approx. size between (5mm Max. and 150micron Min. Approx. Height 1,20 x Width 1,50 m Dimensions with Wooden frame..  | 10    | pcs |   |
| 31. | <b>Scoop for filling sacks</b> | Weight: not less than 0.280 kg<br>Height: Approx. 9 cm<br>Width: Approx. 13 cm<br>Length: Approx. 32 cm<br>, set 4 pices , steel material .for agricultural works   | 50    | set |  |
| 32. | <b>pitchfork</b>               | steel with wood handle Turkish standard or equivalent international standards. the dimension of the metal not less than 25 cm , the length not less than 140 cm and the diameter not less than 4 cm ,Turkish or equivalent international standards. | 100   | pcs |  |
| 33. | <b>pruning scissors</b>        | Die-cast steel<br>Soft grips for better grip and comfort<br>Precise thin blade<br>3/4" diameter cutting capacity  | 40    | pcs |  |

|     |                            |   |     |     |   |
|-----|----------------------------|---|-----|-----|---|
|     |                            | Lightweight , 200 m - XBKE .  |     |     |   |
| 34. | <b>Formati on Scissors</b> | Made from steel with wooden or plastic handles, used for Decoration fencing plants the length no less than 40 cm.                   | 15  | pcs |    |
| 35. | <b>Grafting knife</b>      | Tina Budding and Grafting Knife 20 cm length.   | 100 | pcs |    |
| 36. | <b>hand hammer 0.6kg</b>   | fiber glass handle, material carbon steel , surface mirror polished , fine polished, different weight normal size , 600 gm approx.. | 25  | pcs |  |
| 37. | <b>hand hammer 2kg</b>     | wood handle , material carbon steel , surface mirror polished , fine polished, different weight normal size , 2 kg weight.          | 25  | pcs |  |
| 38. | <b>hand hammer 6kg</b>     | wood handle , material carbon steel , surface mirror polished , fine polished, different weight normal size ,6 kg weight.           | 25  | pcs |  |

|     |                             |  |    |     |   |
|-----|-----------------------------|--|----|-----|---|
| 39. | <b>Tools box</b>            | Consists of a set of tools box, construction, equipment, hammer, handle, hardware, illustration, improvement, isolated, kit, metal, open, red, repair, screwdriver, spanner, steel, tool, toolbox, white, work, wrench and of Germany origin and a box is a metal dimensions not less than 60*35*35 cm . | 5  | box |    |
| 40. | <b>Step ladders</b>         | Steel or Aluminum thickness 2 mm, 8 steps, weight more than 10 kg .  | 6  | pcs |    |
| 41. | <b>Step Ladders:</b>        | Steel or Aluminum type 6-meter height, and the weight more than 15 kg .  | 6  | pcs |  |
| 42. | <b>Stainless Steel Lock</b> | Size: 100 mm Material: stainless steel, brass plasticed keys of three Packing: double blister  | 30 | pcs |  |
| 43. | <b>Measuring tape</b>       | PVC coated fiberglass tape for maximum strength and durability Completely rust and rot proof Spiked end hook for stronger grip Easy-wind handle for quick rewinding steel reference lengths.   | 20 | pcs |  |

|     |                          |  |       |      |   |
|-----|--------------------------|--|-------|------|---|
| 44. | <b>Leveling tools</b>    | European standard , and prefer Germany standards deferent sizes (0.6,1 and 1.2 cm ) length. the quantities are equally .10/10/10 . | 30    | pcs  |    |
| 45. | <b>Trowels type 1</b>    | Different type, using for concrete activity the material is stainless and the handle is wood.                                      | 50    | pcs  |    |
| 46. | <b>Trowels type 2</b>    | Different type, using for concrete activity the material is stainless and the handle is wood.                                      | 50    | pcs  |   |
| 47. | <b>Cord / mason cord</b> | red or whit color, on roll 50m , 80 gm approx.. For each role.   | 100   | role |  |
| 48. | <b>Eyes Safety Glass</b> | for Eyes protections   | 2,000 | pcs  |  |

|     |                           |   |     |        |   |
|-----|---------------------------|---|-----|--------|---|
| 49. | <b>First Aid kit</b>      | <b>First aid</b> , middle size<br>This kit contains:<br>Scissor 1 Pc<br>Dettol Liquid 1 Pc<br>Paracip 500 Tab 1 Pc<br>Nicip Tab 1 Pc<br>Cotton 15 gm 1 Pc<br>Micropore 1 Inch<br>Betadine Oint 15g<br>Burnol Cream 10gm<br>Lopamide Tab 1 Pc<br>Softswab 10 cmx 10 cm<br>Bandage (3m/10cm) 1 Pc ,<br>with all necessary medical needs . | 150 | packet |    |
| 50. | <b>bending wire</b>       | steel tie wire carpent wire .<br>specifications :<br>Resistance brackish water<br>Resistance to stress<br>corrosion<br>Resistant to acids<br>Surface Treatment<br>Galvanized<br>Steel Grade<br>Steel<br>Application<br>Construction<br>Size<br>2.00mm to 5.0 mm<br>Grades<br>304, 304L, 316, 316L<br>Finish<br>Bright, Clean            | 250 | kg     |  |
| 51. | <b>handle for Shovel</b>  | wood type Turkish or equivalent international standards.  | 150 | pcs    |  |
| 52. | <b>handle for pickaxe</b> | wood type Turkish standards or equivalent   | 80  | pcs    |  |

|     |                               |  |     |     |   |
|-----|-------------------------------|--|-----|-----|---|
| 53. | <b>naylon</b>                 | (Thick Nylon) of width 4, 6, and 8 meter, (Gray and white color and light yellow) , the quality must be resistible to sunlight and lasts for at least one year in outdoor conditions to be used in covering old houses roofs and also for beeding area of green houses.  | 750 | kg  |    |
| 54. | <b>Wheel barrow</b>           | <p>Material: Steel Barrow<br/>Capacity: Approx. 85 Liter, with Approx. 100kg carrying load locally type .<br/>Steel Plate thickness: not less than 1.5mm.<br/>With a sturdy black steel frame and robust powder coated steel tray it's easy to transport compost, gravel, paving slabs and other garden items<br/>The 14" pneumatic wheel absorbs shock over rough ground and the rubber handles offer a comfortable grip - making it a smoother journey when lifting and moving garden materials<br/>Simple assembly required - with easy-to-follow instructions included</p> | 150 | pcs |  |
| 55. | <b>Wheel barrow air tires</b> | Including the shaft, free 10-Inch total dia of the tire.<br>Air tire Rubber Hand Truck Tire Fits 5/8" Axle ,Turkish or equivalent international standards.   | 150 | pcs |  |

|     |                                  |  |       |        |   |
|-----|----------------------------------|--|-------|--------|---|
| 56. | <b>Bucket</b>                    | Flexible Black Plastic Gardening Bucket<br>Extremely versatile and virtually indestructible. It can be used for moving soil, garden waste, rubble and various other jobs around a garden or building site.<br>460mm diameter.  | 200   | pcs    |    |
| 57. | <b>Safety hats</b>               | European standard or Equivalent.<br>Features: Terylene Fabric Cradle<br>Size: Adjustable<br>Head Protection: Helmets<br>Style: Safety / Work<br>Main Colour: 50 white , 150yellow ,and 50 Green  | 250   | pcs    |    |
| 58. | <b>Straw hat</b>                 | Straw hats made from natural stow, large and medium size not less than 35 cm total dia.  | 3,000 | pcs    |  |
| 59. | <b>Nail for carpentry weries</b> | <b>Nail for carpentry weries</b><br>Material: Steel<br>Length: 600 mm<br>Head Diameter:5mm-14.5mm<br>Shank Diameter: 1.2mm-6mm<br>Nail Cap Thickness:1.3-2mm<br>Weigth: 0.6-13.92g/nail<br>color:<br>bright, silver white,or black-<br>capacity 3 kg / packet , - 6 cm length - 3 kg / packet, steel materials . | 15    | packet |  |

|     |                                  |  |     |        |  |
|-----|----------------------------------|--|-----|--------|--|
| 60. | <b>Nail for carpentry series</b> | Material: Steel<br>Length: 100 mm<br>Head Diameter:5mm-14.5mm<br>Shank Diameter: 1.2mm-6mm<br>Nail Cap Thickness:1.3-2mm<br>Weight: 0.6-13.92g/nail<br>color:<br>bright, silver white, or black-<br>capacity 3 kg / packet , | 15  | packet |   |
| 61. | <b>galvanized steel Chain</b>    | 6 mm sizes Playground Equipment and General Use<br>E - 20mm D - 6mm H - 11mm<br>Weight per meter - not less than 0.85kgs<br>Breaking load - not less than 1600kgs<br>Grade 30 Calibrated Steel Chain.                        | 100 | M.L    |  |

## B. DELIVERY TIME AND DELIVERY LOCATION

- The delivery Location is giz's warehouse in Duhok City.
- Supplier must specify delivery time in bid form.

## C. REMARKS AND CONDITIONS

1. Providing, Supplying, and Transportation costs (loading and unloading) are included in the price.
2. In case any conflict between GIZ and supplier regarding the quality check of the product, Duhok construction laboratory will be the reference to check the quality of the product.
3. All the works shall be executed according to specifications in Annex 1, attached drawings (No. 1 and No. 2) and reference pictures, and other contract documents and the instructions of GIZ Engineering unit.
4. Reference picture are only to recognize and understand the items, not an indication for any model or brand.