

MISSAN OIL COMPANY

REQUISITIONS LIST CLOSING DATE 10/3/2013

ALL PARTICIPANTS IN ENQUIRIES THAT WILL BE RE- ANNOUNCED SHOULD FOLLOW -UP OUR REQUISITIONS LISTS AND CLOSING DATE ON OUR WEB SITE INSTEAD OF NOTIFICATION BY FAX OR E-MAIL AND SUBMIT EITHER RENEWED OFFERS OR LETTERS BY WHICH EXTENDING THE VALIDITY OF THEIR PAYMENT FOR PARTICIPATION SHOULD BE DONE ONE DAY BEFORE CLOSING DATE . SINCE CLOSING DATE IS DEDICATED FOR RECEIVING OFFER (\$) ONLY FOR TECHNICAL SPECIFICATION PLEASE VISIT OUR WEB SITE (www.moc.oil.gov.iq) OTHERWISE, FEEL FREE TO CONTACT US AT (moc_cd@moc.oil.gov.iq)

ANN-NO. -2-

SER	ENQ.REF.	SPEC	NO. OF ITEMS	NOTE	MATERIAL NATURE	PAYMENT IN USD	BUDGET
1	03.13.4144	Wellhead automatic safety valve	12			100 \$	Investment
2	79.13.4145	X – ray equipment – high voltage ERESKO 65 MF4 300Kv	2			100 \$	Investment
3	79.13.4146	Electronic analytical balances KERN ABT+ table(anti vibration)	9			100 \$	Investment

ITEM	DESCRIPTION	UNIT	QUANTITY
1	Electronic analytical balances KERN ABT+ table(anti vibration) Model ; ABT 320- 4M Weighting range 320 gram Origin : Germany , USA , UK , FRANCE	NOS	002
2	Universal ovens , mummers . Type UNB 500 . Outer W X D X H mm 710 x 550 x 760 . Inner W X D X H mm 560 x 400 x 480 . Max temperature 300 c with fan . Origin : Germany , USA , UK , FRANCE	NOS	001
3	drying oven ,FD 115 MODEL Temperature range from 5 c to 300 c. DS control with integrated timer 0 to 99 hrs.	NOS	001

4	Zero resistance ammeter (ZRA) Zero Resistance Ammeter has two ranges (0 to 2 milliamp and 0 to 20 milliamp) both of which are equipped with over range and polarity indication. Accuracy of the Zero Resistance Ammeter is 0.2% over the entire range. Front panel access to batteries, On-Off switch, range selection, and indicators for polarity, over-range and input / output jacks Origin: USA , UK , FRANCE, ITALY	NOS	1
5	-Strip coupon carbon steel Co 100 (1½" *3" * 1/16") Hole 3/16 " location 1/4" from end . Surface area = 3.38 sq.in.	NOS	50
6	-Disc coupon carbon steel p\n co 220 diameter 1, 1/4 " thickness 1/8 " hole 1/4 " centered	NOS	50
7	Coupon Holder - Single strip . - Flush or projecting disc. - Adjustable disc .	NOS	50

8	Laboratory microscope opteka To see type of corrosion and crystal structure With acceptable zoom . Metallographic Polarizing , 3D computerize ,roughness profile Origin : Germany , USA , UK , FRANCE , ITALY	NOS	1
9	Laboratory of corrosion ;- "" completion Laboratory "" Laboratory furniture . Laboratory tools and accessories Origin : Turkey NOTE: • TRAINING Offer should include the training of four person(ten days) free of charge. • The manufacturer should submit origin certificate approved by commerce & industry chamber of the country of origin, commercial invoices & origin certificate should authenticated & stamped by Iraqi - embassy • Delivery term : CIP Missan	NOS	1

استمارة نسب الترجيح

no	فقرات الطلبيّة	معايير الترجيح %
1	Technical Specifications	60%
2	Origin	20%
3	Delivery period	10%
4	After-sales service	10%
total		100%