


Attached list of special condition and requirement

Ministry of oil

North Gas Company

Indent number: 1991/2010

1. Offer should be worked out on the basis of CIP Kirkuk
2. Kindly state the following:-
 - a. Delivery date & offer validity (90) days
 - b. Country of origin.
 - c. Port & country of export
 - d. Performance certificate and all relevant documents involved.
 - e Specify shipment route.
 - f. Offers must be signed and stamped alive & must be in sealed envelope (Technical offer) with indent number and closing date clearly mentioned on the envelope.
3. Yr offer must be submitted before: 14 / 04 / 2013 (prior to 3:00pm), is highly appreciated.
4. If you are not interested in offering quotations, please let us know within given period.
5. Offers will neglect one or more of a/m conditions, shall be neglected.
6. supplier to present a full set of shipping documents authenticated from Iraqi embassy at supplier country, including epidemic-free license for export materials.
7. Offers should be from manufacturing companies or authorized agents
8. Agents-suppliers ... Should submit authorization from the main manufacturer(s) (all relevant documents to be originals being authenticated by Iraqi commercial attaché.
9. Signing contracts may be through/by authorized regional agent, within Iraq country.embassy in supplies'
10. Tenders should be pursued definitely via corresponding NGC/E-mail or . communicating NGC reception.
11. Final account statement approved by a charter account in past year for financial efficiency to be submitted.
12. Incorporation papers are to authenticated by Iraqi commercial attaché.
13. Commercial offers must be submitted after technical ones had been studied well by our concerned staff & you will be informed later on.
- 14- Before delivering the envelopes containing offer(s), the bidder requested to pay (ID 100000) one hundred thousand Iraqi Dinars against receipt (copy to be attached with technical offer)
- 15- Certificate of inspection of the third party to be from **French Bureau Veritas** or any equivalent one **exclusive of SGS** is to be submitted definitely .



Kamil Kamal Aarif

PP/Director General

Services & Materials Commission Manager

P. O. BOX (16) KIRKUK

WEBSITE: www.ngc.gov.iq

BAIJI-KIRKUK ROAD

E-MAIL: gas@ngc.gov.iq

شركة غاز الشمال (شركة عامة)

نموذج رقم ()

سببية شراء

MATERIALS INDENT

NEEDED FOR..... قسم الصيانة والميكانيك

ST O R E	Ce AL RA DS S
1	23

INDENT SERIAL NO
5 8
1991

DATE REQUIRED
MM YY
20

DATE RAISED
DD MM YY
15 20
26 12 2010

تمثل ITEM	الرقم الرمزي VOCABULARY	المواصفات DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	REMARKS
23	24 33		62 64	71 80	71 80	
001		SPARE FOR AJEEL GAS FIELD . DIAPHRAGM SEAL SMART TYPE DIFFERENTIAL TRANSMITTER OUT PUT HART WITH SUPERIMPOSED 4-20MA, MEASUREMENT SPAN 0-3000 MMH20 WETTED PART (DIAPHRAGM) HASTELLOY PROCESS FLANGE RATING ANSI CLASS 600 FLANGE SIZE 2" CAPILLARY LENGTH 3 METER ELECTRICAL CONNECTION ½ NPT FEMALE WITH INTEGRAL ANALOG INDICATOR COMPLETE WITH MOUNTING BRACKET & CABLE GLAND.	NO	2 TWO		FOXBORO FISHER ROSEMOUNT HONEYWELL YOKO GAWA FUJI
002		FIELD MOUNTED DISPLACEMENT TYPE LIQUID LEVEL PNEUMATIC (TRANSMITTER & FULL THROTTLE TYPE CONTROLLER) FOR INTERFACE LIQUID CONTROL UPPER S.GR 0.625, LOWER S.GR 0.55 PROCESS CONNECTION FLANGE SIZE 1½" RATING 600 ANSI RF TORQUE TUBE MAT. INCONEL HOUSING:- STANDARD	NO	1 ONE		

رمزية ٢٠١٠/١٢/١٥ (٢/١)

توقيع طالب المواد /
عنوان الوظيفة /

2 مجموع الفقرات
TOTAL ITEMS

سيطرة مخزنية

مدير العام
م. ع. ع. ع.

MATERIAL IN () طلبية
(CONTINUATION) تمة

S T O R E	Ce AL RA DS S
1	23

PAGE INDENT NO. ٢ صحيفة

INDENT SERIAL NO
5 8
1991

DATE REQUIRED
MM YY
20

DATE RAISED
DD MM YY
15 20
26 12 2010

تسلسل ITEM	الرقم الرمزي VOCABULARY	DESCRIPTION المواصفات	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	
23	24 33		62 64	70 65	71 80	
		COMPLETE WITH CHAMBER & DRAIN VALVE SIDE-SIDE CONNECTION. MATERIAL :- BONNET :- SCPH2 CHAMBER:- SUS 316L FLOAT:- SUS 316L CONTROLLER ACTION PI DIRECT, WITH AUTO/ MAN TRASFER SWITCH OUT PUT 0.2-1 Kg/CM² COMPLETE WITH AIR SET & TUBING . MEASURING RANGE 0-1000 MM				