

الطلبات المحلية
MISSAN OIL COMPANY
REQUISITIONS LIST
CLOSING DATE 7/4/2013

SER	ENQ.REF	DESC	NO.OF.ITEM	NOTE
1	69-13-8020-01	Ferrochrome Lignosulfonate , Graphite And CMC LV	3	□□□□□□

8020

INDENT No 69-13-8020-01

Ferrochrome Lignosulfonate , Graphite And CMC LV

Item	Description	Unt.	Qun.
001	<u>Ferrochrome Lignosulfonate :</u> -Dark brown powder. -Used in all dispersed water-based system to effectively rheological properties at temp. approaching 350 F ⁰ (177C ⁰). Prevent high temp-gelatin.- Minimize adverse effects of mud contamination.- Provide secondary filtration control .- -Effective in high calcium environments. Improve filter-cake quality .- Effectively scavenges soluble oxygen in circulating systems.- Functions in lime, Gypsum, salt water and fresh water fluids. -Packaged in multi water proof paper Sacks of 25 Kg and every40Sacks in one pallet Origin:-, India , Turkey or UAE	TON	200
002	Graphite Graphite is used in drilling fluids to provide lubrication , S p.Gr 2.1 -2.3 Purity 90-97 Size (250 – 400) -Packaged in multi water proof paper Sacks of 25 Kg and every40Sacks in one pallet Origin:-, India , Turkey , Chain or UAE	TON	25

003	CMC LV: -Sodium carboxy methyl cellulose in powder form used for filtration control in water base drilling fluids. -Decreases filtration rate & filter cake thickness in fresh or brackish water-based drilling fluids. - Promote hole stability in water –sensitive formation.- - Effective in salt water . - Effective in small concentration . - Deflocculate salt water systems in concentration less than 0.25pbb(0.7kg/m³) -Readily disperses when mixed through hopper . -Packaged in multi walled water proof Sacks of 25 Kg and every 40 Sacks in one pallet. Origin:- Italy, English, USA, German, France, Turkey, India or UAE	TON	100
	1- The supplier should be provide us with catalogs show the addition . 2-Third party inspection certificate. of each material required by this tender. 3-Inspection certificate from original company will be required. 4-Certificate of origin should be stamped by Iraqi consulate in country of origin . 5-If the offer containing training should be free of charge. 6-The acceptance of material depend upon its test in Iraqi laboratory according to general methods . 7-The delivery of materials should be CIP MISSAN.		

The Standard evaluation Requested

Item	Description	Evaluate
1	Technical Specification	65%
2	After-sales services	0%
3	The implementation period of the contract	30%
4	Origin of materials	5%
5	Materials for opration and spare parts	0%
Total percentage		100%