

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ . NO	DESCRIPTION	QTY	عدد مرات الإعلان
1210/2013	INSTRUMENT & METERS /FLAME PROOF PRESSURE SWITCHES	25 ITEMS	اولى

- 1- THE REQ TO BE SOLD IN(250000 TWO HUNDRED FIFTY THOUSAND) IRAQI DINAR , UNRETURNABLE.
- 2- WE PREFER PRICE IN US DOLLAR AND SHOULD BE CIP BAGHDAD / DAURA REFINERY AND NOT ACCEPTABLE BY LOCAL CURRENCY FOR FOREIGN REQ.
- 3- CLOSED (TECHNICAL & COMMERCIAL OFFERS TO BE SUBMITTED SEPARATELY BY DHL & ALL OFFERS THAT SEND BY E-MAIL WILL BE REFUSED.
* ALL PAGES OF TECHNICAL & COMMERCIAL OFFER SHOULD NUMBERED WITH ATTACHMENT
- 4- ALL DOCUMENTS (PROFILE)AND SIMILAR CONTRACTS WHICH THEY ACHIEVED ISSUED BY GOVERNMENTAL CONTRACTS MUST BE SUBMITTED BEFORE PURCHASING THE REQ. OR THE OFFERS, FOR(YEAR 2013) AND SHOULD BE STAMPED IN IRAQI EMBASSY/COMMERCIAL ATTACHED IN COUNTRY OF THE COMPANY. OTHERWISE THE OFFER WILL BE REFUSED .
- 5- THE DELIVERY PERIOD SHOULD BE STATED CLEARLY IN DAYS NOT (FROM – TO)
- 5- TERMS OF PAYMENT IS BY IRREVOCABLE & UN CONFIRMED LETTER OF CREDIT TO BE PAID 100% AFTER THE RECEIPT OF GOODS IN BAGHDAD COMPLETE AND AS ORDERED AND YOU CAN AGREE LATTER FOR ANY PORTION OF PAYMENT BUT AGAINST BANK GUARANTEE , OR BY IRAQI DINAR FOR IRAQI COMPANY, OR BY ABANK TRANSFER FOR ANY COMPANY DESIRE THAT IN CASE OF YOU HAVE ACCOUNT NO. IN ANY DEPENDANT IRAQI BANK .
- 6- AN UNCONDITIONAL PERFORMANCE BOND OF 5% OF TOTAL AMOUNT OF THE L/C TO BE SUBMITTED WITHIN THE DATE OF SIGNING THE PURCHASES ORDER IN FAVOUR OF (MIDLAND REFINERIES CO.) TO BE RELEASED AFTER THE RECEIPT OF GOODS COMPLETE AND AS ORDERED.
- 7- THE TOTAL VALUE DELAY PENALTY SHOULD BE APPLIED AND NOT EXCEED 10%.
- 8- THE BID BOND SHOULD BE SUBMITTED 1% FROM THE TOTAL VALUE OF YOUR OFFER (COMMERCIAL OFFER) AS(LETTER OF GUARANTEE OR CERTIFIED CHEQUE OR BANK GUARANTEE) ORIGINAL COPY ISSUED FROM (TRADE BANK OF IRAQ, DAR ESSALAAM INVESTMENT, ALA ATIMAN ,BYBLOS, MIDDLE EAST, ASHUR INTERNATIONAL BANK FOR INVESTMENT, ECONOMY BANK FOR INVESTMENT & FINANCE) AND RELEASED IMMEDIATELY IN CASE THE REQUEST IS NOT AWARDED TO THE COMPANY . AND SHOULD BE VALID NOT LESS THAN (120 DAYS) THE VALIDITY OF THE OFFERS.
* THE CHEQUE & THE BANK GUARANTEE THAT ISSUED FROM AL WARKA BANK , ISLAMIC BILAD, BASRAH INTERNATIONAL BANK ARE NOT ACCEPTABLE.
- 9- THE COMPANY MUST SUBMIT A COVENANT ENCLOSED WITH THE TECHNICAL OFFER THAT THEY HAVE SUBMITTED ABID BOND WITH COMMERCIAL OFFER AND (WITHOUT STATING THE AMOUNT OF THE (BID BOND).
- 10- IRAQI LAWS ARE APPLIED
- 11- 2.7% OF THE TOTAL VALUE OF THE P/O TO BE DEDUCTED AS TAXES FOR IRAQI COMPANIES. ALSO, IN CASE THE PAYMENT IS IN IRAQI DINAR .FOR NON-IRAQI COMPANIES , THIS AMOUNT WILL BE RETAINED AS TAXES AND WILL BE RELEASED WHEN A TAX DISCHARGE ISSUED BY THE (IRAQI STATE COMMITTEE OF TAXES) IN YOUR FAVOUR IS SUBMITTED AND WITHIN (180) DAYS FROM THE DATE OF RECEIPT OF ALL MATERIALS COMPLETE AND AS ORDERED OTHERWISE, THIS AMOUNT WILL BE SENT TO THE (TAX COMMITTEE)
- 12- 0.002 STAMP DUTY SHOULD BE DEDUCTED.
- 13- COST OF IMPORT LICENSE (205 000 ID) SHOULD BE DEDUCTED.
- 14- ORIGIN CERTIFICATE & COMMERCIAL INVOICES SHOULD BE APPROVED BY IRAQI EMBASSY/COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN.
- 15- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREIGN AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN (ACCORDING TO THE INSTRUCTIONS OF REQUISITION OF SUPPLYING THE ESPECIAL MATERIALS).
- 16- THIRD PARTY INSPECTION SHOULD BE PROVIDED FROM (B.V) COMPANY.
- 17- ALL OFFERS AND CORRESPONDENCES SHOULD BE CLEARLY SIGNED BY GENERAL MANAGER OR HOME ARE OFFICIALLY EMPOWERED VIA POWER OF ATTORNEY . THE WEB SITE AND E-MAIL AND THE AUTHORIZED PERSON SHOULD BE STATED CLEARLY OTHERWISE OFFERS SHOULD BE NEGLECTED
- 18- THE TENDER AND THE CONTRACT SHALL BE GOVERNED AND CONSTRUED ACCORDING TO THE IRAQI LAW AND COURTS SHALL HAVE THE EXCLUSIVE JURISDICTION TO HEAR AND DETERMINE ALL ACTION AND PROCEEDING ARISING OUT OF THE CONTRACT, THE LAW OF OBTAIN GOVERNMENTAL DEBT NO:56 FOR 1977 SHALL APPLIED ON AMOUNTS OWED FOR MRC
- 19- IN CASE THE SUPPLIER FAIL TO SUPPLY THE REQUESTED MATERIAL AS ORDERED AND ACCORDING TO TECHNICAL SPECIFICATION STATED IN THE PURCHASE ORDER, OUR COMPANY HAS THE RIGHT TO DEDUCT ITS COST AT HIGHEST OFFERED PRICE SUBMITTED BY COMPETITORS IN THE TABLE OF PRICE ANALYSIS FOR SUCH ITEMS.
- 20- CLOSING DATE IS: - 28 /5/2013 TILL (1:00) O, CLOCK (NOON)

NOTE:- YOU CAN FIND THE CONDITIONS OF SUBMITTING OFFERS ON

WEBSITE: www.oil.gov.iq OR www.mrc.oil.gov.iq
info@mrc.oil.gov.iq البريد الإلكتروني لشركة مصافي الوسط

purchas@mrc.oil.gov.iq

Saad Noori Mohammed

G. MANAGER

REQ.NO: 1210/ 2013

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				INSTRUMENT & METERS
1.	2	NOS	369212/019.3	FLAME PROOF PRESSURE SWITCH RANGE (0-750)PSI MEASURE ELEMENT BELLOWS OR DIPHRAM TWO LIMIT SWITCH :15A,480VAC TWO SET CALIBRATION WITH OUT LET CONNECTION :1/2" FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN , NORMALLY CLOSE.
2.	6	NOS	369212/020.3	FLAME PROOF PRESSURE SWITCH RANGE (0-200)PSI MEASURE ELEMENT BELLOWS OR DIPHRAM TWO LIMIT SWITCH :15A,480VAC TWO SET CALIBRATION WITH OUT LET CONNECTION :1/2" FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN , NORMALLY CLOSE.
				Pressure switches
3.	6	NOS	369212/057.0	FLAME PROOF PRESSURE SWITCH RANGE (0-300)PSI MEASURE ELEMENT BELLOWS OR DIPHRAM TWO LIMIT SWITCH :15A,480VAC TWO SET CALIBRATION WITH OUT LET CONNECTION :1/2" FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN, NORMALLY CLOSE.
4.	6	NOS	369212/060.0	Flame proof temperature switch Range :(0-120)°C LIMIT SWITCH :15A, 480 VAC set calibration without let CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALLY OPEN, NORMALLY CLOSE Sensor length 3"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
5.	3	NOS	369212/061.0	Flame proof temperature switch Range :(0-170)°C Two LIMIT SWITCH :15A, 480 VAC Two set calibration without let CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				NORMALY OPEN, NORMALY CLOSE Sensor length 6"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
6.	8	NOS	369212/095.3	Flame proof temperature switch Range :(0-200)°C Two LIMIT SWITCH :15A, 480 VAC Two set calibration without let CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 6"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
7.	2	NOS	369212/255.3	FLAME PROOF PRESSURE SWITCH RANGE (0-50)PSI MEASURE ELEMENTBELLOWS OR DIPHRAM LIMIT SWITCH :15A,480VAC SET CALIBRATION WITH OUT LET CONNECTION :1/2" FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN , NORMALLY CLOSE
				MISCELLANEOUS
8.	2	NOS	369212/377.3	Explosion proof temperature switch Range :(0-150)°C LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 6"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
9.	2	NOS	369212/378.3	Explosion proof temperature switch Range :(0-100)°C LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 6"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
10.	3	NOS	369212/400.3	FLAME PROOF PRESSURE SWITCH RANGE (0-20)Kg/cm2 MEASURE ELEMENTBELLOWS OR DIPHRAM LIMIT SWITCH :15A,480VAC SET CALIBRATION WITH OUT LET CONNECTION :1/2"

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN.
11.	2	NOS	369212/402.3	Explosion proof temperature switch Range :(0-150)°C TWO LIMIT SWITCH :15A, 480 VAC Two set calibration without let CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 3"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
				TSUCHIURA WORKS PRESSURE SWITCH – TAG. NO. PS1367 A&B
12.	6	NOS	369212/462.0	Explosion proof pressure switch Range :(0-25)Kg/cm2 MEASURE ELEMENT BELLOWS OR DIPHRAM LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE INSTRUMENT CONNETION :1/2" NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALY OPEN, NORMALY CLOSE
				TYPE : PRESSURE SWITCH
13.	8	NOS	369212/478.0	Explosion proof pressure switch Range :(0-300)PSI MEASURE ELEMENT BELLOWS OR DIPHRAM LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE INSTRUMENT CONNETION :1/2" NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALY OPEN, NORMALY CLOSE
14.	12	NOS	369212/482.0	Explosion proof temperature switch Range :(0-120)°C LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 3"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
15.	4	NOS	369212/483.0	Explosion proof temperature switch Range :(0-350)°C LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 6"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
16.	10	NOS	369212/486.3	Flame proof pressure switch Range : (0-200) PSI Measure Element bellows or diaphragm Two limit switch , 15 A, 480 VAC Connection 1/2" female with cland wet material : 316SS Limit switch S.P.D.T may be wired normally open normally closed.
				SPARE FOR INJECTION MOULDING MACHINE TYPE: A26-120
17.	6	NOS	369212/493.3	Thermo well 4" ST.ST. 3/4" NPT P/N SD-6225-76
				NAGANO KEITI,LTD, PRESSURE SWITCH.
18.	4	NOS	369212/503.0	Explosion proof pressure switch Range :(0-35)Kg/cm2 MEASURE ELEMENT BELLOWS OR DIPHRAM LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE INSTRUMENT CONNETION :1/2" NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALY OPEN, NORMALY CLOSE
				DWG. NO. B.61-00827
19.	2	NOS	369212/512.3	FLAME PROOF PRESSURE SWITCH RANGE (0-4)Kg/cm2 MEASURE ELEMENTBELLOWS OR DIPHRAM LIMIT SWITCH :15A,480VAC SET CALIBRATION WITH OUT LET CONNECTION :1/2" FEMALE WITH CLAND INSTRUMENT CONNECTION :1/2"NPT MALE WET MATERIAL 316SS LIMIT SWITCH S.P.DT MAY WIRED NORMALLY OPEN , NORMALLY CLOSE
20.	2	NOS	518.3	Flame proof temperature switch Range :(0-100)°C TWO LIMIT SWITCH :15A, 480 VAC Two set calibration without let CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 3"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				SPARES FOR CRUDE OIL METERING STATION
21.	1	NOS	369212/541.0	Diff pres switch Model E-301 Explosion proof Range 0.1-1.5 KG/CM ² TAG 20.1.dpsh.01
				LOCATION : P.D.A. NO.1 POWER HOUSE
22.	6	NOS	369212/651.0	Explosion proof temperature switch Range :(0-250)°C LIMIT SWITCH :15A, 480 VAC CONNECTION :1/2" FEMALE WITH CLANDE WET MATERIAL 316SS LIMIT SWITCH S.P.DT may WIRED NORMALY OPEN, NORMALY CLOSE Sensor length 3"x 1/2" NPT Capillary length 5m or more Thickness of sensor: 3/8"
23.	8	NOS	652.3	Flame proof temperature switch with capillary : (10-15)m Set calibration without let Wet. Material : 316.SS Limit switch S.P.D.T may be wire normally open , normally close 125/250 VAC Immersion steam 3" Length x1/2 NPT Range : (0-500) Co Connection cable : 1/2"
24.	6	NOS	369212/653.0	Model M9B type F110 explosion proof remote mounted local mounted temp switch single switch rating 15 AMP 125/2 50 V.AC immersion stem 3" length 1" NPT .connection adjustable temp .range 600-1000 Fo
25.	6	NOS	654.0	Model 102 type C110 explosion proof local mounted temp switch with single switch Rating 15 AMP. 125/250 V.AC. Immersion stem 3" length X 1/2" NPT. connection adjustable temp .range .0-225 F°

GENERAL

ORIGIN: WEST EUROPE – JAPAN – USA- Australia - Canada - South Korea.

Certificate of origin

Third party inspection certificate

CONDITIONS FOR PRESENT IMPORT REQUISITIONS TENDERS

1. PAYMENT : BY IRREVOCABLE UNCONFIRMED AND UNTRANSFERABLE LETTER OF CREDIT (L/C) TO BE PAID 100% AFTER RECEIPT OF MATERIAL COMPLETE AND AS ORDERED , THE ABOVE PERCENTAGE CAN BE CHANGED AGAINST BANK GUARANTEE , CONFIRMATION CHARGES TO BE BORNE BY SUPPLIER (SECOND PARTY) IF REQUESTED OR BY WIRE TRANSFER - WE CAN PAY IN IRAQI DINAR AND EQUAL THE VALUE OF THE PURCHASE ORDER FOR IRAQI COMPANIES ALSO IN CASE OF THE COMPANY (SECOND PARTY) REQUEST THAT INSTEAD OF L/C AND HAS (ACCOUNT NUMBER) INSIDE IRAQ.	١- شروط الدفع المعتمدة لدينا / اعتماد مستندي غير قابل للنقض او التحويل وغير مثبت وتطلق المستحقات ١٠٠% بعد استلام المواد كاملة ومطابقة ويمكن الاتفاق على نسب اخرى مقابل ضمانات ويحمل المجهز مصاريف تثبيت الاعتماد في حالة طلبه ان يكون الاعتماد مثبت او حوالة مصرفية - يمكن دفع المبالغ بما يعادل مبلغ امر الشراء بالدينار العراقي للشركات العراقية او الشركات التي ترغب بذلك وبدون فتح اعتماد في حالة توفر حساب مصرفي داخل العراق .
2. SUPPLIER (SECOND PARTY) MUST SUBMIT A BID BOND 1% OF TOTAL VALUE OF HIS OFFER (BANK GUARANTEE , LETTER OF GUARANTEE OR APPROVED CHECK) (ORIGINAL COPY) WITH THE COMMERCIAL OFFER THE BID BOND SHOULD BE RELEASED IN CASE OF NOT AWARDING THE REQUISITION AND TO BE CONFISCATED IF SUPPLIER (SECOND PARTY) NOT BE BOND REGARDING HIS OFFER AFTER INFORMING THE AWARDING AND TO BE NEGLECT THE OFFER IF SUPPLIER NOT BE SUBMITTED THE BID BAND 3. DELIVERY PERIOD SHOULD BE EXACTLY SHOWN.	٢- يقدم المجهز تامينات اولية مقدارها (١%) من قيمة العطاء (خطاب ضمان او صك مصدق او كفالة مصرفية) (نسخة اصلية) ويوضع في العرض التجاري ويتم اطلاق هذه التامينات في حالة عدم الاحالة عليه وتصادر في حالة عدم التزامه بالعرض بعد تبليغه بالاحالة ويهمل العرض في حالة عدم تقديم التامينات الاولية ٣- يتم تحديد فترة التجهيز ولا تقبل عبارة (من - الى)
4. WE PREFER PRICES IN US DOLLAR AND CIP BAGHDAD (MIDLAND REFINERY COMPANY)	٤- يفضل تقديم العروض بعملية الدولار واصل بغداد (شركة مصافي الوسط)
5. IN CASE OF PARTIAL SHIPMENT , NUMBER OF SHIPMENTS AND QTY TO BE MENTIONED IN THE OFFER AND TO BE SUPPLIED WITHIN DELIVERY PERIOD , PAYMENT WILL BE EFFECTED AFTER RECEIPT OF EACH SHIPMENT COMPLETE AND AS ORDERED .	٥- في حالة تجزئة الشحن يثبت ذلك في العرض مع تحديد عدد الشحنات وكمياتها ضمن فترة التجهيز وتدفع قيمة كل شحنة بعد استلامها كاملة ومطابقة
6. SUPPLIER (SECOND PARTY) BEAR THE RESPONSIBILITY OF THE INSURANCE OF THE MATERIAL TILL RECEIPT AT BUYER S SITE (FIRST PARTY) . UNLESS THERE IS ANOTHER AGREEMENT MENTIONED IN THE CONTRACT	٦- يتحمل البائع مسؤولية التأمين على البضاعة لحين وصولها الى المشتري الا اذا كان هناك اتفاق اخر يثبت في العقد
7. TWO OFFERS TECHNICAL & COMMERCIAL IN SEPARATED ENVELOPES SHOULD BE SUBMITTED, - REQ NO. , NAME OF SUPPLIER, CLOSING DATE SHOULD BE STATED, - IF THE TWO OFFERS ABOVE PUT IN ONE ENVELOPE BOTH OF THEM WILL BE REJECTED. ALSO OPEN OFFERS ARE REJECTED, TECHNICAL - SPECIFICATIONS SHOULD BE STATED CLEARLY.	٧- يقدم عرضان منفصلان / تجاري وفني يثبت على غلاف كل منهما رقم الطلبية / اسم المجهز / تاريخ الغلق وتكون المواصفات الفنية مفصلة وموقعة من قبل المجهز ويهمل العرض في حالة وضع التجاري والفني في ظرف واحد ولا تقبل العروض المكشوفة
8. THE NOT AS ORDERED OFFERS SHOULD BE	٨- تهمل العروض الغير مطابقة للمواصفات

DISREGARDED	
9. TECHNICAL INQUIRIES SHOULD BE EXECUTED BEFORE THE CLOSING DATE	٩- يمكن للمجهزين ان يرسلو استفساراتهم الفنية قبل تاريخ الغلق
10. OFFERS CANNOT BE ACCEPTED AFTER THE CLOSING DATE, CLOSED OFFERS TO SENT BY POST OR BY D.H.L ARE ACCEPTED AND SHOULD BE PUT TOGETHER WITH THOSE WHICH WERE BROUGHT BY HAND IN THE FOREIGN OFFERS BOX IN RECEPTION SECTION WITHIN THE CLOSING DATE PERIOD.	١٠- تهمل العروض التي ترد بعد تاريخ الغلق وتقبل العروض التي ترسل معلقة بالبريد او D.H.L وتوضع مع العروض التي ترد باليد في صندوق استعلامات الشركة
11. OFFERS FOR MORE THAN ONE REQ. IN ONE ENVELOPE WILL BE REJECTED	١١- لايجوز وضع عروض لاكثر من طلبية في ظرف واحد حيث سيتم اهلها
12. PRICES TO BE FINAL NOT NEGOTIABLE AND OUR COMPANY IS NOT OBLIGED TO ACCEPT THE LOWEST PRICES .	١٢- الاسعار نهائية وغير قابلة للتفاوض وشركتنا غير ملزمة بقبول اوطا العروض
13. THE AWARD SHOULD BE IN FAVOR OF THE COMPANY WHICH SENT THE OFFER . BENEFICIARIES NAME CANNOT BE CHANGED	١٣- الاحالة تكون باسم الشركة التي قدمت العرض ولايجوز تغيير اسم المستفيد
14. SAMPLES IF REQUESTED SHOULD BE SENT AND RECEIVED WITHIN THE CLOSING DATE PERIOD	١٤- في حالة طلب النماذج فتقدم خلال فترة الغلق
15. OUR COMPANY HAS THE RIGHT OF ASSIGNING WHOLE OR PARTIAL TO MORE THAN ONE SUPPLIER	١٥- يمكن لشركتنا الاحالة على اكثر من مجهز
16. REQUISITION SHOULD BE BOUGHT WITHIN CLOSING DATE PERIOD . THE RECEIPT SHOULD BE PUT IN THE TECHNICAL OFFER . COMPANIES WHICH ARE REQUESTED DIRECTLY BY US ARE EXEMPTED BUYING THE REQUISITION	١٦- يتم شراء الطلبية خلال فترة الغلق ويوضع وصل الشراء مع العرض الفني / وتعفى الشركات التي تتم مفاتها من قبلنا من هذا الشرط
17. THE COMPANY MUST PRESENT AUTHORIZATION FROM THE MANUFACTURER AND TO BE APPROVED BY THE IRAQ EMBASSY IN THE MANUFACTURER COUNTRY TO SUPPLY THE REQUESTED MATERIAL	١٧- تقدم الشركة ما يؤيد بانها مخولة من قبل المصنع بتجهيز المواد ويكون التحويل مصدقا من السفارة العراقية في بلد المصنع
18. ALL OFFERS AND CORRESPONDENCES SHOULD BE CLEARLY SIGNED BY GENERAL MANAGER OR WHOM ARE OFFICIALLY EMPOWERED VIA A POWER OF ATTORNEY	١٨- يقوم المجهز بتثبيت اسم المدير العام للشركة او من يخولهم في العروض والمراسلات وبشكل واضح ورسمي
19. OFFERS AND OTHERS CORRESPONDENCES TO BE IN OFFICIAL PAPERS OF THE MANUFACTURER COMPANYS	١٩- تقدم العروض والمراسلات على اوراق الشركات المصنعة
20. COMPANIES WHICH ARE NOT REGISTERED IN OUR	٢٠- ترسل الشركات الغير مسجلة لدينا / كافة المستمسكات المطلوبة لغرض

VENDERS LISTS MUST SEND ALL THE NECESSARY DOCUMENTS FOR REGISTRATION PURPOSES BEFORE PURCHASING THE REQUISITION WITH ANEW QUITTANCE ISSUED FROM GENERAL ASSEMBLY OF TAXES OR ENCLOSE WITH THE TECHNICAL OFFER OTHERWISE THE OFFER WILL BE REFUSED	تدقيقها واعتمادها قبل شراء الطلبية مع براءة ذمة حديثة صادرة من الهيئة العامة للضرائب قسم الشركات او ترفق المستمسكات مع العرض الفني المقدم في حالة عدم تقديمها سابقا وبخلافه تهمل العروض .
21 SUPPLIER (SECOND PARTY) SUBMIT A PERFORMANCE BOND 5% OF TOTAL VALUE OF THE CONTRACT AS SOON AS THE ACCEPTED COPY OF THE CONTRACT IS SIGNED TO MAKE THE L/C OPERATIVE VALID ONE MONTH AFTER THE DELIVERY PERIOD AND NOT RETURN UNLESS ACCEPTANCE FROM BUYER S (FIRST PARTY) - THE PERFORMANCE BOND SHOULD BE CONFISCATED IN CASE OF NOT SUPPLYING THE ORDER .	٢١- يقدم المجهز كفالة حسن اداء بنسبة ٥% من الكلفة الكلية للعقد حال توقيع امر الشراء كشرط لتفعيل الاعتماد وتبقى الكفالة نافذة لمدة شهر بعد فترة التجهيز ولايجوز سحبها الا بموافقة المشتري ويتم مصادرتها في حالة عدم الالتزام بتنفيذ العقد
22 . HE COMPANY'S ADDRESS (COUNTRY, CITY, STREET, NO. E-MAIL, TEL-NO.) SHOULD BE CLEARLY SHOWN. ALSO NAME AND ADDRESS OF THE BANK WHICH SUPPLIERS DEALING WITH (CORRESPONDENCE BANK) SWIFT CODE, ACCOUNT NO. AND E-MAIL. NO.	٢٢- على مقدم العرض بيان عنوانه الكامل (الدولة ، المدينة، الشارع، البنائية ، العنوان البريدي ، الهاتف) وكذلك اسم وعنوان المصرف الذي يتعامل معه (المصرف المراسل) مع SWIFT CODE ورقم الحساب وعنوانه البريدي
23 COUNTRY OF ORIGIN SHOULD BE ACCURATELY MENTIONED . STATING COUNTRY OF ORIGIN SUCH AS (ASIAN OR EUROPEAN) IS NOT ACCEPTABLE, - AFTER CONTRACTING ANY CHANGE OF COUNTRY OF ORIGIN ARE NOT ALLOWED - THE ROUTE OF SHIPMENT, PORT OF SHIPMENT , ENTRY POINT SHOULD BE MENTIONED , IN ORDER TO GET CUSTOMS EXEMPTION LETTER	٢٣- تحديد بلد منشأ البضاعة بشكل محدد (لايحوز ذكر المنشأ اوروبي او اسيوي فقط) وعند اصدار العقد لايحوز التغيير على منشأ البضاعة ويتم الالتزام بالمنشأ والمصنع عند التجهيز مع تحديد طريقة وميناء الشحن ونقطة الدخول لغرض الحصول على كتاب الاعفاء الكمركي
24 OFFERS SHOULD BE VALID 120 DAYS FROM THE CLOSING DATE AND CAN BE EXTENDED BY THE ACCEPTANCE OF BOTH PARTIES.	٢٤- يفضل ان تكون العروض نافذة لمدة ١٢٠ يوم من تاريخ غلق المناقصة / ويمكن تمديدها باتفاق المشتري والبايع
25 A FINE (DELAY PENALTY) SHOULD APPLIED AGAINST THE SUPPLIER (SECOND PARTY) NOT MORE THAN 10% OF TOTAL VALUE IN CASE OF NOT SUPPLYING THE REQUESTED MATERIAL WITHIN DELIVERY DATE STATED IN THE CONTRACT . ACCORDING TO THE FACTOR BELLOW PENALTY PER DAY = <u>TOTAL VALUE OF THE PURCHASE ORDER</u> / <u>DELIVERY PERIOD (DAYS)</u>	٢٥- تفرض غرامة تاخيرية على المجهز لايتجاوز حدها الاعلى نسبة ١٠% من مبلغ عقد في حالة عدم تجهيز المواد بفترة التجهيز المثبتة في العقد ووفقاً للمعادلة الآتية $\text{الغرامات لليوم الواحد} = \text{مبلغ العقد} \times 10\%$ مدة العقد(يوم)
26 SUPPLIER (SECOND PARTY) BEAR ADMINISTRATIVE CHARGES OF 20% OF TOTAL VALUE OF THE CONTRACT OR FROM THE UN EXECUTED PART VALUE IF HE FAILS TO FULFILL HIS CONTRACTUAL OBLIGATION FULLY OR PARTIALLY	٢٦- يتحمل البائع (المجهز) التكاليف الادارية في حالة قيام المشتري بتنفيذ العقد بسبب عدم التزام البائع بتنفيذ (او جزء منه) ونسبة ٢٠% من قيمة العقد او قيمة الجزء الغير منفذ
27 IRAQI LAWS SHOULD BE APPLIED IF THERE WILL BE A DISPUTE BETWEEN THE BOTH PARTIES AND THE DISPUT TO BE UNDER THE IRAQI JUDGEEMENT	٢٧- تطبيق القوانين والتعليمات المعمول بها في العراق في حالة وقوع منازعات او في كل مالم يرد به نص ويكون النزاع خاضعاً لولاية القضاء العراقي
28 3% FROM TOTAL VALUE OF L/C TO BE DEDUCTED AS	٢٨- تستقطع نسبة ٣% كإمائنات ضريبية وتعاد من خلال الهيئة العامة

TAXES AND RETURN THROUGH TAXES OFFICE FOR IRAQI COMPANIES OR IN CASE THE PAYMENT PAYABLE BY IRAQI DINAR ALSO FOR FOREIGN COMPANIES THAT YOU HAVE REGISTERED IN IRAQ OR HAVE BUREAU FOR FOLLOW UP	للضرائب بعد تقديم ما يثبت سلامة موقفهم بالنسبة للشركات العراقية او في حالة الدفع بالدينار العراقي كذلك بالنسبة للشركات الاجنبية المسجلة في العراق او وجود مكتب لمتابعة الاعمال
29 0.002 FROM TOTAL VALUE TO BE DEDUCTED AS STAMPS CHARGES	٢٩- ٠,٠٠٢ من الكلفة الكلية تستقطع كرسوم طابع
30 THE ACT 56 .1977 (DEBTS COLLECTION GOVERNMENTAL) SHOULD BE APPLIED REGARDING THE FINANCAIL DESERING SECOND PARTY .	٣٠- يطبق قانون تحصيل الديون الحكومية رقم ٥٦ لسنة ١٩٧٧ بأن المستحقات المالية تترتب لشركتنا بذمة الطرف الاخر
31 THE ORIGIN CERTIFICATE TO BE SUBMITTED FROM THE MANUFACTURER AND APPROVED BY (IRAQI EMBASSY IN THE COUNTRY OF ORIGIN) IN CASE OF REQUESTED BY US	٣١- تقدم شهادة منشأ من الشركة المصنعة للمواد وتكون مصدقة من قبل السفارة العراقية في بلد المنشأ في حالة طلب تقديمها من قبلنا
32 THE PAGES OF THE TECHNICAL AND COMMERCIAL OFFERS SHOULD BE NUMBERED WITH ATTACHMENT	٣٢- يتم ترقيم صفحات العطاء (الفني والتجاري) وكذلك المرفقات ان وجدت

-