

**MINISTRY OF OIL  
MIDLAND REFINERIES CO. (G.CO.)  
(DAURA REFINERY)**

**ADVERTISEMENT**

**MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-**

<b>REQ.NO.</b>	<b>DESCRIPTION</b>	<b>QTY.</b>	<b>PRICE/ ID DINAR</b>	<b>عدد مرات الاعلان مرة اولي</b>
<b>3502/2011</b>	<b>60 TON CRANE ROUGH TERRAIN</b>	<b>2 NOS</b>	<b>150 000</b>	

**NOTE:**

1. THE REQ. TO BE SOLD IN IRAQI DINAR, UN RETURNABLE.
2. WE PREFER PRICES IN US DOLLAR AND CIP BAGHDAD (DAURA REFINERY ) AND NOT ACCEPTABLE BY LOCAL CURRENCY FOR FOREIGN REQ.
3. CLOSED (TECHNICAL & COMMERCIAL ) OFFERS TO BE SUBMITTED SEPARATELY BY (DHL) & ALL THE OFFERS THAT SEND BY E-MAIL WILL BE REFUSED.
4. ALL DOCUMENTS (PROFILE) AND SIMILAR CONTRACTS WHICH THEY ACHIEVED ISSUED BY GOVERNMENTAL CONTRACTS MUST BE SUBMITTED BEFORE PURCHASING THE REQ. OR THE OFFERS OTHERWISE THE OFFER WILL BE REFUSED
5. TERMS OF PAYMENT IS L/C TO BE PAID 100% AFTER THE RECEIPT OF GOODS IN BAGHDAD COMPLETE AND AS ORDER.
6. AN UNCONDITIONAL PERFORMANCE BOND OF 5% OF TOTAL AMOUNT OF THE L/C TO BE SUBMITTED BEFORE OPENING OF THE L/C IN FAVOUR OF (MIDLAND REFINERIES CO.) TO BE RELEASED AFTER THE RECEIPT OF GOODS COMPLETE AND AS ORDERED.
7. THE TOTAL VALUE DELAY PENALTY SHOULD BE APPLIED AND NOT EXCEED 10%
8. 3% FROM TOTAL VALUE OF THE PURCHASE ORDER FOR IRAQI COMPANIES ALSO IN CASE THE PAYMENT OF PAYABLE IN IRAQI DINAR TO BE DEDUCTED AS TAXES AND RETURN THROUGH TAXES OFFICE
9. 0.002 FROM TOTAL VALUE OF L/C TO BE DEDUCTED AS STAMP CHARGE.
10. THE BID BOND SHOULD BE SUBMITTED 1% FROM THE TOTAL VALUE OF YOUR OFFER (COMMERCIAL OFFER) AS LETTER OF GUARANTEE OR CERTIFIED CHEQUE OR BANK GUARANTEE ISSUED FROM ( TRADE BANK OF IRAQ, DAR ESSALAAM INVESTMENT , ALA ATIMAN , BYBLOS, ISLAMIC BILAD , MIDDLE EAST ASHUR INTERNATIONAL BANK FOR INVESTMENT ) RELEASED IMMEDIATELY IN CASE THE REQUEST IS NOT AWARDED TO THE COMPANY.
- THE CHEQ AND THE BANK GUARANTEE THAT ISSUEED FROM WARKA BANK NOT CCEPTABLE
12. THE COMPANY MUST SUBMIT ACOVENANT ENCLOSED WITH THE TECHNICAL OFFER THAT THEY HAVE SUBMITTED ABID BOND WITH COMMERCIAL OFFER AND ( WITHOUT STATING THE AMOUNT OF THE BID BOND ) OTHERWISE THE OFFER SHOULD BE NEGLECTED
13. ORIGIN CERTIFICATE & COMMERCIAL INVOICES SHOULD BE APPROVED BY IRAQI EMBASSY
14. **CLOSING DATE IS- 31/1/2011 TILL (1) O, CLOCK (AFTER NOON)**

**NOTE:-** YOU CANFIND THE CONDITIONS OF SUBMITTING OFFER ON

**WEBSITE :** [www.oil.gov.iq](http://www.oil.gov.iq) OR [www.dauramrc.com](http://www.dauramrc.com)

**SAAD NOORI  
F.G.MANAGER**

**60 ton crane rough terrain**

**QTY: 2**

- 1. Engine: Diesel engine 6-cylinders. Turbo charger on line low smoke engine with flame arrester and tropical zone radiator.**
- 2.Power: Max output power (150-250) HP.**
- 3.Steering: (4X4) hydraulic steering system four wheel steering.**
- 4.Boom: maximum working height should not be less than 42m (without using the fly jib).**
- 5.Gears: Synchronesh manual gear only.**
- 6.Wheel: All wheel drive with deferential axle lock.**
- 7.Hooks: Complete set of hooks should be provided including fly jib hooks.**
- 8.Out rigging: Four hydraulic telescoping single-stage double box beam outriggers with inverted jack and integral holding valves. Three position setting, 0%, 50% and fully extended. All steel fabricated, quick release type outrigger floats.**
- 9. Drums: Main and auxiliary drum winches operated: by hydraulic pumps and by separated levers with auto brake on natural.**
- 10. Control unit: Complete computer control system with digital monitor to operates the crane with full information in save and it should be included auto stop control unit with emergency signal in over load or dangerous position(the system should contain remote control to operate the carne in critical area and could eliminate the computer system control in treble shooting and overloading .**
- 11. Swing cabin: 360degrees rotating cabin with wide windows for prefect looking with air conditioning and heating system(driving and operating the crane from the same cabin).**
- 12. Recovery winch: (drag line) should be fabricated on front of the swing cabin operated by separated lever either from the hydraulic winch or by the auxiliary drum.**
- 13. Brake system: dry disk dual air line system with parking brake system.**
- 14.All counter weight should be provided if available.**
- 15.Electrical system: 24V two battery with cut off main switch.**
- 16. Work area definition system: the system should contain "virtuals walls" that will alert the operator when**

approaching the limits of the pre-set working area.

17. Complete fly jib with its entire component offsets at 0°, 25° and 45°.

18. Automatic Central grease unit.

### Accessories:

1. Tool box with special tools.
2. Spare tyre.
3. Two Removable lights on the front of the swing cabin and the main boom.
4. Recommended spare parts for two years work and should be not less than 15% of the contract price (should be includes two wire robes).
5. Auxiliary lighting package (includes cab mounted amber flashing light, hoist mounted work lights, and dual base boom mounted floodlights).
6. Only grove, liebherr and tadano will be accepted.
7. Cab controlled cross axle differential locks, (front and rear)
8. 6 person training program should be provided in the manufacturer country for two weeks.
9. Loading chart and operating and maintenance manual (preferred CD disk with maintenance and operation information).
10. Search light with 10m-wire length.
11. Injection grease tool.
12. Emblem of the company should be marked on both side of the crane.

### Notes: -

- Maximum time for receiving the machine must be 5 months.
- Original manual should be send with the offer.
- All term's and point should be confirm very clearly other ways the offer will be neglected.
- All the information of the offer should be written with the specific information's (resaving only manual with general information is not accepted).
- Ignoring any terms or technical information will neglect the offer.