



REPUBLIC OF IRAQ
MINISTRY OF OIL
NORTH GAS COMPANY (NGC)



REF. NO.: M7/281/2/ 3846

Date: 17 / 08 /2011

TO:

E-mail:

**SUBJ.: INDENT NO. 2078/2011
INSTRUMENT ADJUSTABLE AIR REGULATOR WITH
OUT PUT GAUGE.**

Pls. quote yr offers for the supply of materials as the two attached lists of technical specifications and special conditions & requirements:

Taking Into Yr Consideration That :

Offers must be in sealed envelopes (technical offer) with indent number and closing date clearly mentioned on the envelopes, addressed to the attention of B.B.C. (BROADLY BIDS BOX) at NORTH GAS COMPANY, P.O.BOX (16) - KIRKUK, IRAQ, must be dropped in the B.B.C. tenders box at the N.G.C. reception.

**HUNAR N. HASSAN
DIRECTOR GENERAL
CHAIRMAN OF BOARD**

**P. O. BOX (16) KIRKUK
E-MAIL: gas@ngc.gov.iq**

**BAIJI-KIRKUK ROAD
WEBSITE: www.ngc.gov.iq**

Attached list of special condition and requirement

Ministry of oil

North Gas Company

Indent number: 2078/2011

1. Offer should be worked out on the basis of CIP Kirkuk
2. Kindly state the following:-
 - a. Delivery date & offer validity (90) days
 - b. Country of origin.
 - c. Port & country of export
 - d. Performance certificate and all relevant documents involved.
 - e Specify shipment route.
 - f. Offers must be signed and stamped alive & must be in sealed envelope (Technical offer) with indent number and closing date clearly mentioned on the envelope.
3. Yr offer must be submitted before: 21 / 09/2011(prior to 3:00pm), is highly appreciated.
4. If you are not interested in offering quotations, please let us know within given period.
5. Offers will neglect one or more of a/m conditions, shall be neglected.
6. supplier to present a full set of shipping documents authenticated from Iraqi embassy at supplier country, including epidemic-free license for export materials.
7. Offers should be from manufacturing companies or authorized agents
8. Agents-suppliers ... Should submit authorization from the main manufacturer(s) (all relevant documents to be originals being authenticated by Iraqi commercial attaché.
9. Signing contracts may be through/by authorized regional agent, within Iraq country.embassy in supplies'
10. Tenders should be pursued definitely via corresponding NGC/E-mail or . communicating NGC reception.
11. Final account statement approved by a charter account in past year for financial efficiency to be submitted.
12. Incorporation papers are to authenticated by Iraqi commercial attaché.
13. Commercial offers must be submitted after technical ones had been studied well by our concerned staff & you will be informed later on.
- 14- Before delivering the envelopes containing offer(s), the bidder requested to pay (ID 100000) one hundred thousand Iraqi Dinars against receipt (copy to be attached with technical offer).
- 15- Certificate of inspection of the third party to be from Swiss SGS or French Bureau Veritas is to be submitted definitely .



HUNAR N. HASSAN
DIRECTOR GENERAL

P. O. BOX (16) KIRKUK
E-MAIL: gas@ngc.gov.iq

BAIJI-KIRKUK ROAD
WEBSITE: www.ngc.gov.iq

شركة غزل الشمال (شركة عامة)

طلبية شراء

MATERIALS INDENT

نموذج رقم () قسم الصيانة والميكانيك

NEEDED FOR...

Ce	AL	RA	DS
S	T	O	R
E	S		
1	23		

INDENT	SERIAL	NO
5	8	
2078		

DATE	REQUIRED
MM	YY
20	

DATE RAISED		
DD	MM	YY
15		20
10	8	2011

الرقم الرمزي ITEM	VOCABULARY	DESCRIPTION	الوصافات	الوحدة UNIT	الكمية QUANTITY	البلغ VALUE	REMARKS
001	378701/752.3	INSTRUMENT ADJUSTABLE AIR REGULATOR WITH OUT PUT GAUGE, MAX INPUT PRESSURE 10 KG/CM ² OUT PUT REGULATED PRESSURE 0.5~2.8 KG/CM ² PIPE SIZE 1/2" NPT PORT SIZE 1/4" NPT WITH VENT (DRAIN) VALVE		NOS	30 THIRTY		GENERAL من حطين
002	378701/754.3	INSTRUMENT ADJUSTABLE AIR REGULATOR WITH OUT PUT GAUGE, MAX INPUT PRESSURE 10 KG/CM ² OUT PUT 0÷2 KG/CM ² PIPE SIZE 1/4" NPT PORT SIZE 1/4" NPT WITH VENT (DRAIN) VALVE		NOS	50 FIFTY		
003	378701/709.3	2" DIAL PRESSURE GAUGE RANGE 0-7 KG/CM ² BACK CONNECTION 1/4" NPT MALE		NOS	30 THIRTY		
004	378701/710.3	2" DIAL PRESSURE GAUGE RANGE 0-4 KG/CM ² BACK CONNECTION 1/4" NPT MALE		NOS	30 THIRTY		

٢٠١١/٧/٢٨ رمنية (٤/١)

مجموع الفقرات
TOTAL ITEMS 8

181c
مطلوب المواد/
مطلوب الصيانة/
مطلوب الصيانة

مطلوب الصيانة
مطلوب الصيانة
مطلوب الصيانة

MATERIALS INDENT
(CONTINUATION)

Ce	AL	RA	DS
ST	OR	ES	
1	23		

PAGE

INDENT NO.

صفحة

INDENT SERIAL NO	5	8
	2078	

DATE REQUIRED	MM	YY
		20

DATE RAISED	DD	MM	YY
	15		20
	10	8	2011

تسلسل
ITEM

الرقم الرمزي
VOCABULARY

DESCRIPTION

الوصف

الوحدة
UNIT

الكمية
QUANTITY

البلغ
VALUE

23

24 33

62 64

70 65

71 80

005

378643/043.3

NOS

3 THREE

COMPLETE PNEUMATIC DIFFERENTIAL
PRESSURE TRANSMITTER RANGE
0-2500MM H2O
CONTINUOUSLY ADJUSTABLE
PROCESS
CONNECTION 1/2" NPT.
AIR CONNECTION 1/4" NPT
AIR SUPPLY 1.4 ± 0.1 KG/CM²
BODY MATERIAL-CARBON STEEL,
DIAPHRAGM MATERIAL SUS 316,
COMPLETE WITH AIR SET,
BRACKET, OUT PUT GAUGE
ACCURACY ± 0.5 FS .

(Handwritten signature and stamp)

تاریخ

INDENT SERIAL NO	5	8
	2078	

DATE REQUIRED	
MM	YY
	20

DATE RAISED		
DD	MM	YY
15		20
10	8	20

80

طلبية شراء
MATERIALS INDENT
(CONTINUATION)
تتمة

S T O R E	Ce AL RA DS S
1	23

PAGE INDENT NO. ع صفحة

INDENT SERIAL NO
5 8
2078

DATE REQUIRED
MM YY
20

DATE RAISED
DD MM YY
15 10 20
10 8 2011

رقم ITEM	الرقم VOCABULARY	الوصف DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	البلغ VALUE
23	24 33	SPARES FOR AJEEL GAS FIELD SCRUBBER	62 64	70 65	71 80
007		SMART TYPE ELECTRONIC PRESSURE TRANSMITTER WITH ANALOG OUT PUT 4-20 MA(HART) POWER SUPPLY 24V DC WITH BUILT IN ANALOG METER, EXPLOSION PROOF CLASS I GROUP D DIVISION I HAZARD AREA. PROCESS CONNECTION 1/2" PF ACCURACY ± 0.1%FS MATERIAL :- PROCESS HEAD:- SUS 316 DIAPHRAGM:SUS 316 ELECTRICAL HOUSING:ALUMINUM ALLOY SUITABLE FOR 2" PIPE MOUNTING ELECTRICAL CONNECTION 1/2" NPT WITH CABLE GLAND WITH CONTINOUS ADJUSTABLE RANGE. RANGE 0-100 KG/CM²	NOS	2 TWO	
008		EXPLOSION PROOF (UL GAS OR ATEX APPROVED) FOR CLASS I GROUP D DIVISION I HAZARD AREA PRESSURE SWITCH WITH ADJUSTABLE RANGE 20-70 KG/CM² WETTED MATERIAL: SUS 316 ELEMENT TYPE:- DISK SPRING FLUID NATURAL GAS TEMP :- 20 °C++70 °C PROCESS CONNECTION 1/2" NPTF ELECTRICAL CONNECTION 1/2" PF HOUSING :- ALUMINUM SWITCH RATING 5A 110V 50HZ DP. D.T.	NO	3 THREE	

133