



REPUBLIC OF IRAQ
MINISTRY OF OIL
NORTH GAS COMPANY (NGC)



REF. NO.: M7/281/2/ 4743

Date: 25/10 /2012

TO:

E-mail:

SUBJ.: INDENT NO. 2153/2012
**QUOTATION FOR SUPPLY OF SPARE FOR AJEEL GAS
FIELD SCRUBBER**

Dear Sirs,

Pls. quote yr offers for the supply of materials as the two attached lists of technical specifications and special conditions & requirements:

Taking Into Yr Consideration That :

Offers must be in sealed envelopes (technical offer) with indent number and closing date clearly mentioned on the envelopes, addressed to the attention of **B.B.C (BROADLY BIDS BOX)** at **NORTH GAS COMPANY, P.O.BOX (16) - KIRKUK, IRAQ**, must be dropped in the **B.B.C. tenders box** at the **N.G.C. reception**.

Yours faithfully

Kamil Kamal Aarif
PP/Director General
Services & Materials Commission Manager

CC:

Services & Materials Commission / Follow up Divi .: for your information please

Attached list of special condition and requirement

Ministry of oil

North Gas Company

Indent number: 2153/2012

1. Offer should be worked out on the basis of CIP Kirkuk
2. Kindly state the following:-
 - a. Delivery date & offer validity (90) days
 - b. Country of origin.
 - c. Port & country of export
 - d. Performance certificate and all relevant documents involved.
 - e. Specify shipment route.
 - f. Offers must be signed and stamped alive & must be in sealed envelope (Technical offer) with indent number and closing date clearly mentioned on the envelope.
3. Yr offer must be submitted before: 05 / 12 /2012 (prior to 3:00pm), is highly appreciated.
4. If you are not interested in offering quotations, please let us know within given period.
5. Offers will neglect one or more of a/m conditions, shall be neglected.
6. supplier to present a full set of shipping documents authenticated from Iraqi embassy at supplier country, including epidemic-free license for export materials.
7. Offers should be from manufacturing companies or authorized agents
8. Agents-suppliers ... Should submit authorization from the main manufacturer(s) (all relevant documents to be originals being authenticated by Iraqi commercial attaché.
9. Signing contracts may be through/by authorized regional agent, within Iraq country embassy in supplies'
10. Tenders should be pursued definitely via corresponding NGC/E-mail or . communicating NGC reception.
11. Final account statement approved by a charter account in past year for financial efficiency to be submitted.
12. Incorporation papers & origin certificate are to be authenticated by Iraqi commercial attaché.
13. Commercial offers must be submitted after technical ones had been studied well by our concerned staff & you will be informed later on.
- 14- Before delivering the envelopes containing offer(s), the bidder requested to pay (ID 100000) one hundred thousand Iraqi Dinars against receipt (copy to be attached with technical offer & could be reimbursed if the relevant tender would be cancelled by NGC).
- 15- Certificate of inspection of the third party to be from **French Bureau Veritas** or any equivalent one **exclusive of SGS** is to be submitted definitely .


Kamil Kamal Arif
PP/Director General

P. O. BOX (16) KIRKUK

E-MAIL: gas@ngc.oil.gov.iq

BAIJI-KIRKUK ROAD

WEBSITE: www.ngc.oil.gov.iq

() ذوق رفیع

MATERIALS INDENT

NEED FOR _____

DATE RAISED		
DD	MM	YY
15		20
15	10	2011

مدير المصنع
صادق حسين صادق
مؤرخ

شركة غاز الشمال (شركة عامة)

نموذج رقم ()

طلبية شراء

MATERIALS INDENT

NEED FOR

S	CC
T	AL
O	RA
R	DS
E	S
1	23

INDENT SERIAL NO	8
5	
2153	

DATE REQUIRED	MM	YY
		20

DATE RAISED	DD	MM	YY
	15	10	2012

تسلسل ITEM	الرقم الرمزي VOCABULARY	DESCRIPTION	المواصفات	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE
23	24	33		62	64	71
3	-----	Element type : DISK SPRING Fluid : natural gas Temperature : (20 -- 70) °C Process connection : 1/2" NPTF , electrical connection : 3/4" PF . Housing : aluminum alloy Switch rating : 5 A , 110V 50 HZ , DP DT Explosion proof complete Level switch side - side , flange size : 2" rating 600 ANSI RF , flange center to center dimension : 355 mm , to be used for low level alarm , switch rating : 3A , 110V 50 HZ , DP DT .suitable for class 1 group D division 1 hazardous area . liquid specification : density : 0.625 KG/L fluid : liquid hydrocarbon temperature : (26 - 40) °C pressure : 30 kg/cm2 materials : chamber body : carbon steel , displacer : SUS 316 wire : SUS 316 , complete with drain valve size 3/4"	NO	65	70	1 ONE

13731

شركة غاز الشمال (شركة عامة)

نموذج رقم ()

طلبية شراء

MATERIALS INDENT

NEED FOR

S	CC
T	AL
O	RA
R	DS
E	S
1	23

INDENT SERIAL NO	8
2153	

DATE REQUIRED	MM	YY
		20

DATE RAISED	DD	MM	YY
	15		20
	15	10	2012

تسلسل ITEM	الرقم الرمزي VOCABULARY	المواصفات DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	REMARKS
23	24	33	62	64	71	80
4	-----	Electrical connection 1/2" PF. Explosion proof complete Level switch side - side , flange size : 1" rating 600 ANSI RF , flange center to center dimension : 355 mm , to be used for high level alarm , switch rating : 3A , 110V 50 HZ , DP DT , suitable for class 1 group D division 1 hazardous area . liquid specification : density : 0.55 KG/L fluid : liquid hydrocarbon temperature : (26 - 40) °C pressure : 30 kg/cm2 materials : chamber body : carbon steel , displacer : SUS 316 wire : SUS 316 , complete with drain valve size 3/4"	NO	1 ONE		
5	-----	Electrical connection 1/2" PF. complete glass gauge , connection flange 1" rating 600 ANSI RF , flange center to center dimension : 1235 mm , 3 or 4 portion , total visible not less than 1000 mm , complete with isolation valve , drain valve & check ball	NO	1 ONE		