

ADVERTISEMENT NO (3) OF YEAR 2014

MIDLAND REFINERIES CO. ANNOUNCES THE REQUISITIONS WITH THE MATERIALS AS STATED BELOW FOR THE SECONED TIME

SER.	REQ. NO.	DESCRIPTION	QTY.	Estimated cost
2	1165 / 2013 1131 / 2014	Metals	35 Items	100 000\$

1-THE REQUISITION TO BE SOLD In (250,000.00) IRAQI DINARS; UNRETURNABLE.

2-Technical and commercial offer should be opened at the same time, the representatives of the companies can be attend to our company (MRC) at 10o'clock morning one day after the closing day stated below in item (24) .

3-OFFERED PRICES SHOULD BE (CIP) BAGHDAD / DAURA REFINERY AND PREFERRED TO BE IN US DOLLAR. THEY WILBE FINAL AND UNNEGOTIABLE. (MRC) IS NOT OBLIGED TO ACCEPT THE LOWEST PRICES. PRICES IN LOCAL CURRENCY ARE NOT ACCEPTABLE FOR FOREIGN REQUISITIONS.

4-OFFERES (TECHNICAL & COMMERCIAL) TO BE SUBMITTED, SEPARATELY IN SEALED ENVELOPES, EITHER DIRECTLY AT (MRC) RECEPTION BUREAU OR SENT BY(DHL). THE REQUISITION NUMBER, THE DESCRIPTION AND THE CLOSING DATE SHOULD BE FIXED ON BOTH ENVELOPES. THE VALIDITY OF THE OFFER SHOULD BE MENTIONED WITHIN THE TECHNICAL OFFER ; ALSO ON THE ENVELOPE OF THE COMMERCIAL OFFER. OFFERES SENT BY E – MAIL WILL BE NEGLECTED.

5- THE VALIDITY OF THE BID BOND AND THE OFFER SHOULD BE MENTIONED WITHIN BOTH OFFERSAND SHOULD NOT BE LESS THAN (120) DAYS.

6- ALL PAGES OF, BOTH, THE TECHNICAL AND COMMERCIAL OFFERS SHOULD BE NUMBERED IN SEQUENCE, INCLUDING THE ATTACHMENTS AND DOCUMENTS.

7-ALL DOCUMENTS (PROFILE) AND SIMILAR CONTRACTS ACHIEVED,ISSUED BY GOVERNMENTAL CONTRACTSSHOULD BE SUBMITTED BEFORE PURCHASING THE REQ. - FOR THE current year OR ENCLOSED WITHIN THETECHNICAL OFFER.

8-AN UNCONDITIONAL PERFORMANCE BOND OF (5%) OF THE TOTAL VALUE OF THE L/C TO BE SUBMITTED, BEFORE SIGNING THE P/O AND WITHIN (14) FOURTEEN DAYS FROM THE DATE, THE SUPPLIER IS INFORMED OF THE AWARD. FOR ANY DELAY BEYOND THE SPECIFIED PERIOD, THE AWARD WILL BE CANCELLED AND THE SUPPLIER WILL BE CONSIDERED AS A SHIRKER. THE ISSUE OF THE (L /C) DEPENDS, MAINLY, ON SUBMITTING THIS BOND. THE PERFORMANCE BOND SHOULD BE VALID FOR ONE MONTH LATER THAN THE DELIVERY PERIOD OR UNTIL THE GUARANTEE PERIOD (IF STATED), IS OVER. THIS PERFORMANCE BOND WILL BE RELEASED AFTER THE RECEIPT OF GOODS COMPLETE AND AS ORDERED AND THE SUPPLIER HAS FULFILLED ALL HIS COMMITMENTS REGARDING THE P/O. OTHERWISE, IT WILL BE CONFISCATED.

9- THE DELIVERY PERIOD (IN DAYS) SHOULD BE, EXACTLY SPECIFIED.

10-BASIC TERMS OF PAYMENT IS BY IRREVOCABLE & UNCONFIRMED LETTER OF CREDIT TO BE PAID (100%) AFTERTHE RECEIPT OF GOODS IN BAGHDAD COMPLETE AND AS ORDERED. OTHER TERMS OF PAYMENT MAY BE, MUTUALLY, AGREED UPON LATTER AND FOR CERTAIN CONDITIONS, WHICH ARE : A PORTION OF THE TOTAL AMOUNT TO BE PAID, BUT AGAINST BANK GUARANTEE. BY IRAQI DINAR, FOR IRAQI COMPANIES. BY BANK TRANSFER IF REQUESTED BY ANY COMPANY, CONSIDERING THAT THEY HAVE AN ACCOUNT IN ANY ACCREDITED IRAQI BANK.

11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.

12-A BIDBOND OF (1%) FROM THE TOTAL VALUE OF THE OFFER(COMMERCIAL OFFER) SHOULD BE SUBMITTED AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY) , ISSUED FROM :(Trade bank of Iraq ,IRAQI MIDDLE EAST INVESTMENT BANK , KURDISTAN INTERNATIONAL BANK , UNITED BANK FOR INVESTMENT , GULF COMMERCIAL BANK , CREDIT BANK IRAQI , ASHUR INTERNATIONAL BANK FOR INVESTMENT , AL- HUDA BANK , ISLAMIC COOPERATION BANK FOR INVESTMENT , ARPIL INTERNATIONAL BANK , CIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , NATIONAL ISLAMIC BANK] .AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK – ISLAMIC BILAD BANK OR BASRAH INTERNATIONAL BANK] ARE NOT ACCEPTABLE. THIS BIDBOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS.

13- (2.7%) OF THE TOTAL VALUE OF THE P/O TO BE DEDUCTED AS TAXES FOR IRAQI COMPANIES. ALSO, IN CASE THE PAYMENT IS IN IRAQI DINAR. FOR NON-IRAQI COMPANIES, THIS AMOUNT WILL BE RETAINED AS TAXES AND WILL BE RELEASED WHEN A TAX DISCHARGE ISSUED BY (THE IRAQI STATE COMMITTEE OF TAXES) IN FAVOUR OF THE COMPANY IS SUBMITTED WITHIN (180) DAYS FROM THE DATE OF RECEIPT OF THE GOODS COMPLETE AND AS ORDERED. OTHERWISE, THIS AMOUNT WILL BE SENT TO THE (TAX COMMITTEE).

14- (0.002) OFF THE TOTAL VALUE OF THE P/O TO BE DEDUCTED AS STAMP CHARGES.

15- A SUM OF (ID 205,000.00), TO BE DEDUCTED AS COST OF IMPORT LICENCE.

16- ORIGIN CERTIFICATE & COMMERCIAL INVOICES SHOULD BE APPROVED BY IRAQI EMBASSY/COMMERCIAL ATTACHÉ IN THE COUNTRY OF ORIGIN.

17- THE PARTICIPANT HAS NO RIGHT TO OMIT OR MAKE ANY AMENDMENT, WHATSOEVER, TO ANY OF THE PARAGRAPHS OF THE REQUISITION DOCUMENT.

18- THE ORIGIN OF THE MATERIALS SHOULD BE SPECIFIED IN THE OFFER AND FIXED. AND WILL NOT BE CHANGED FOR ANY REASON.

19- THIRD PARTY INSPECTION CERTIFICATE SHOULD BE PROVIDED FROM ONE OF THE FOLLOWING COMPANIES : [(B. V.) FRANCE – TUV RHEINLAND – BALTIC CONTROL – COTECNA]

20- ALL OFFERS AND CORRESPONDENCES SHOULD BE, CLEARLY, SIGNED BY THE GENERAL MANAGER OR WHOM IS OFFICIALLYEMPOWERED VIA POWER OF ATTORNY. OTHERWISE THE OFFER WILL BE NEGLECTED.

21- IN CASE THE SUPPLIER FAILS TO SUPPLY ALL OR PART OF THE REQUESTED MATERIALS AS ORDERED AND ACCORDING TO THE TECHNICAL SPECIFICATION STATED IN THE PURCHASE ORDER, OUR COMPANY HAS THE RIGHT TO DEDUCT THEIR COST AT THE HIGHEST OFFERED PRICE SUBMITTED BY COMPETITORS IN THE TABLE OF PRICE ANALYSIS FOR SUCH ITEMS.

22- THE AWARDED SUPPLIER WILL BEAR THE ADVERTISING FEES.

23- IRAQI LAWS ARE APPLIED : THE TENDER AND THE CONTRACT SHALL BE GOVERNED AND CONSTRUED ACCORDING TO THE IRAQI LAW. COURTS SHALL HAVE THE EXCLUSIVE JURISDICTION TO HEAR AND DETERMINE ALL ACTIONS AND PROCEEDINGS ARISING OUT OF THE CONTRACT. GOVERNMENTAL DEBTS COLLECTION LAW (NO. : 56), FOR THE YEAR 1977 SHALL BE APPLIED ON AMOUNTS OWED TO (MRC) .

24- CLOSING DATE: 26 / 3 / 2014, TILL (1.00) O'CLOCK (AFTERNOON).

NOTE: YOU CAN FIND THE CONDITIONS OF SUBMITTING OFFERS ON WEBSITE :

www.oil.gov.iqOR www.mrc.oil.gov.iq

**SAAD NOORI MOHAMMED
DIRECTOR GENERAL**

Midland Refineries Co. E-mail :

purchase@mrc.oil.gov.iq

daurafax@mrc.oil.gov.iq

البريد الإلكتروني لشركة مصافي الوسط

iT.	QTY	UNIT	VOCAB NO.	DESCRIPTION			
				METAL			
				ALUMINIUM BRONZE ROD CONFORMING TO ASTM B – 150 – 82, COPPER ALLOY UNS NO. (C 63200) , STRENGTH CLASSIFICATION (HR50) ; HOT ROLLED AND ANNEALED CERTIFICATE IS REQUIRED COLOUR IDENTIFICATION SILVER ROUND BAR CROSS – SECTION DIA INCHES MM IN RANDOM LENGTH			
1.	60	CM	200205 /064.2	4"	OR	102	30 – 60
				HOLLOW ROUND BAR INCHES OD X ID MM IN RANDOM LENGTHS,CM			
2.	60	CM	200210 /023.2	2" X ¾"	OR	51X19	30 – 60
3.	60	CM	041.2	3 ½" X 1 ½"	OR	89X38	30
4.	60	CM	090.2	7"X5"	OR	178 X 127	30
				FREE – CUTTING BRASS ROUND BAR , ROD FREE –CUTTING BRASS ROD CONFORMING TO ASTM B – 16 , TEMPER DESIGNATION (HO2) ROUND CROSS – SECTION HOT ROLLED CERTIFICATE IS REQUIRED COLOUR IDENTIFICATION BLACK DIA INCHES MM IN RANDOM LENGTHS			
5.	10000	CM	200505 /012.2	¾"	OR	19	180 – 360
6.	1000	CM	020.2	1 ¼"	OR	31 – 532	180 – 360
7.	600	CM	036.2	2 ¼"	OR	57	120 – 300
8.	2000	CM	044.2	2 ¾"	OR	70	120 – 300
9.	600	CM	048.2	3"	OR	76	120 – 300
10.	600	CM	056.2	3 ½"	OR	89	120 – 300
11.	600	CM	064.2	4"	OR	102	120 – 300
12.	900	CM	065.2	4 ½"	OR	114	120 – 300
13.	240	CM	080.2	5"	OR	127	60-120
14.	250	CM	096.2	6"	OR	152	30 – 60
				HIGH LEAD TIN BRONZE BAR CASTING ACCORDING TO ASTM B– 144 – 52 ALLOY TYPE (3B) ; COMMERCIAL DESGINATION (83-7-7-3) COLOUR IDENTIFICATION WHITE HOLLOW ROUND BAR DIA INCHES MM IN RANDOM LENGTHcm O.D I.D			
15.	75	CM	202510 /104.2	8 ¼" X 4.¾"	OR	210X121	30 – 60

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				ALLOY STEEL BAR.MATERIAL ACCORDING TO ASTM A – 331 – 81, UNS NO. (H 41400) , GRADE DESIGNATION (4140H) ROUND , COLD FINISHED COLD DRAWN COLOUR IDENTIFICATION – WHITE DIA INCHES MM IN RANDOM LENGTHcm
16.	1000	CM	203005/040.2	2.½" OR 64 300 – 450
				STAINLESS STEEL BAR ACCORDING TO ASTM A – 276 – 81A TYPE (304) UNS NO. (S30400) C COLD FINISHED ; COLD DRAWN ; ANNEALED ROUND BAR INCHES MM IN RANDOM LENGTH
17.	600	Cm	203205/040.0	2.1/2" 647 300-450 CM
				STAINLESS STEEL HEXAGONAL BAR ACCORDING TO ASTM - A – 276 – 81A TYPE (304) UNS NO. (S30400) COLD FINISHED : COLD DRAWN : ANNEALED HEXAGONAL BAR INCHES MM IN RANDOM LENGTH
18.	200	CM	203207/ 014.2	7/8" OR 22 240 – 480CM
19.	300	CM	024.0	1.1/2" 38mm 150-300CM
				STAINLESS STEEL BAR ACCORDING TO ASTM A – 276 – 81A TYPE (304) UNS NO. (S30400) : COLD FINISHED : COLD DRAWN ; ANNEALED HOLLOW STAINLESS STEEL ROUND BAR COLOUR GREY O.D I.D IN RANDOM LENGTH
20.	500	CM	203210/032.2	51 X 19MM 30 – 60CM
21.	600	CM	056.2	89X38MM 30CM
				MARTENSITIC ROUND BAR MARTENSITIC STAINLESS STEEL ROUND BAR ACCORDING TO ASTM –A-276-81A TYPE (414) UNS DESIGNATION (S41400):COLD FINISHED :COLD DRAWN :ANNEALED :COLOUR IDENTIFICATION :RED. INCHES MM IN RANDOM LENGTHS
22.	360	CM	203405/056.2	3.1/2" 89mm 180-360CM
				BAR ALLOY TOOL STEEL OIL HARDENING ALLOY TOOL STEEL BAR ACCORDING TO ASTM A-681 -76 AISI DESIGNATION (01) COLD WORK TOOL STEEL COLD DRAWN ANNEALED COLOUR IDENTIFICATION YELLOW SQUARE BAR CROSS SECTION INCHES MM
23.	150	CM	203615/024.2	1 ½X 1 ½ OR 38 X 38
				CARBON STEEL ROUND BAR
24.	150	CM	204705/111.2	9.¾" ROUND BAR C.STEEL

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				STANDARD QUALITY; COLD FINISHED LOW CARBON STEEL BAR ;COLD DRAWN IN ACCORDANCE WITH ASTM A-108 – 81 GRADE DESIGNATION (1018); UNS NO. DESIGNATION (G 10180) COLOUR IDENTIFICATION BLACK SQUARE BAR CROSS SECTION DIA INCHES MM IN RANDOM LENGTH
25.	1575	CM	205115/012.2	3/4" X 3/4" OR 19X19 120-360CM
				STANDARD QUALITY COLD FINISHED COLD DRAWN MEDIUM – CARBON STEEL BAR IN ACCORDANCE WITH ASTM A – 108 – 81 , GRADE DESIGNATION (1144) UNS NO. (G11440) HEXAGONAL BAR CROSS – SECTION THK. INCHES MM IN RANDOM LENGTH
26.	180	CM	205307/016.2	1" OR 25 180-360CM
				CAST IRON BARS TO B.S.1452 – 1948 GRADE 12 ROUGH MACHINED TO 1/32" ABOVE STATED SIZE IN RANDOM LENGTH OF 45-90 CM ROUND SOLID BAR DIA INCHES MM
27.	100	CM	206005/016.2	1" OR 25
				CAST IRON BARS B.S. 1452 – 1948 GRADE 12 ROUGH MACHINE TO 1/32" ABOVE STATED SIZE IN RANDOM LENGTHS OF 45-90CM ROUND HOLLOW BARS DIA INCHES SIZE O.D I.D MM
28.	500	CM	206010/038.2	2 1/2" 1" OR 64X25CM
				CAST IRON BAR GREY CAST IRON BAR ACCORDING TO BRITISH STANDARD B.S. 1452 – 1961 GRADE (17) ROUGH MACHINED TO 1/32" ABOVE AND BELOW STATED SIZE IN ARANDOM LENGTH OF (45-90) CM ROUND BAR CROSS – SECTION DIA INCHES MM
29.	150	CM	206105/064.2	4" OR 102
30.	100	CM	096.2	6" OR 152
				HOLLOW ROUND BAR DIA INCHES SIZE O.D I.D MM
31.	100	CM	206110 /038.2	4 3/4" 3" OR 121X76

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				PTFE FILLED WITH 25% CARBON ACCORDING TO ASTM – D4745-01 CRADE 8 TYPE I USED FOR NON LUBRICATING COMPRESSOR PISTON RINGS & NON LUBRICATING BUSHES
				HOLLOW BAR
32.	56	CM	208210/044.2	¾"X2" HOLLOW BAR TEPHLON 11 PCS
33.	240	CM	055.2	½" X 1.¼" HOLLOW BAR TEPHLON 1PCS =120CM
34.	24	CM	076.2	3. ¼ X 1.½" HOLLOW BAR TEPHLON 9 PCS
35.	45	CM	096.2	50MM X 100MM HOLLOW BAR TEPHLON 9PCS

ORIGIN: ALL ORIGINS ACCEPTED EXCEPT CHINA

CERTIFICATE OF ORIGIN

MILL CERTIFICATE

DIMENSIONS CHECK

THIRD PARTY INSPECTION CERTIFICATE