

Attached list of special condition and requirement


Ministry of oil/ North Gas Company

Indent number: 2147/2012

1. Offer should be worked out on the basis of **CIP Kirkuk**
2. Kindly state the following:-
 - a. **Unit price & offers' items costs are to be numerically computerized..**
 - b. **Delivery date & offer validity (90) days**
 - c. **Include bid bond (1%) of offer value valid for (120) days within Technical-envelope otherwise be declined.**
 - d. **Country of origin.**
 - e. **Port & country of export**
 - f. **Performance certificate and all relevant document involved.**
 - g. **NGC is not bound to accept the lowest bid.**
 - i. **Specify shipment route.**
 - j. **Offers must be signed and stamped alive & must be in sealed envelopes (Technical & Commercial offers to be separated) with indent number and closing date clearly mentioned on the envelopes & the bidder has no right to cancel any item of the submitted offer items or to amend any documents in any case at all**
3. Yr offer should be mailed before: **02 / 04 / 2014 (prior to 3:00pm)**, is highly appreciated.
4. **Payment: Either :**
 - a. **By irrevocable or un transferable & unconfirmed L/C 100% of total amount of purchase order upon receiving the related merchandise complete & compliable as requested in original tender to NGC site , OR ;**
 - b. **Payment 100% in Iraqi Dinars after purchase order upon receiving the related merchandise complete & compliable as requested in original tender at NGC & contractually to be fixed & exchanging rate of Arrival materials to NGC.**
5. **Penalty:** Delay penalty: **$\frac{\text{contract amount} \times 10\%}{\text{Contract period}}$**

Will be applied for each day delay of shipment after the stated delivery period on contract and not to exceed more than (10%) of contract amount.
6. If you are not interested in offering quotations, please let us know within given period.
7. Offers will neglect one or more of a/m conditions, shall be neglected.
8. **Good performance's guarantee ranging (5%) of P/O amount should be submitted by the supplier; it should be of the same currency of the contract being signed., including your company manager name, description of the material , cover both supply & guarantee period , plus name of the issuer i.e. bank manager name or his deputy otherwise it would be rejected & not acceptable .**
9. Submitted prices are final & non-negotiable.
10. Local companies are requested to submit their official registration papers; as for foreign companies, they should be submitting their incorporation registered papers.
11. **Before delivering the envelopes containing offer(s), the bidder requested to pay (ID 100000) one hundred thousand Otherwise we would be obliged to decline yr Iraqi Dinars against receipt (copy to be attached to technical offer). quotation & could be reimbursed if NGC cancel the relevant tender without any compensation**
12. **Supplier should arrange to attend (be present) ay our company on the day of opening due offers (working day after closing date). In case of falling to attend on mentioned date, concerned committee is liable to proceed with their procedures.**
13. **supplier to present a full set of shipping documents authenticated from Iraqi embassy at country of origin, including epidemic-free license for export materials.**
14. **Offers should be from manufacturing companies or authorized agents**
15. **Agents-suppliers ... Should submit authorization from the main manufacturer(s) (all relevant documents to be originals-genuine)**
16. **Local companies and/or companies having official & registered branches within Iraq are to afford taxes, customs, fees etc.**
17. **Signing contracts may be through/by authorized regional agent, within Iraq embassy in supplies' country**
18. **Tenders should be pursued definitely via corresponding NGC/E-mail or communicating NGC reception**
- 19- **Review final account approved by a charter account in past year for financial efficiency**
- 20- **Certificate of Incorporation being authenticated by Iraqi commercial attaché in the country of origin.**
- 21- **Letter of tax exemption to be submitted issued by General Commission of Taxes for Iraqi's companies & for the foreign ones which have branch/ representative office inside Iraq.**
- 22- **The contractor bears the tender wages announcement.**
- 22- **0.002 from total value of the L/C to be deducted as stamp charge & 3% incom tax plus any dues charges .**
- 23- **Certificate of inspection of the third party to be from French Bureau Veritas , Baltic Control , TUV Rheinland & Cotecna is to be submitted definitely .**
- 25- **Estimated Cost of the tender is ((\$180.000)**

Kamil Kamal Aarif
PP/Director General



P. O. BOX (16) KIRKUK
E-MAIL: gas@ngc.oil.gov.iq

BAIJI-KIRKUK ROAD
WEBSITE: www.ngc.oil.gov.iq

نموذج رقم ()

شركة غلال الشمال (شركة عامة)

طلبية شراء

MATERIALS INDENT

قسم البحوث والسيطرة النوعية FOR.....

<table border="1"> <tr> <td>S</td> <td>Cc</td> </tr> <tr> <td>T</td> <td>AL</td> </tr> <tr> <td>Q</td> <td>RA</td> </tr> <tr> <td>R</td> <td>DS</td> </tr> <tr> <td>E</td> <td>S</td> </tr> <tr> <td>1</td> <td>12</td> </tr> </table>		S	Cc	T	AL	Q	RA	R	DS	E	S	1	12	<table border="1"> <tr> <td colspan="2">INDENT SERIAL NO</td> </tr> <tr> <td>8</td> <td></td> </tr> <tr> <td colspan="2">2147</td> </tr> </table>		INDENT SERIAL NO		8		2147		<table border="1"> <tr> <td colspan="2">DATE REQUIRED</td> </tr> <tr> <td>MM</td> <td>YY</td> </tr> <tr> <td></td> <td>10</td> </tr> <tr> <td></td> <td>2012</td> </tr> </table>		DATE REQUIRED		MM	YY		10		2012	<table border="1"> <tr> <td colspan="2">DATE RAISED</td> </tr> <tr> <td>DD</td> <td>MM</td> </tr> <tr> <td>10</td> <td>10</td> </tr> <tr> <td></td> <td>2012</td> </tr> </table>		DATE RAISED		DD	MM	10	10		2012
S	Cc																																								
T	AL																																								
Q	RA																																								
R	DS																																								
E	S																																								
1	12																																								
INDENT SERIAL NO																																									
8																																									
2147																																									
DATE REQUIRED																																									
MM	YY																																								
	10																																								
	2012																																								
DATE RAISED																																									
DD	MM																																								
10	10																																								
	2012																																								
تسلسل ITEM	الرقم الرمزي VOCABULARY	المواصفات DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	REMARKS																																			
1	24	Laboratory Mill, typ RM 200 grinds inorganic and organic substance to analysis grinding ^{grinding} depending on the materials to be milled , amount from 10 ml to 190 ml can be treated. Dimensions : 400 x 480 x 370 mm Wight : 24 kg Power 200 – 240 v/50 Hz	Nos.	2 (two)	80	مختلفة بمرحلتين Suppliers 1. Metrohm 2. Petrotest 3. Koehler 4. Hermann Paulsen 5. Service for Science and Industrial Mfg to Fisher Binials																																			

توقيع طالب المواد / عنوان الوظيفة /

مجموع الفقرات
TOTAL ITMES

مسطرة مخزنية

المدير العام

طليبة شراء

شركة غاتق الشمال (شركة عامة)

نموذج رقم ()

MATERIALS INDENT

قسم البحوث والتسيطرة النوعية..... NEEDED FOR

<table border="1"> <tr> <td>S</td> <td>Cc</td> </tr> <tr> <td>T</td> <td>AL</td> </tr> <tr> <td>Q</td> <td>RA</td> </tr> <tr> <td>R</td> <td>DS</td> </tr> <tr> <td>E</td> <td>S</td> </tr> <tr> <td>1</td> <td>٢٢</td> </tr> </table>		S	Cc	T	AL	Q	RA	R	DS	E	S	1	٢٢	<table border="1"> <tr> <td colspan="2">INDENT SERIAL NO</td> </tr> <tr> <td>8</td> <td></td> </tr> <tr> <td colspan="2">2147</td> </tr> </table>		INDENT SERIAL NO		8		2147		<table border="1"> <tr> <td colspan="2">DATE REQUIRED</td> </tr> <tr> <td>MM</td> <td>YY</td> </tr> <tr> <td></td> <td>٢٠</td> </tr> </table>		DATE REQUIRED		MM	YY		٢٠	<table border="1"> <tr> <td colspan="2">DATE RAISED</td> </tr> <tr> <td>DD</td> <td>MM</td> </tr> <tr> <td>١٥</td> <td>٢٠</td> </tr> <tr> <td>1</td> <td>10</td> </tr> <tr> <td></td> <td>20/2</td> </tr> </table>		DATE RAISED		DD	MM	١٥	٢٠	1	10		20/2
S	Cc																																								
T	AL																																								
Q	RA																																								
R	DS																																								
E	S																																								
1	٢٢																																								
INDENT SERIAL NO																																									
8																																									
2147																																									
DATE REQUIRED																																									
MM	YY																																								
	٢٠																																								
DATE RAISED																																									
DD	MM																																								
١٥	٢٠																																								
1	10																																								
	20/2																																								
تسلسل ITEM	الرقم الرمزي VOCABULARY	الوصف DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	REMARKS																																			
٢٣	٣٣ ٢٤		٢٤ ٢٢	٢٥ ٧٠	٨٠ ٧١																																				
2		Single - <i>bathe</i> -for foaming characteristics with digital thermometer ASTM D 892- IP 146. The bath can be maintained (25-100) C° , bath insert with lids for the openings in the cover plate which will accommodate up to 4 test cylinders . With Test cylinder , 1000 ml graduated with taper stopper for test cylinder with thermometer ASTM 12C , (0-102C°) ...For connection to 230 v , 50/60 Hz ... (10) nos. Diffuser stones for amine solution test.	Nos.	1 (one)		امين مخزن افوس صيراني ١٠٠٠																																			

نموذج رقم () شركة غاز الشمال (شركة عامة)

طلبية شراء

MATERIALS INDENT

قسم البحوث والسيطرة النوعية NEEDED FOR

<table border="1"> <tr> <td>S</td> <td>Cc</td> </tr> <tr> <td>T</td> <td>AL</td> </tr> <tr> <td>Q</td> <td>RA</td> </tr> <tr> <td>R</td> <td>DS</td> </tr> <tr> <td>E</td> <td>S</td> </tr> <tr> <td>1</td> <td>١٣</td> </tr> </table>		S	Cc	T	AL	Q	RA	R	DS	E	S	1	١٣	<table border="1"> <tr> <td colspan="2">INDENT SERIAL NO</td> </tr> <tr> <td>8</td> <td>2147</td> </tr> </table>		INDENT SERIAL NO		8	2147	<table border="1"> <tr> <td colspan="2">DATE REQUIRED</td> </tr> <tr> <td>MM</td> <td>YY</td> </tr> <tr> <td></td> <td>٢٠</td> </tr> </table>		DATE REQUIRED		MM	YY		٢٠	<table border="1"> <tr> <td colspan="2">DATE RAISED</td> </tr> <tr> <td>DD</td> <td>MM</td> </tr> <tr> <td>١٥</td> <td></td> </tr> <tr> <td>1</td> <td>10</td> </tr> <tr> <td></td> <td>2012</td> </tr> </table>		DATE RAISED		DD	MM	١٥		1	10		2012
S	Cc																																						
T	AL																																						
Q	RA																																						
R	DS																																						
E	S																																						
1	١٣																																						
INDENT SERIAL NO																																							
8	2147																																						
DATE REQUIRED																																							
MM	YY																																						
	٢٠																																						
DATE RAISED																																							
DD	MM																																						
١٥																																							
1	10																																						
	2012																																						
تسلسل ITEM	الرقم الرمزي VOCABULARY	الوصف DESCRIPTION	الوحدة UNIT	الكمية QUANTITY	المبلغ VALUE	REMARKS																																	
٢٣	٢٣ ٢٤		١٤ ١٧	١٥ ٧٠	٨٠ ٧١																																		
3		<i>Copper Strip Corrosion Test Apparatus For Liquefied Petroleum Gases</i> ASTM D 1838 - IP 411, for connection to 220V, 50 Hz Comprising : Constant temperature bath with three test positions, 3 LPG test vessels, 3 holders, 3 Inspection glasses, 1 polishing vice, 3 packs of copper strips, 1 thermometer ASTM 12C, 50 Sheets silicon carbide grit paper (240-GRIT) and 1 copper strip corrosion standard.	Nos.	2 (two)		أهـ الرجاء تسليمه في أقرب وقت ممكن ١ صلاصة لا تتوثر - ك/هـ																																	