

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-

REQ.NO.	DESCRIPTION	QTY	Estimated cost	ADVERTISEMENT NO.
3558/2014	Mechanical parts for Palletizer Electrical spare parts for plastic containers and plug making and filling plant For palletizer	53 items 31 items	120000\$	Once

- 1-The Requisition to be sold In (2,50 000) Iraqi dinars; Un returnable.
- 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
- 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices. prices in local currency are not acceptable for foreign requisitions.
- 4-Offeres (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
- 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days .
- 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The attachments and Documents.
- 7-All Documents (Profile) and similar contracts achieved ,issued by Governmental Contracts should be submitted before purchasing the Req. – for The current year or enclosed within the technical offer.
- 8-A Bid Bond of (1%) from the total value of the offer(Commercial offer) should be submitted as (Letter of guarantee , Certified cheque or Bank guarantee) (Original copy) , Issued from : (Trade bank of Iraq ,Iraqi Middle east investment bank , Kurdistan international bank , united bank for investment , gulf commercial bank , credit bank Iraqi , Ashur international bank for investment , al- Huda bank , Islamic cooperation bank for investment , Arbil international bank , Gihan bank for Islamic investment & finance , national Islamic bank] .and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [Alwarkaa bank – Islamic Bilad bank or Basrah international bank] are not acceptable. this bid bond should be valid for not less than (120) days.
- 9- The Delivery period (In days) should be, exactly specified.
- 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company and by Iraqi dinar only , for Iraqi companies.
- 11- Delay penalty to be applied with total amount, Not exceeding (10%) of the total value of the P/O.
- 12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, before signing the P/O and from one of the banks mention in item (8) within (14) fourteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the p/o to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. otherwise, this amount will be sent to the (tax committee).
- 14- (0.002) off the total value of the p/o to be deducted as stamp charges.
- 15- A sum of (id 205,000.00), to be deducted as cost of import license.
- 16- Origin Certificate & Commercial Invoices should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
- 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 18- The Origin of the materials should be specified in the offer and fixed. and will not be changed for any reason.
- 19- Third Party Inspection Certificate Should be provided from one of the following companies : [(B. V.) France – Tuv Rheinland – Baltic control – Cotecna]
- 20- All offers and correspondences Should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
- 22- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 23- The awarded supplier will bear the advertising fees.
- 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC) .
- 25- closing date: 15/7/2014, till (1.00) o'clock (afternoon).

note: you can find the conditions of submitting offers on website :
www.oil.gov.iq - www.mrc.oil.gov.iq

**Saad Noori Mohammed
G. MANAGER**

info@mrc.oil.gov.iq البريد الالكتروني لشركة مصافي الوسط
purchase@mrc.oil.gov.iq

REQ. NO. 3558/2014**MECHANICAL PARTS**

MODEL: PAL 600 BR-CF

COMPANY: ZECCHETTI

ORIGIN: ITALY

E-MAIL

MECHANICAL PARTS

SPACING CONVEYOR

ITEM	QTY	DESCRIPTION	CODE
1	1	ROLL	10570000600
2	1	ROLL	10570000401
3	2	BELT FEEDING CONVEYOR E 8/2 UO/V20 AR 500×2430	3680012902430
4	2	BELT ACCELERATOR E4/1 UO/V5H 500×1430	3680032901430
5	2	ROLL 1100 D=20	3901102006001
6	2	BEARING 6005 2RS	4440060052
7	1	REDUCTION GEAR (BONFIGLIOLI) MVF 49 A PAM 71	4005102120071
8	1	VARIABLE SPEED UNIT (MOTOVARIO) TXF005/071	407580200001

PRE-FORMING LAYER ROLLER

ITEM	QTY	DESCRIPTION	CODE
9	10	ROLL	1017434
10	2	PULLEY	1018151
11	1	PINOIN Z=20 5/8" S	25112312001
12	1	REDUCTOR GEAR(BONFIGLIOLI) W 63 U PAM 90	4005393740071
13	1	SPEED CHANGE GEAR(MOTOVARIO) PKF20	407572400001
14	10	ROLL(LANCIOTTI) LGE D=32 B=745 (ADIPRENE D=37)	39114032007451
15	2	BELT (TEMA) GG 10/3 L=40 SV=4490	3680500204490
16	2	BEARING 6000 2RS	4440060002
17	2	BEARING 6005 2RS	4440060052
18	10	ROLL(LANCIOTTI) LGE D=32 B=745	39111032007451

PUSHING DEVICE

ITEM	QTY	DESCRIPTION	CODE
19	1	REDUCTION GEAR (BONFIGLIOLI) C302 P B3 PAM	4005304004015
20	1	PINION Z=17 3/4" S	25112411702
21	2	CHAIN 3/4" S	4510141

COLUMN LIFT MOTOR DRIVE

ITEM	QTY	DESCRIPTION	CODE
22	2	PINION (Z= 25×1" s)	10460000100
23	2	CHAIN JOINT	1023302
24	1	CHAIN P=1" S	4510154
25	1	GEAR MOTOR (SEW) (SEW) KA 67 DT 90 L4 BMG XH 1A R= 35.6 KW=1.5	50102167028204

COLUMN ROTATION MOTOR DRIVE

ITEM	QTY	DESCRIPTION	CODE
26	1	BIG BEARING (ROTHE ERDE) 1.2.100.250	1041757
27	2	PINION D.28833	25301251701
28	1	GEAR MOTOR (SEW) FA67 DT90L4 BMG-XH1A R=36.3 KW=1.5	50101067028207
29	1	BEARING 6202 2RS	4440062022

GRIPPING HEAD

ITEM	QTY	DESCRIPTION	CODE
30	1	GEAR MOTOR (BONFIGLIOLI) MVF 63/ A-R=1:19PAM 80	4005103130191
31	1	CLUTCH(BONFIGLIOLI) T70/65DIS.102849803	467511001
32	1	CROWN GEAR Z=14 3/4"	25212421401
33	1	CHAIN P= 3/4"	4510141
34	1	PINION Z=13	25112411301
35	1	PINION Z= 15 1" DIS.31145401	25112511501
36	1	CHAIN WITH DRILLED PINS P= 1"	4515151
37	2	BEARING 6004 2RS	4440060042
38	1	GEAR Z= 46 M=3.17158	25300624601
39	1	CROWN GEAR Z=18 5/8" DIS.17159	25212321801
40	1	CHAIN P=5/8"	4510131
41	1	PINION Z= 18 1/2" DIS.31145103	25112211803
42	1	PINION Z= 15 1/2" DIS.31145104	25112211502
43	1	CHAIN 1/2"	4510121
44	1	REDUCTION GEAR (BONFIGLIOLI) W63 PAM80 1/19	4005393730191
45	1	GEAR Z= 46 M=3 DIS.17163	25300614601
46	1	CROWN GEAR Z=20 1/2" DIS.31035101	25212222001
47	1	PINION Z=18 1/2"	25112211801
48	1	PINION Z=13 3/4"	25112411301
49	1	GEAR MOTOR (BONFIGLIOLI) MVF 49/A R=1:24 PAM71	4005102120241

DRIVEN ROLLER CONVEYOR MOTOR DRIVE

ITEM	QTY	DESCRIPTION	CODE
50	1	PINION S P= 5/8 Z=14	25112311403
51	1	REDUCTION GEAR(BONFIGLIOLI) W63 UF PAM 1/19	4005393830191

DRIVEN ROLLER CONVEYOR

ITEM	QTY	DESCRIPTION	CODE
52	10	ROLL.1 C Z= 14 5/8	39001089211802
53	1	CHAIN P= 5/8 S	4510131

**ELECTRICAL SPARE PARTS FOR PLASTIC CONTAINERS
AND PLUG MAKING AND FILLING PLANT
PALATIZER**

ITEM	QTY.	DESCRIPTION
1	2	Main switch isolator with means, siemens, order no. 3VF3112-2MN41-0AA0 , Ue(690)VAC,Uimp(8KV),Ith(50-63)A,Im(315-630)A
2	2	Main switch,3-pole , Sprecher+ schuh type (LA7-32-1753) , 15KW Ie(32)A ,Ue(690)VAC with neutral Sprecher+ schuh type (LA7-32-NP) Ie(32)A , Ue(690)VAC
3	5	Contactor ,Siemens, order no 3RT 1016-1BB42, 3-pole, 4KW, rated control supply voltage 24 VDC,Ie at 400V (9)A , with (1N.C)contact , size S00
4	4	Contactor ,Siemens, order no 3RT 1025-1BB40, 7.5KW , , rated control supply voltage 24 VDC,Ie at 400V (17)A , size S0
5	2	Contactor ,Siemens, order no 3RT 1034-1BB40, 3-pole, 15KW, rated control supply voltage 24 VDC,Ie at 400V (32)A , size S0
6	2	Miniature circuit breaker, siemens, order no. 5XS22 , 2-pole ,400VAC, Ith C 2A
7	2	Miniature circuit breaker, siemens, order no. 5XS22 , 2-pole ,400VAC, Ith D 2A
8	2	Miniature circuit breaker, Siemens, order no.(5SY62, MCB) ,2-pole ,400VAC, Ith C 2A
9	5	Print relay, Siemens, order no. LZXR424024 , rated control supply voltage 24VDC ,with LED,8pole , 2-change over contacts
10	5	8-Pole Socket for mounting onto standard mounting rail, siemens, order no. LZXR78625
11	4	Earth leakage , Siemens , order no. 5SN2322-0 , RC unit, Δn 0.03A
12	3	Safety relay, PILZ, model PNOZX2.1 ,2VA , 2Watt, coil (24VAC,24VDC) AC-1(240V-8A), AC-15(230V-5A), DC-13(6A)
13	2	Safety relay, PILZ, model PZEX4VP ,2VA , 2Watt, coil (24VAC,24VDC) AC-1(240V-8A), AC-15(230V-5A), DC-13(6A)
14	3	Variable speed controller, Frequency converter, Mitsubishi, model FR-S540-0.75K-EC input [3-phase(380-480)VAC, 50/60HZ, 3.3A] output [3-phase(380-480)VAC,(0.5-120HZ),2.1A, 0.75KW]
15	3	Variable speed controller, Frequency converter, Mitsubishi, model FR-E540-1.5K-EC input [3-phase(380-480)VAC, 50/60HZ, 6.9A] output [3-phase(380-480)VAC,(0.2-400HZ),4A, 1.5KW]
16	2	Frequency converter, BONFIGLIOLI group, type GVX1000-1.5-SY input [1-phase(200-240)VAC, 50/60HZ, 19.8A] output [3-phase(200-230)VAC,(0.2-400HZ),8A, 1.5KW] , 150% for 1min
17	8	Limit switch, OMRON ,type D4MB-281G , (1N.O+1N.C)contacts, IP67 AC-15(250VAC/2A) , DC-12(48VDC/2A)
18	10	Limit switch, OMRON ,type D4B-1111N , (1N.O+1N.C)contacts, IP67 AC-15(400VAC/2A) , DC-12(48VDC/2A),rotary part model (D4B-0010N-09X0RN)

ITEM	QTY	MOTORS
19	1	Motor,3-phase, MARELLIMOTORI ,0.75KW, (400)VAC,IP55,ambient temperature 50C° insulation class F, S1duty type, 1500R.P.M , 50/60HZ, 2A , B5 mounting.
20	1	Motor,3-phase, MARELLIMOTORI ,1.1KW, (400)VAC,IP55,ambient temperature 50C° insulation class F, S1duty type, 1500R.P.M , 50/60HZ, 2.7A , B5 mounting.
21	1	Motor,3-phase, MARELLIMOTORI ,0.37KW, (400)VAC,IP55,ambient temperature 50C° insulation class F, S1duty type, 1500R.P.M , 50/60HZ, 1.2A , B5 mounting.
22	1	Motor,3-phase, MGM motori electric s.b.A , 0.25KW, (400)VAC,Y connection, IP55 ambient temperature 50C°, insulation class F, S1duty type, 1500R.P.M, 50/60HZ, 0.8A , B5 mounting ,with break system I break(0.07)A , break max (14)Nm.
23	1	Motor,3-phase, MGM motori electric s.b.A , 0.73KW, (400)VAC,Y connection, IP55 ambient temperature 50C°, insulation class F, S1duty type, 1500R.P.M, 50/60HZ, 1.1A , B5 mounting .
24	1	Motor,3-phase, MGM motori electric s.b.A , 0.55KW, (400)VAC,Y connection, IP55 ambient temperature 50C°, insulation class F, S1duty type, 1500R.P.M, 50/60HZ, 1.7A , B5 mounting .
25	1	Motor,3-phase, MGM motori electric s.b.A , 1.1KW, (400)VAC,Y connection, IP55 ambient temperature 50C°, insulation class F, S1duty type, 1500R.P.M, 50/60HZ, 2.7A , B5 mounting .
26	1	Motor,3-phase, SEW-EURODRIVE , type FA67DT90L4/BMG/XH1A 1.5KW, (220Δ/380Y)VAC, IP55, ambient temperature 50C°, insulation class F, S1duty type, (1500/39)R.P.M, 50/60HZ, (6.5/3.75)A , V1 mounting .
27	1	Motor,3-phase, electrio ADDA , 0.37KW, (380)VAC,Y connection, IP55 ambient temperature 50C°, insulation class F, S1duty type, 1500R.P.M, 50/60HZ, 1.2A , B5 mounting .
28	2	break system I break(0.07)A , break max (14)Nm for item 22,23
29	1	break system I break(0.13)A , break max (18)Nm for item 24.
30	1	break system I break(0.24)A , break max (38)Nm for item 25.
31	1	break system I break(0.07)A , break max (14)Nm for item 26.

All Origin except China

- 1- Certificate of origin
- 2- Mill certificate
- 3- Third party inspection certificate