

ADVERTISEMENT NO. 27

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1210/2014	METALS	25 ITEMS	ONCE	3000.00\$

- 1-The Requisition to be sold In (250, 000) Iraqi dinars; Un returnable.
- 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
- 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.
- 4-Offeres (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). the requisition number, the description and the closing date should be fixed on both envelopes. the validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
- 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days .
- 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The attachments and Documents.
- 7-All Documents (Profile) and similar contracts achieved ,issued by Governmental Contracts should be submitted before purchasing the Req. – for The current year or enclosed within the technical offer.
- 8- A Bid Bond of amount that stated in the advertisement above against each tender should be submitted with commercial offer from one of the participant in the company according to instruction as (Letter of guarantee , Certified cheque or Bank guarantee) (Original copy) , Issued from :(Trade bank of Iraq ,Emerald bank , Kurdistan international bank, gulf commercial bank , credit bank Iraqi , Bank of Baghdad , Sumer for commercial , Iraqi Islamic cooperation bank for investment , Arbil international bank , Gihan bank for Islamic investment & finance , National Islamic bank, Investment Bank of Iraq ,International development for investment &Finance ,National bank of Iraq ,Al Mansour bank for investment, Ashur international bank for invistment] .and released immediately in case the requisition is not awarded. cheques & bank guarantees issued from [Alwarkaa bank – Islamic Bilad bank-, united bank for investment or Basrah international bank , al- Huda bank ,Economy Bank for investment -finance & Iraqi middle east investment bank] are not acceptable. this bid bond should be valid for not less than (120) days.
- 9- The Delivery period (In days) should be, exactly specified.
- 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company and by Iraqi dinar only , for Iraqi companies.
- 11- Delay penalty to be applied with total amount, Not less than (10%) & not more than(25%) of the total value of the contract
- 12- - An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. otherwise, this amount will be sent to the (tax committee).
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- A sum of (id 205,000.00), to be deducted as cost of import license.
- 16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
- 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 18- The Origin of the materials should be specified in the offer and fixed. and will not be changed for any reason.
- 19- Third Party Inspection Certificate Should be provided from one of the following companies :
[B. V.) France , Baltic control Denmark , Tuv Rheinland Germany — Cotecna Swiss]
- 20- All offers and correspondences Should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. otherwise the offer will be neglected.
- 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREIGN AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
- 22- in case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 23- The awarded supplier will bear the advertising fees.
- 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC) .
- 25- closing date: 16/12/2014, till (1.00) o'clock (afternoon).

note: you can find the conditions of submitting offers on website :

www.oil.gov.iq - www.mrc.oil.gov.iq

Saad Noori Mohammed
G. MANAGER

REQ. NO.1210/2014

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				METALS.
				ALUMINUM BRONZE BAR ALUMINUM BRONZE ROD CONFORMING TO ASTM B-150-82 COPPER ALLOY UNS NO (C63200) STRENGTH CLASSIFICATION (HR50) HOT ROLLED & ANNEALED CERTIFICATE IS REQUIRED COLOUR IDENTIFICATION SILVER ROUND BAR DIA INCHES MM IN RANDOM LENGTHS
1	60	CM	200205/080.2	5" 127 30 CM
				HOLLOW ROUND BAR
2	120	CM	200210/029.2	2.½ X1" 64 X 25 30-60CM
				COMMERCIAL COPPER ROD BAR ACCORDING TO ASTM B-133 UNS NO. DESIGNATION (C 14200) ROUND CROSS SECTION TEMPER DESIGNATION (060) MAX ROCKWELL HARDNESS F SCALE (65) NOT LESS THAN (30) CM PIECE LENGTH INCHES MM
3	300	CM	201405/012.2	¾" 19
4	90	CM	/024.2	1.½" 38
				HOLLOW PHOSPHOR BRONZE BAR ACCORDING TO ASTM B-139 UNS NO.C51000
				INCHES MM IN RANDOM LENGTHS OD ID OD ID
5	280	CM	202110/060.2	5" x 2.½" 127 x64 (30-60 CM)
				HIGH LEAD TIN BRONZE HOLLOW BAR CASTING ACCORDING TO ASTM B-144-52 ALLOY TYPE (3B): COMMERCIAL DESIGNATION (83-7-7-3) COLOUR IDENTIFICATION WHITE HOLLOW ROUND BAR INCHES OD ID MM IN RANDOM LENGTH
6	510	CM	202510/031.2	2.¾"x 7/8" 70X22 60-120CM HOLLOW BRONZE
				COLD FINIISH ALLOY STEEL ROUND BAR ACCORDING TO ASTM A-331-50 T GRADE 4140 COLD DRAWN APPROXIMATE COMPOSITION: CARBON 0.38-0.43% MANGANESE 0.75% SILICON 0.20-0.35% CHROMIUM 0.80-1.15% MOLYBDENUM 0.15-0.25% COLOR IDENTIFCATION ROUND BAR DIA INCHES MM IN RANDOM LENGTH
7	600	CM	203005/064.2	4" 102 180-360 CM
8	120	CM	/112.2	7" 178 30-60CM
				STAINLESS STEEL HEX BAR ACCORDING TO ASTM A- 276-81 A TYPE (304) UNS NO. (S30400) COLD FINISHED :COLD DRAWN: ANNEALED INCHES MM IN RANDOM LENGTH
9	180	CM	203207/020.0	1.¼" 32 180-360 CM

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION		
				STAINLESS STEEL BAR ACCORDING TO ASTM -A- 276-81A TYPE (304) UNS NO. (S30400) COLD FINISHED :COLD DRAWN: ANNEALED HOLLOW STAINLESS STEEL ROUND BAR COLOUR GREY		
				OD × ID	LENGTH	
10	300	CM	203210/064.2	102X51	MM	30 CM
11	300	CM	/065.2	102X64	MM	30 CM
12	300	CM	/096.2	152X102	MM	30 CM
13	200	CM	/128.2	303X152	MM	30 CM
				MARTENSITIC ROUND BAR MARTENSITIC STAINLESS STEEL ROUND BAR ACCORDING TO ASTM -A-276-81A TYPE (414) UNS DESIGNATION (S41400):COLD FINISHED :COLD DRAWN ANNEALED :COLOUR IDENTIFICATION :RED.		
14	360	CM	203405/044.2	2.¾"	70mm	240-480CM
				MARTENSITIC HOLLOW ROUND BAR STAINLESS STEEL ROUND BAR ACCORDING TO ASTM -A-276- TYPE (414) UNS DESIGNATION (S41400):COLD FINISHED :COLD DRAWN :ANNEALED :COLOUR IDENTIFICATION :RED.		
				OD × ID	IN RANDOM LENGTH	
15	300	CM	203410/032.2	2 × ¾"	OR	51 X19 MM
16	300	CM	/064.2	4 × 2"	OR	102X51 MM
17	300	CM	/096.2	6 × 4"	OR	152X102 MM
18	300	CM	/112.0	7 × 5"	OR	178X127 MM
				BARS :ALLOY TOOL STEEL OIL HARDENING ALLOY TOOL STEEL BAR : ACCORDING TO ASTM -A- 681-76 AISI DESIGNATION (01):COLD WORK TOOL STEEL COLD DRAWN :ANNEALED COLOUR IDENTIFICATION YELLOW ROUND BAR		
				INCHES	MM	IN RANDOM LENGTH
19	360	CM	203605/020.2	1.¼"	32mm	180-360CM
				STANDARD QUALITY :COLD FINISHED COLD DRAWN: MEDIUM-CARBON STEEL BAR : IN ACCORDANCE WITH ASTM -A-108-81 GRADE DESIGNATION (1144): UNS NO (G11440) ROUND BAR CROSS – SECTION		
				DIA		
				INCHES	MM	IN RANDOM LENGTHS
20	360	CM	205305/068.2	4.¼"	108	180-360CM
				CAST IRON BARS TO B.S.1452-1948 GRADE 12 ROUGH MACHINED TO 1/32"ABOVE STATED SIZES IN RANDOM LENGTHS OF 45-90 CM ROUND SOLID BAR		
				DIA		
				INCHES	MM	
21	120	CM	206005/120.2	7.½"	191	
22	90	CM	/144.2	9"	229	

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				CAST IRON BAR GREY CAST IRON BAR ACCORDING TO BRITISH STANDARD B.S.1452-1961 GRADE (17) ROUGH MACHINED TO 1/32" ABOVE AND BELOW STATED SIZE IN A RANDOM LENGTH OF (45-90) CM HOLLOW ROUND BARS DIA INCHES SIZE MM O.D I.D.
23	70	CM	206110/088.2	11" 8" 280X203
				CAST IRON ROUND BARS AUSTENITIC GRAY IRON (NI- RESIST ROUND BAR ACCORDING TO ASTM SPECIFICATION A436-78 TYPE (1) HEAT TREATED MILL CERTIFICATE WITH MANUFACTURER TEST REPORTS ARE REQUIRED INCHES MM
24	205	CM	206205/048.2	3" 76
25	60	CM	/112.2	7" 178

ALL MANUFACTURE ACCEPTED EXCEPT CHINA

- 1- CERTIFICATE OF ORIGIN
- 2- MILL CERTIFICATE
- 3- DIMENSIONS CHECK
- 4- THIRD PART INSPECTING