

Financial Offer: Supplying materials for the Basic Business Training toolkits in Baghdad and Erbil - BoQ (1 to 50) (A)
العرض المالي: تجهيز مجموعة مواد للتدريب الأساسي على الأعمال في بغداد وأربيل BoQ(A) (1 to 50)

#	item	الوحدة	الكمية	سعر الوحدة بالدولار الامريكي	السعر الاجمالي بالدولار الامريكي	specifications	total price
		Unit	quantity	unit price (USD)	total price (USD)		
B-BSP-1	1	90cm freestanding cooker with 5 gas hob and 130L electric oven	Piece	1		5 burner gas cooker with oven")	
	2	refrigerator 18 ft	Piece	1		Size:18 Ft Capacity: 488 L Cooling Type:Non Frost Net Dimension:700Wx1720Hx635D mm	
	3	Chest Freezer 14 ft	Piece	2		Size: 14 Ft Capacity: 310 L Cooling Type: Frost Net Dimension: 1100Wx860Hx725D mm Color: White Features: Energy Saving Easy Cleaning Internal Light	
	4	large electric oven	Piece	1		Type: Conventional Oven Capacity: 45 L Control: Manual Timer: Yes, With Bell Ring Features: 2 Pieces Enamel Bake Tray")	
	5	air conditioner Split System 1 Ton (inverter)	Piece	1		Air Conditioner R32 Wall Unit Standard Plus PC12SQ 3.5 kW I 12000 BTU	
	6	Generator	Piece	1		5kv/diesel	
Total Amount for B-BSP-1							
B-BSP-2	1	Game Player	Piece	2		CPU : x86-64-AMD Ryzen Zen 8 Cores / 16 Threads at 3.5GHz (variable frequency) GPU : Ray Tracing Acceleration Up to 2.23 GHz (10.3 TFLOPS) GPU Architecture : AMD Radeon RDNA 2-based graphics engine Memory/Interface : 16GB GDDR6/256"-bit Memory Bandwidth : 448GB/s Internal Storage : Custom 825GB SSD IO Throughput : 5.5GB/s (Raw), Typical 8-9GB/s (
	2	LED Smart TV 43"	Piece	2		700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box ")	
	3	display drinks fridge specification	Piece	1		Specification :600mm x 660mm x 1960mm Capacity: 362 L Shelf : 5 Door Number:- single Door Temperature:-+2 / +7 °C Function:- Cold Storage & Freezing Power Source:- Electricity Temperature Control:- Computer Thermostat	
Total Amount for B-BSP-2							

B-BSP-3	1	Air conditioner (AC) Split System 2 Ton	Piece	1			Approx Cooling Area 240 sq. ft., Auto Clean and Anti Mildew Function, Auto Cleaning, Condenser Type: Copper, Multi Fan Speeds for Powerful and Quiet Cooling Operation, Multi Layer Air Purification, Selectable Auto Air Swing, Turbo Cooling	
	2	Laptop	Piece	1			Business Laptop Processor: Intel® Core™ i7 , 10th Gen or 11th Memory: 8 GB DDR4 Display: 14" FHD (1920 x 1080) not touch screen Webcam: 720p HD with microphone built in Storage: M.2 256GB PCIe NVMe Solid State Drive Battery : 45Whr battery I/O ports:USB ports ,at less one of them V3.0 , HDMI Port RJ-45 (Ethernet), Headphone / microphone combo jack WiFi: 802.11b/g/n/ac TPM build in BOIS 1 year warranty / include replace spare parts or laptop. Keybord English / Arabic Not refurbished	
	3	water pump 1/2 hp	Piece	5			Item Weight : 8.75 pounds Product Dimensions : 11 x 6.5 x 6.5 inches Material :Cast Iron Speed : 3450 RPM	
	4	water pump3/4 hp	Piece	5			Maximum Feet of head:20M Material type:Cast Iron, steel, Ceramic Carton Maximum Flow Rate:50M^3 Motor power Type:Electric Outlet Connection Size:0.32inchesMaximum Pressure:1.0MPA	
	5	poster water pump 1 hp	Piece	5			Max.Head:10-30m Max.Capacity:100-200 L/min Driving Type:Motor Material:Cast Iron Structure:Single-stage Pump Assembly:Electric Water Pump	
Total Amount for B-BSP-3								
B-BSP-4	1	USB Condenser Gaming Microphone, for PC, PS4, PS5 and Mac, Anti-Vibration Shock Mount, Four Polar Patterns, Pop Filter, Gain Control	Piece	1			Microphone: Power consumption: 5V 125 mA Sample/bit rate: 48Hz/16-bit Element: Electret condenser microphone Condenser type: Three 14mm condensers Polar patterns: Stereo, Omnidirectional, Cardioid, Bidirectional Frequency response: 20Hz – 20kHz Sensitivity: -36dB (1V/Pa at 1kHz) Cable length: 3m Weight: Microphone: 254g Shock mount and stand 364g Total with USB Cable: 710g Headphone Output: Impedance: 32 Ohms Frequency Response: 20Hz – 20kHz Maximum Power Output: 7mW THD: 90dB (1kHz, RL = infinity)	
	2	Camera lens 50mm f/1.8	Piece	1			50mm f/1.8	
	3	Camera lens	Piece	1			STM wide-angle 10-18mm	
	4	PowerPC - Gamer Xtreme Gaming Desktop - Intel Core i7-10700F - 16GB Memory - GeForce RTX 3060- 1TB HDD + 500GB SSD+Display 34 inches 5120x2160 (5K) IPS, anti-reflective 500 nits, 98% DCI-P3	Piece	1			Ram 16 gb RTX 3060 ci7 Display 34 inches	
	5	office rotating chair good quality	Piece	1				
	6	office desk wood 110 cm	Piece	1				
	7	UPS	Piece	1			Standby 50W - 2h 4min Power 540 W Power Chute load shedding 5 Schuko plugs AVR Bypass Technology	
Total Amount for B-BSP-4								

B-BSP-5	1	laptop	Piece	1		MSI Pulse GL66 Gaming Laptop 15.6" 144Hz FHD 1080p Display, Intel Core i7-11800H NVIDIA GeForce RTX 3070 16GB 512GB SSD")		
	2	DJ deck	Piece	1		Serato DJ professional software included NEW Performance Pads and Dual Deck Control Multiple loop options, Slicer, Slip Mode NEW FX Powered by iZotope 8 cue points, 6 samples Sound card inside MIDI compatible		
	3	UPS	Piece	1		Voltage : 4000 VA/ 2800 W * System : True On-line Double Conversion * Supports on input current pressure in wide range * Able to open stand by even in black out * With battery management system * Electric charge automatically while in stop working * With "&"the system for momentary high electrical * Display on the operation status with LED indication light and LCD monitor")		
Total Amount for B-BSP-5								
B-BSP-6	1	professional EOS -R3	Piece	1		Type22.3 x 14.9mm CMOS Effective Pixels Approx. 18.0 megapixels Total Pixels Approx 18.7 megapixels Aspect Ratio3:2 Low-Pass Filter Built-in/Fixed Sensor Cleaning EOS integrated cleaning system Colour Filter Type Primary Colour		
	2	camera lens	Piece	1		Canon RF 85mm F2 Macro - STM RF-Mount Lens/Full-Frame Format Maximum Magnification: 1:2 Minimum Focusing Distance: 1.15' One UD Element ")		
Total Amount for B-BSP-6								

B-BSP-7	1	Refrigerator 5ft	Piece	1			Type: One Door Size: 5 Ft Capacity: 91 L Cooling Type: Frost Net Dimension: 475Wx842Hx446D mm Net Weight: 23 Kg Features: Separate chiller compartment Features1: Mechanical temperature control Featu"&"res2: Adjustable leg")	
	2	Smart phone Android system	Piece	1			NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2020, November 24 Status Available. Released 2020, December 21 BODY Dimensions 164 x 75.8 x 8.9 mm (6.46 x 2.98 x 0.35 in) Weight 205 g (7.23 oz)"&" Build Glass front, plastic back, plastic frame SIM Single SIM (Nano-SIM) or Dual SIM (Nano-	
	3	Smart phone Android system	Piece	1			GSM / HSPA / LTE LAUNCH Announced 2021, April 19 Status Available. Released 2021, April 30 BODY Dimensions 164 x 75.9 x 9.7 mm (6.46 x 2.99 x 0.38 in) Weight 212 g (7.48 oz) Build Glass front, plastic back, plastic frame SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type PLS LCD, 90Hz Size 6.5 inches, 102.0 cm2 (~81.9% screen-to-body ratio)	
	4	Smart phone Android system	Piece	1			GSM / HSPA / LTE LAUNCH Announced 2022, March 04 Status Available. Released 2022, March 23 BODY Dimensions 165.1 x 76.4 x 8.8 mm (6.5 x 3.01 x 0.35 in) Weight 195 g (6.88 oz) Build Glass front (Gorilla Glass 5), plastic frame, plastic back SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by)	
	5	Smart phone Android system	Piece	1			GSM / HSPA / LTE LAUNCH Announced 2021, June 03 Status Available. Released 2021, July 01 BODY Dimensions 159.3 x 73.6 x 8.4 mm (6.27 x 2.90 x 0.33 in) Weight 186 g (6.56 oz) Build Glass front, plastic frame, plastic back SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type Super AMOLED, 90Hz, 600 nits Size 6.4 inches, 98.9 cm2 (~84.3% screen-to-body ratio)	
	6	Smart phone Android system	Piece	1			NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2022, March 04 Status Available. Released 2022, March 25 BODY Dimensions 164.5 x 76.9 x 8.4 mm (6.48 x 3.03 x 0.33 in) Weight 195 g (6.88 oz) Build Glass front (Gorilla Glass 5), plastic frame, plastic back SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by)	
	7	LED Smart TV 43"	Piece	1			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	8	water cooler (drinking water dispenser)panasonic type	Piece	1			Hot Water, Cold Water, Hot and Cold Both, Top Loading, Bottom Loading number of tap :3 Cooling Capacity (l / Hr) 3 liter Weight (kg) 20 kg	
	9	Smart phone Android system	Piece	1			NETWORK Technology GSM / HSPA / LTE / 5G LAUNCH Announced 2022, March 17 Status Available. Released 2022, April 22 BODY Dimensions 163.7 x 76.1 x 7.6 mm (6.44 x 3.00 x 0.30 in) Weight 181 g (6.38 oz)	
	10	security cameras	Piece	1			esolution TVL550 Specialist TypesInfrared Auto IrisYes Sensitivity lux0.00 lux Electrical SpecificationsVoltage: 12 VDC Power Consumption: 3.6 W Focal Length mm3.8~9.5	
Total Amount for B-BSP-7								

B-BSP-8	1	Game Player	Piece	2			CPU : x86-64-AMD Ryzen Zen 8 Cores / 16 Threads at 3.5GHz (variable frequency) GPU : Ray Tracing Acceleration Up to 2.23 GHz (10.3 TFLOPS) GPU Architecture : AMD Radeon RDNA 2-based graphics engine Memory/Interface : 16GB GDDR6/256-bit Memory Bandwidth : 448GB/s Internal Storage : Custom 825GB SSD IO Throughput : 5.5GB/s (Raw), Typical 8-9GB/s (Compressed) Expandable Storage: NVMe SSD Slot External Storage : USB HDD Support Optical Drive (optional) : Ultra HD Blu-ray (66G/100G) ~10xCAV BD-ROM (25G/50G) ~8xCAV BD-R/RE (25G/50G) ~8x CAV DVD	
	2	LED Smart TV 43"	Piece	2			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	3	Air conditioner (AC) Split System 2 Ton	Piece	1			Approx Cooling Area 240 sq. ft., Auto Clean and Anti Mildew Function, Auto Cleaning, Condenser Type: Copper, Multi Fan Speeds for Powerful and Quiet Cooling Operation, Multi Layer Air Purification, Selectable Auto Air Swing, Turbo Cooling	
	4	Vacuum cleaner wet and dray -25 L	Piece	1			Real suction power: 240 Air Watts • Energy use: 1100w • Container capacity: 25 litres • Container material: Plastic • Standard accessory: 35mm • Current type: 220 - 240 v / 50 - 60 Hz • Weight without accessories: 8.2kg • Dimensions (L x W x H): 418mm x 382mm x 652mm	
Total Amount for B-BSP-8								
B-BSP-9	1	Air conditioner -split -1.5 Ton (invertor)	Piece	1			1.5 Ton invertor	
	2	Gas Pizza Oven With Stone Base, Power: 120 Watts	Piece	1			Type : Single Deck Oven Power :120 Watts Door Type :Single Door Size :1000x730x550 mm (LxWxH) Voltage :220V	
	3	camera	Piece	1			D500 Product Dimensions5.8 x 3.1 x 4.9 inches Item Weight2.02 pounds	
	4	mixer 7 L	Piece	1			Product Dimensions15 x 13 x 7 inches Item Weight7.1 ounces	
	5	food processor	Piece	1			Power: 1000 W Included: 3L capacity bowl with lid 2L blender 8 accessories (chopping, coarse shredding, thin shredding, kneading, grating, juicer, mini chopper & emulsifying disc) spatula	
	6	High quality Plastic food table with 4 seaters	Piece	1				
	7	Air fryer	Piece	1			Maximum Timer Setting :360 minutes Minimum Temperature :140°F Number of Fry Baskets :1 Maximum Temperature :400°F Primary Material: Stainless steel Oil Capacity in Litres: 6.3 quarts Wattage :1700 Watt Voltage :120 Volt	
	8	Microwave oven ,20 L	Piece	1			9 Auto Menus 800 W Cooking Power 30 Function	
Total Amount for B-BSP-9								

B-BSP-10	1	Game Player	Piece	2			CPU : x86-64-AMD Ryzen Zen 8 Cores / 16 Threads at 3.5GHz (variable frequency) GPU : Ray Tracing Acceleration Up to 2.23 GHz (10.3 TFLOPS) GPU Architecture : AMD Radeon RDNA 2-based graphics engine Memory/Interface : 16GB GDDR6/256-bit Memory Bandwidth : 448GB/s Internal Storage : Custom 825GB SSD IO Throughput : 5.5GB/s (Raw), Typical 8-9GB/s (Compressed) Expandable Storage: NVMe SSD Slot External Storage : USB HDD Support Optical Drive (optional) : Ultra HD Blu-ray (66G/100G) ~10xCAV	
	2	screen	Piece	2			4K Ultra HD Resolution High Dynamic Range (HDR) Technology 4K Creative Pro upscaling engine 120Hz CMI effective refresh rate Dual-band Wi-Fi & Ethernet port Stream 500,000 movies & TV episodes across thousands of streaming channels Easy Voice Control works with Siri, Alexa, and Hey Google	
	3	Air conditioner -split -1.5 Ton (invertor)	Piece	1			1.5 Ton 18000 BTU Inverter Air Conditioner (Cool Only) - Rs 64999/-	
	4	UPS	Piece	2			APC Smart-UPS 1500VA	
Total Amount for B-BSP-10								
B-BSP-11	1	tire change machine	Piece	1				
	2	9.5L Pneumatic / Manual Oil & Fluid Extractor with Brake Bleeder Hose	Piece	1			1. Air inlet: 1/4" 2. Avg. air con.: 2 cfm @ 90 psi (57 L/min @ 6.3 bar) 3. Fluid temperature range: 1°C- 95°C (35°F- 200°F) 4. Working pressure range: 40~170 psi (2.8~11.7 bar ; 0.28~1.17 mpa)	
	3	0.8 HP 24 Litres Oil Free Copper Air Compressor	Piece	1			Voltage: 220-240V~50Hz Input power: 600W (0.8HP) Tank: 24Litres (6.3Gal) Oil Free system Noise: 60db Copper Wire motor No-load speed: 1440 RPM Operation pressure: Max. 8 Bar	
	4	water pump motor 3/4 HP	Piece	1			Maximum Feet of head:20M Material type:Cast Iron, steel, Ceramic Carton Maximum Flow Rate:50M^3 Motor power Type:Electric Outlet Connection Size:0.32inchesMaximum Pressure:1.0MPA	
	5	Wheel Balancing Machine with car wheels, hydraulic floor jack and lug wrench	Piece	1			Rim diameter: 10"-24" Max tire diameter :1000mm Tire width: 1.5"-16" Max tire weight :70kgs Rotation speed: 200r/min Balance precision :1g Motor :220V/250W	
	6	Tire Puncture Repair Tool Kit	Piece	1				
	7	Nitrogen Tyre Inflator	Piece	1			Input pressure:9.5 kgf/cm sq Purity of Nitrogen:95% Tank Size:60 ltrs Output Pressure:8.5kgf/cm sq Nitrogen Generating capacity:3500/ hours Dimension (l x b x h):620x 430x 1260x mm	
	8	Hydraulic Trolley Floor Jack 2 Ton Heavy Duty for Car Lift	Piece	2			360 degree Swivel Saddle For Solid Load Contact Lightweight For Fast Positioning and Maneuverability Heavy Gauge SteelFrameProvides Strength and Durability Rust Resistant Finish For Long Life	
Total Amount for B-BSP-11								

B-BSP-12	1	smart phone androidsystem	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2021, April 19 Status Available. Released 2021, April 30 BODY Dimensions 164 x 75.9 x 9.7 mm (6.46 x 2.99 x 0.38 in) Weight 212 g (7.48 oz) Build Glass front, plastic back, plastic frame SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type PLS LCD, 90Hz Size 6.5 inches, 102.0 cm² (~81.9% screen-to-body ratio)</p>
	2	smart phone androidsystem	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2020, November 24 Status Available. Released 2020, December 21 BODY Dimensions 164 x 75.8 x 8.9 mm (6.46 x 2.98 x 0.35 in) Weight 205 g (7.23 oz) Build Glass front, plastic back, plastic frame SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type PLS LCD</p>
	3	smart phone	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2014, October. Released 2014, December Status Discontinued BODY Dimensions 130.1 x 65.5 x 6.9 mm (5.12 x 2.58 x 0.27 in) Weight 110.3 g (3.88 oz) Build Glass front (Gorilla Glass 4), plastic back, aluminum frame SIM Nano-SIM</p>
	4	smart phone	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2020, August 13 Status Available. Released 2020, August 20 BODY Dimensions 165.4 x 76.4 x 8.8 mm (6.51 x 3.01 x 0.35 in) Weight 183 g (6.46 oz) Build Glass front, plastic back, plastic frame SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type IPS LCD Size 6.6 inches, 105.2 cm² (~83.2% screen-to-body ratio)</p>
	5	smart phone androidsystem	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2021, October 26 Status Available. Released 2021, October 26 BODY Dimensions - Weight - Build Glass front, plastic back, plastic frame SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type IPS LCD, 500 nits (typ) Size 6.6 inches, 105.2 cm² Resolution 720 x 1600 pixels, 20:9 ratio (~266 ppi density)</p>
	6	smart phone androidsystem	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2021, May 04 Status Available. Released 2021, May 04 BODY Dimensions 171.5 x 77.5 x 9.2 mm (6.75 x 3.05 x 0.36 in) Weight - Build Glass front, plastic back, plastic frame SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type IPS LCD Size 6.82 inches, 110.5 cm² (~83.1% screen-to-body ratio)</p>
	7	smart phone androidsystem	Piece	1		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2021, November 03 Status Available. Released 2021, December 08 BODY Dimensions 164.4 x 76.7 x 7.9 mm (6.47 x 3.02 x 0.31 in) Weight 184 g (6.49 oz) Build Glass front, plastic frame, plastic back</p> <p>SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type AMOLED, 650 nits (peak)</p>
	8	smart phone	Piece	2		<p>NETWORK Technology GSM / HSPA / LTE LAUNCH Announced 2021, April 09 Status Available. Released 2021, April 16 BODY Dimensions 164.8 x 76.1 x 9.5 mm (6.49 x 3.00 x 0.37 in) Weight - SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type IPS LCD Size 6.5 inches, 102.0 cm² (~81.3% screen-to-body ratio)</p>
Total Amount for B-BSP-12						

B-BSP-13	1	1 Post, Car Lifts Waterproof Hydraulic Car Washing Lift	Piece	1			Lifting capacity :3500kg Air Pressure Request :≥5bar ≤10bar Lifting height :1805mm Min.height :110mm Plunger diameter :270mm Ascend time :60s Descend time :55s Net weight : 670KG	
	2	Car washer 200 bar Pump high pressure cleaner Electric pressure washer	Piece	1			Moto:3000 Watt 4.5 hp Single Phase Induction Motor Pressure:Max 200 Bar (Operating 170 Bar) Variable Water Flow:11 LPM	
Total Amount for B-BSP-13								
B-BSP-14	1	tire change machine	Piece	1			Max Wheel Width: 12.5" lbs Max Tire Diameter: 38" Outside Clamping Range: 6" - 24" Power Unit: 110V /15 Amp /1Ph	
	2	manual tire change machine station	Piece	1			Tire capacity: 4" – 12" / 102 mm x 305 mm	
Total Amount for B-BSP-14								

B-BSP-15	1	Air conditioner	Piece	1		Air Conditioner R32 Wall Unit Standard Plus PC125Q 3.5 kW I 24000 BTU	
	2	smart phone android system	Piece	1		<p>NETWORKTechnology GSM / HSPA / LTE LAUNCHAnnounced2021, February 25 StatusAvailable. Released 2021, February 25 BODYDimensions158.9 x 73.6 x 8.4 mm (6.26 x 2.90 x 0.33 in) Weight184 g (6.49 oz) BuildGlass front (Gorilla Glass 5), plastic frame, plastic back</p>	
	3	smart phone android system	Piece	1		<p>NETWORKTechnology GSM / HSPA / LTE / 5G LAUNCHAnnounced2022, March 17 StatusAvailable. Released 2022, March 24 BODYDimensions159.6 x 74.8 x 8.1 mm (6.28 x 2.94 x 0.32 in) Weight189 g (6.67 oz) BuildGlass front (Gorilla Glass 5), plastic frame, plastic back</p>	
	4	smart phone android system	Piece	1		<p>GSM / HSPA / LTE LAUNCH Announced 2021, June 03 Status Available. Released 2021, July 01 BODY Dimensions 159.3 x 73.6 x 8.4 mm (6.27 x 2.90 x 0.33 in) Weight 186 g (6.56 oz) Build Glass front, plastic frame, plastic back SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by)</p>	
	5	smart phone android system	Piece	1		<p>GSM / HSPA / LTE LAUNCH Announced 2021, March 17 Status Available. Released 2021, March 26 BODY Dimensions 159.9 x 75.1 x 8.4 mm (6.30 x 2.96 x 0.33 in) Weight 189 g (6.67 oz) Build Glass front (Gorilla Glass 5), plastic frame, plastic back SIM Single SIM (Nano-SIM) or Hybrid Dual SIM (Nano-</p>	
	6	smart phone android system	Piece	1		<p>GSM / HSPA / LTE LAUNCH Announced 2020, August 14 Status Available. Released 2020, August 14 BODY Dimensions 164.5 x 75.9 x 9.8 mm (6.48 x 2.99 x 0.39 in) Weight 209 g (7.37 oz) SIM Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type IPS LCD Size 6.5 inches, 103.7 cm² (~83.1% screen-to-body)</p>	
	7	smart phone android system	Piece	1		<p>GSM / HSPA / LTE LAUNCHAnnounced2021, January 27 StatusAvailable. Released 2021, January 27 BODYDimensions164 x 75.9 x 9.1 mm (6.46 x 2.99 x 0.36 in) Weight206 g (7.27 oz) BuildGlass front, plastic back, plastic frame SIMSingle SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by)</p>	
	8	smart phone android system	Piece	1		<p>GSM / HSPA / LTE LAUNCHAnnounced2021, November 15 StatusAvailable. Released 2021, November 15 BODYDimensions171.8 x 78 x 8.9 mm (6.76 x 3.07 x 0.35 in) Weight- BuildGlass front, plastic back, plastic frame SIMDual SIM (Nano-SIM, dual stand-by) DISPLAYTypeIPS LCD, 440 nits (typ)</p>	
Total Amount for B-BSP-15							

B-BSP-16	1	DRILL ROTARY HAMMER 1500W	Piece	3			weight:8.8 kg dimention:46X5X38 cm	
	2	Car washing machine household 220v high pressure washer electric portable water wash pump flushing machine	Piece	3				
	3	electrical drill 300 watt	Piece	5				
	4	Angle Grinder,	Piece	5			7-Inch, 13-Amp (DW840) Item Weight : 11.6 pounds Product Dimensions : 21.5 x 8.88 x 4.38 inches Item model number : DW840 Size : Medium Material : Alloy Steel Power Source : Corded Electric Voltage : 120 Volts	
	5	celling fan	Piece	5			Rated Speed: 300 Revolution per minutes Air Delivery: 260 m3/min Downrod length: 260 mm Power consumption: 74 W Rated Voltage: 220 – 230 V Weight: 5KG No. of Blades: 03 Sweep Size: 1400 mm	
	6	air cooler motor	Piece	5			Frequency: 50/60Hz Pole: 4 Output Power:550W 3/4HP Voltage: 220/230V Motor Diameter: 160mm Speed: 1425/1725RPM Rotation:CW	
	7	air cooler 2.5 ft	Piece	2				
	8	generator 5 KVA	Piece	2			Power (kVA) :5 kVA Model Number GE 7000 DS Power:5 KVA Output Type :AC Cooling System:Air Cooled Alternator:Brushless Usage/Application:Home, Office, etc Fuel Tank Capacity:20 L Fuel Type:Diesel Fuel Consumption:1 L/H Color:Dark Orang* & *e Rated Voltage:220 V Engine Type:Direct Injection	
Total Amount for B-BSP-16								
B-BSP-17	1	Color LaserJet Printer 3 in 1 adf	Piece	1				
	2	laptop	Piece	1			Intel Core i5 6200U (2.30 GHz) 8 GB Memory 256 GB SSD 1366 x 768 HD Display Windows 10 Home 64-Bit DVDRW SuperMulti DL Drive	
	3	Camera	Piece	1			16MP - 1/2.3-inch BSI-CMOS Sensor. ISO 125 - 3200. 25-250 mm F3.2-5.8 Zoom Lens. 2.70" Fixed Type Screen. 6.0fps continuous shooting. 160g. 94 x 58 x 26 mm.	
	4	Refill Ink for printer	set	10			containe:Bk / C / M / Y / LC / LM.	
	5	Portable Photo Printers	Piece	1			Maximum Resolution:300 x 300 dpi Colours:3 colour inks with protective over coating, 256 levels per colour (24 bit colour depth)	
	6	papers	pack	6			printing white paper size:A4	
	7	photo papers	pack	6			2 sides (print side and black side) size:4R	
	8	IDs heat press	Piece	1			A3 and A4	
	9	CDs+files	pack	60			Package Dimensions : 13.6 x 13.5 x 3.1 cm; 200 Grams ard Drive Size:0.7 GB Item Weight :200 g	
Total Amount for B-BSP-17								

B-BSP-18	1	Camera	Piece	1			24.1MP DX format CMOS sensor, with no OLPF EXPEED 3 processing ISO 100-6400 standard, up to 25600 expanded Max 6 fps continuous shooting in DX mode, 7fps in 1.3X crop mode 51 point AF system, 15 sensors cross type 2016 pixel RGB metering sensor Spot white balance in live view mode 1080 60i/30p video recording, built-in stereo mic, mic jack and audio monitoring jack Pentaprism with 100% coverage and 0.94X magnification 3.2", 1.2m-dot LCD screen (640 x 480 X RGBW) Front and rear IR receivers Equivalent water and dust resistance to D800/D300S	
	2	ring light	Piece	2				
	3	laptop	Piece	1			LCD 15.6fhd Intel 17-1065g7/ bga 54rodd woodd Ddr4g+4g onbd Wifi5. 802.11ac 1*1_ww Bt usb . USB 2.0 Os type Kb language Arabic Power cord Middle East uk Accessory 2cell 32wh	
Total Amount for B-BSP-18								
B-BSP-19	1	tracksuit T without collar	dozen	5				
	2	tracksuit T with collar	dozen	5				
	3	sports shirt and shorts (adidas)	dozen	5				
	4	sports shirt and shorts	dozen	5				
	5	Football	piece	5				
Total Amount for B-BSP-19								

B-BSP-20	1	swiss watch	Piece	2			Item Shape Round Dial window material type Anti reflective sapphire Display Type Analog Clasp Fold-Over Clasp with Hidden Double Push-Button Case material Stainless Steel Case diameter 45 millimeters Case Thickness 14 millimeters Band Material Stainless Steel
	2	skmei watch	Piece	4			Item Shape Round Dial window material type Glass Display Type Digital Clasp Deployant Clasp Case material Stainless Steel Case diameter 46 millimeters Case Thickness 13 millimeters Band Material Stainless Steel
	3	watch	Piece	4			Item Shape Round Dial window material type Glass Display Type Analog Clasp Buckle Case material Metal Case diameter 47 millimeters Case Thickness 10 millimeters Band Material Rubber
	4	watch	Piece	4			Item Shape Round Dial window material type Mineral Display Type Analog Clasp Fold-Over Clasp with Safety Case material Stainless Steel Case diameter 40 millimeters Case Thickness 14 millimeters Band Material Stainless Steel
	5	bracelet	Piece	4			Metal stamp Stainless-steel Metal Stainless Steel Material Stainless Steel Width 16 millimeters
	6	watch	Piece	4			Product Dimensions : 6 x 4 x 6 inches; 0.71 Ounces Department : Mens Batteries : 1 Lithium Metal batteries required.
	7	stainless steel watch	Piece	2			Item Shape Round Dial window material type Scratch Resistant Sapphire Display Type Analog Clasp Deployment Clasp Case material 41 mm Case diameter 41 millimeters Case Thickness 12 millimeters Band Material Stainless Steel
	8	quartz watch	Piece	3			Dial window material type Anti reflective sapphire Display Type Analog Clasp Buckle Case material 18ct Rose gold Case diameter 42 millimeters Band Material Leather -rubber Band Color Black Dial color Black dial
	9	sport watch	Piece	4			Dial window material type Sapphire Crystal Display Type Analog Clasp Push Button Deployment Clasp Case diameter 45.5 millimeters Case Thickness 6 millimeters Band Material Ceramic Band Color Red Dial color Gray

10	women watch	Piece	4			Dial window material typeMineral Display TypeAnalog ClaspJewelry Clasp Case materialStainless Steel Case diameter34 millimeters Case Thickness8.6 millimeters Band MaterialBracelet Band sizeUnisex	
11	cartier watch	Piece	2			Dial window material typeMineral Glass Display TypeAnalog ClaspDeployment Clasp Case materialStainless Steel Case diameter33 Case Thickness9.96 Band MaterialStainless Steel Band width20 millimeters	
12	watch	Piece	4			Dial window material typeMineral Display TypeDigital ClaspDeployment Clasp Case materialResin Case diameter5.1 centimeters Case Thickness17 millimeters Band MaterialPlastic Band sizeMen's Standard	
13	mile watches men	Piece	2			Dial window material typeSynthetic sapphire Display TypeAnalog ClaspBuckle Case materialStainless Steel Case diameter42 millimeters Case Thickness12 millimeters Band MaterialPolyurethane Band size200 millimeters	
14	sunglasses	Piece	4			Plastic lens Non-Polarized UV Protection Coating coating Lens width: 57 millimeters Lens height: 46.5 millimeters Bridge: 16 millimeters Arm: 145 millimeters Lens width: 57mm, bridge size: 16mm, temple size: 145mm	
15	sunglasses	Piece	4			Plastic lens Non-Polarized UV Protection Coating coating Lens width: 58 millimeters Lens height: 43.9 millimeters Bridge: 16 millimeters Arm: 145 millimeters RX-able	
Total Amount for B-BSP-20							

B-BSP-21	1	computer i5 desktop	Piece	1			ci5 ram 8 HDD 500 G VGA 4 G DVD LED 17"	
	2	LED Smart TV 43"	Piece	1			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	3	Game Player	Piece	2			CPU : x86-64-AMD Ryzen Zen 8 Cores / 16 Threads at 3.5GHz (variable frequency) GPU : Ray Tracing Acceleration Up to 2.23 GHz (10.3 TFLOPS) GPU Architecture : AMD Radeon RDNA 2-based graphics engine Memory/Interface : 16GB GDDR6/256-bit Memory Bandwidth : 448GB/s Internal Storage : Custom 825GB SSD IO Throughput : 5.5GB/s (Raw), Typical 8-9GB/s (Compressed)	
	4	UPS	Piece	2			APC Smart-UPS 1500VA	
Total Amount for B-BSP-21								
B-BSP-22	1	laptop	Piece	1			ci5 9th SSD 512 nvidia GTX 1660 FHD 15.6	
	2	Camera	Piece	1			16MP - 1/2.3-inch BSI-CMOS Sensor. ISO 125 - 3200. 25-250 mm F3.2-5.8 Zoom Lens. 2.70" Fixed Type Screen. 6.0fps continuous shooting. 160g. 94 x 58 x 26 mm.	
	3	24 Litre Silent Air Compressor 0.8 HP & Aluminium Wire Motor	Piece	1			1 horsepower	
	4	Aluminium Step Ladder	Piece	3			Aluminium Weight:10kg Form:Step Ladder Number Of Steps:7 Tread Type Steps	
	5	drill (chargable)	Piece	1			18v cordless drill with two batteries battery is 1.5Ah*2pcs BMC packing No load speed :350rpm/1350rpm Max drilling dia:10mm for steel 25mm for wood	
	6	blower (chargable)	Piece	1			Battery capacity (standard):2,0 Ah Charger voltage:100-240V / 50-60 Hz Charger power consumption:45 W Charging current:1.500 mA Max. Air Flow:168 m³/h Max Noise:Ca. 79 dB(A) Diameter nozzle:Ca. 23 mm Max. Speed:13.500 U/min. Dimension (H/W/D):185 x 560 x 155 mm Weight:1,6 kg	
Total Amount for B-BSP-22								

B-BSP-23	1	computers	Piece	2			ci5 ram 8 HDD 500 G VGA 4 G DVD LED 17"	
	2	UPS	Piece	2			APC Smart-UPS 1500VA	
	3	Hub LAN	Piece	1			Plug :US Plug Retail Packaging:Colored Box Gross Weight :0.176kg Volume Weight :0.169kg Package Length :13.600cm Package Width :8.800cm Package Height :6.300cm One Package Weight :0.157kg	
	4	Different types of Networking Cables	Piece	20				
	5	LED Smart TV 43"	Piece	2			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	6	Game Player	Piece	2			CPU:1.6GHz 8-core AMD Jaguar GPU:1.84 TFLOP AMD Radeon Memory:8GB GDDR5 HDR: Yes Storage: 500GB USB 2x USB 3.0 Wi-Fi :802.11b/g/n Wi-Fi (2.4GHz only) Bluetooth :2.1	
Total Amount for B-BSP-23								
B-BSP-24	1	white glass + Patterned Glass Layer + granular Glass Layer	layer	21				
	2	Bronze Patterned Glass Layer + Bronze granular Glass Layer	layer	14				
	3	Bronze Patterned Glass Layer 6mm + bronze plated	layer	7				
	4	rhombic engraving mirror + bronze rhombic engraving mirror	layer	10				
	5	normal mirror	layer	7				
	6	fixing glass putty	kg	20				
	7	white glass 6 mm	layer	7				
	8	Decoration glass layer	layer	10				
	9	4 mm glass and bronze plated	layer	7				
	10	4 mm glass and blue plated	layer	7				
Total Amount for B-BSP-24								

B-BSP-25	1	transparent glass with rhombic engraving	panel	5			
	2	Blck mirror with rhombic engraving	panel	5			
	3	bronze glass with rhombic engraving	panel	5			
	4	Aluminum door 2m high X1M width using T section	Piece	5			using T sections
	5	PVC door 2m high X1M width using Z section	Piece	5			using Z sections
	6	PVC window 0.5 m High X1 m width using T section	Piece	5			using T section
	7	door handle	box	1			Style : Standard Color : Satin Nickel Finish Type : Nickel Handle Type : Lever Item Dimensions LxWxH : 6.5 x 3.15 x 9.45 inches
	8	hinge for door	box	1			Color :Satin Nickel Finish Type : Satin Nickel Included Components : 3 Door Hinges and Installation Screws Item Shape : 5/8" RAD Material : Nickel
	9	foam filler	piece	10			Item Weight14.72 Ounces Item Dimensions LxWxH2.56 x 2.56 x 7.87 inches
	10	aluminum panel sheet	panel	10			Item Dimensions LxWxH12 x 12 x 0.13 inches ShapeSheet
	11	Aluminum Extension Slides	piece	10			Product Dimensions:0.39 x 0.39 x 0.39 inches Item Weight 1.87 ounces
Total Amount for B-BSP-25							

B-BSP-26	1	barber chair	Piece	2			
	2	Ozone Therapy Face Steam Machine for Professional Salon Spa Steamer	Piece	1			
	3	Clipper Lithium Ion Cordless Haircutting & Trimming Combo Kit – Rechargeable Electric Razor for Grooming Heads, Beards, & All Body Grooming	Piece	2			professional type
	4	Clipper Lithium Ion Cordless Haircutting & Trimming Combo Kit – Rechargeable Electric Razor for Grooming Heads, Beards, & All Body Grooming	Piece	2			small size
	5	hair dryer	Piece	2			Material :Ceramic Item Dimensions LxWxH: 4.5 x 10.38 x 11 inche Professional Motor 3 Heat, 2 Speed Settings, Cool Shot 1875 watts max power
	6	hair iron outlet	Piece	2			Professional salon model hair styling iron 1" ceramic plates for easy glide Versatile styling tool: Flip, Curl & Style Creates silky hair instantly Flash quick heating, up to 392°F
	7	Barbara chair washbasin	Piece	1			Materials: CERAMIC BOWL+Solid wood frame + High-elastic sponge + Enhanced PVC leather+ UPC standard sprinklers. Box Quantity:2 Box Dimensions: 40.20"*26.00"*16.50"/ 26.80*22.80*14.60" Package included: 1 x Shampoo chair / 1 x Instruction / 1 x Screws pack
	8	Barbara oil bath specification	Piece	2			Material :Mild Steel Operating Voltage:220 V Insulation :Ceramic Wool Heater:Nichrome Temp. Range :+- 10 deg above room temp to max 300 deg. Temp. Accuracy : +- 2 deg. Wall Type :Double Walled Inner Body :SS 304
	9	Air conditioner (AC) Split System 2 Ton	Piece	1			Approx Cooling Area 240 sq. ft., Auto Clean and Anti Mildew Function, Auto Cleaning, Condenser Type: Copper, Multi Fan Speeds for Powerful and Quiet Cooling Operation, Multi Layer Air Purification, Selectable Auto Air Swing, Turbo Cooling
	10	Smart TV 43"	Piece	1			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box
	11	water cooler (drinking water dispenser)	Piece	1			Hot Water, Cold Water, Hot and Cold Both, Top Loading, Bottom Loading number of tap :3 Cooling Capacity (l / Hr) 3 liter Weight (kg) 20 kg
Total Amount for B-BSP-26							

B-BSP-27	1	refrigerator 5 ft	Piece	1		Single Door Refrigerator Capacity 90L defrost type R600A Recessed handle 2 line shelf strip Reversible door	
	2	smart TV 43"	Piece	1		Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	3	water cooler (drinking water dispenser)panasonic type	Piece	1		Hot Water, Cold Water, Hot and Cold Both, Top Loading, Bottom Loading number of tap :3 Cooling Capacity (l / Hr) 3 liter Weight (kg) 20 kg	
	4	Air conditioner (AC) Split System 2 Ton	Piece	1		Approx Cooling Area 240 sq. ft., Auto Clean and Anti Mildew Function, Auto Cleaning, Condenser Type: Copper, Multi Fan Speeds for Powerful and Quiet Cooling Operation, Multi Layer Air Purification, Selectable Auto Air Swing, Turbo Cooling	
	5	wall fan	Piece	2			
	6	security cameras	Piece	1		Chip Inch Size "1/3 inch esolution TVL550 Specialist TypesInfrared Auto IrisYes Sensitivity lux0.00 lux Electrical SpecificationsVoltage: 12 VDC Power Consumption: 3.6 W Focal Length mm3.8~9.5 Mount TypeDurable 3 screw wall mount, robust bracket Back Light CompensationYes Auto Gain ControlYes White BalanceYes Gamma Correction0.45 Electronic Shutter range1/50~1/120,000 sec S/ N (Signal/ Noise) Ratio dB> 50 SynchronisationInternal Signal ModePAL Physical SpecificationsWeight g: 800 Environmental SpecificationsOperating Temperature oC: - 10~+45 Protection: IP65	
	7	barber chair	Piece	1			
	8	Barbara chair washbasin	Piece	1		Materials: CERAMIC BOWL+Solid wood frame + High- elastic sponge + Enhanced PVC leather+ UPC standard sprinklers. Box Quantity:2 Box Dimensions: 40.20"*26.00"*16.50"/ 26.80*22.80*14.60" Package included: 1 x Shampoo chair / 1 x Instruction / 1 x Screws pack	
	9	Tattoo machine with pencil brush and marker drawing set for brow	Piece	1		for brow	
	10	A sofas set	Piece	1		#seats:8 Style:Transitional Material Polyester, Microfiber Shape: Rectangular Frame Material: Wood Arm Style:Curved	
	11	Tattoo machine with pencil brush and marker drawing set	Piece	1			
Total Amount for B-BSP-27							

E-BSP-28	1	office printer device	Piece	1			SPEED B/W:30 Pages Per Minute SPEED COLOR:30 Pages Per Minute RESOLUTION:600 X 600 dpi PAPER CAPACITY: Dual 500 Sheet Drawer VOLUME: 150,000 Copies Per Month TONER IMPRESSIONS: B/W 80,000 Impressions COPIER TYPE: Office Copier COLOR CAPABILITY: Color Copier PROPERTIES: Copier-Printer-Scan-fax Dimensions (H*W*D): 29.1" * 25.6" * 25.9" Weight: 264.5 lbs POWER 120 Volts: 12 Amps")	
	2	small printer device	Piece	1			Print/Scan/Copy Up to 33 ppm Mono Print 5,760 x 1,440 dpi Print Up to 15 ppm Colour Print Manual Double-Sided Printing USB & Wireless 100 Sheets Input Tray Windows & Mac Compatible 3.7cm Colour LCD Touch Screen	
	3	ID heat press	Piece	1			Feed width (mm): 238 mm No. of Rollers: 4 Warm Uptime: 1 minute Laminating thickness of Pouches: 75 - 150 microns Power: 230 Volts Machines Dimensions (WxDxH) mm: 380x15x55 Laminating Speed: 200 mm/Minute	
	4	Paper Cutter	Piece	1			A4 size Manual heavy duty stack paper cutter Guillotine 40mm thickness	
	5	Paper Stapler	Piece	2			Paper Stapler (Medium Size Portable Stapler Supply 24/6 26/6 Staple)	
	6	Heavy Duty Stapler	Piece	1			Heavy Duty Stapler with 2000 Staples: 100 Sheets High Capacity Office Stapler, Manual Big Stapler, Metal Large Stapler for Paper Binding,	
	7	paper Punching	Piece	2			Punching Capacity22 Sheets Punching Distance80 mm Punching Diameter5.50 mm	
	8	papers A4	Box	5			A4 Papers (210*297mm /500 sheets ,80 gsm)	
	9	photo paper	pack	2			Photo papers 210*297mm /500 sheets ,80 gsm)	
	10	Stapler Clips	Piece	4			Stapler Clips (10*1000 Pcs)	
	11	pen	Piece	5			Writing line length: 2000 m Ventilated cap: Y PVC free: Y Line width: 0.4 mm Point type: Medium Tip width: 1 mm Type: Stick ballpoint pen	
	12	Notebook	Piece	10			Notebook (210*290 mm / 50 sheet)	
	13	office desk	Piece	2			Office Desk 140CM*70CM*75CM, Wooden type	
	14	laptop	Piece	1			Business Laptop Processor: Intel® Core™ i7 , 10th Gen or 11th Memory: 8 GB DDR4 Display: 14" FHD (1920 x 1080) not touch screen Webcam: 720p HD with microphone built in Storage: M.2 256GB PCIe NVMe Solid State Drive Battery : 45Whr battery I/O ports: USB ports ,at less one of them V3.0 , HDMI Port RJ-45 (Ethernet), Headphone / microphone combo jack WiFi: 802.11b/g/n/ac TPM build in BOIS 1 year warranty / include replace spare parts or laptop. Keyboard English / Arabic Not refurbished")	
	15	photos printer	Piece	1			Method: Dye-sublimation thermal transfer printing system Maximum resolution:300 x 300 dpi Colors: 3 color inks (yellow, cyan, magenta) with protective over coating 256 levels per color (24 bit color depth)	
	16	Rotate chair	Piece	1			Rotating Office Chair Fabric seat with 55kg/m3 mould foam and 1.2cm Plywood Adjustable (height Type: Office Furniture Size: 70*50*112~120cm Seat up-down and 135 ° back tilt-angle control function	
Total Amount for E-BSP-28								

E-BSP-29	1	Rotating Office Chair	Piece	3		Rotating Office Chair Fabric seat with 55kg/m3 mould foam and 1.2cm Plywood Adjustable (height Type: Office Furniture Size: 70*50*112~120cm Seat up-down and 135 ° back tilt-angle control function	
	2	rack	Piece	3		Material: Metallic Feature: Single/one Sided Style: Light Duty Capacity:50-150kg/layer Layer:1-7 Layers Color: Optional Function: Store Display Stand Dimension: High 180CM * Length 90CM * Width 45CM	
	3	Air Conditioner	Piece	1		Air Conditioner R32 Wall Unit Standard Plus PC12SQ 3.5 kW I 12000 BTU	
	4	indoor Air Cooler	Piece	1		Evaporative Air Cooler For Indoor, Outdoor, 1540 CFM - 15.9 Gallon Tank	
	5	heating	Piece	1		Heating Output: 3.4kW/ 12,500Btu/hr Heating Area: 21m ² Burner Type: Double Glass Burner Ignition Type: Battery (Automatic) Tank Capacity: 5.2 Ltr Fuel Consumption: 0.36ltr/h Burning Hours: Approx. 12-13hrs	
Total Amount for E-BSP-29							
E-BSP-30	1	gas cooker	Piece	2		stainless steel botagas - (light + self-ignition + overhead grill)- copper - reflective overhead glass - double glazing- 55 x 55 cm	
	2	dishes	Piece	6		Dinnerware Set, 20-Piece Service For 4, with Dinner Plates 8" width 0.75" deep, Salad Plate 3" width 2" deep, Bowls 2.5" deep, Mugs 3" width 4" deep and Teaspoons 3" , Porcelain type	
	3	cooking bowl sets	Piece	4		Pot 1: Dia: 22cm Depth: 14 Cm Capacity: 5 Liter Pot 2: Dia: 24cm Depth: 15 Cm Capacity: 6 Liter Pot 3: Dia: 26cm Depth: 16 Cm Capacity: 7.5 Liter Pot 4: Dia: 28cm Depth: 17 Cm Capacity: 8.5 Liter	
	4	generator	Piece	1		Maximum AC Output (Watts):2500 VAC Voltage Available:120 Maximum Continuous AC Output (Watts):2300 Max. Rated AC Amperage @ 120V / 240V Frequency (Hertz):60 Automatic Voltage Regulator: STD. Type: OHV; 4-Stroke; Air-Cooled Displacement: 163 CC Starting System Manual Recoil Fuel Tank Capacity (Liters):14.5 Transport Wheels Approximate Running Time / Tankful (Hrs.):10.2 @ Rated Load / 15.3 @ 1/2 Load Rated Fuel Consumption (Liters / Hour):1.42 DIMENSIONS AND WEIGHTS Item Length (Without Handles and Wheels):597 mm (23.5 in.) Item Width (Without Handles and Wheels):435 mm (17.1 in.) Item Height (Without Lift-Hook):437 mm (17.2 in.) Item Weight: 45 kg (99.2 lb.)	
	5	plastic chairs	Piece	8		Outdoor Plastic Chair Lawn Chairs with Arms Dimension:56*55*79cm	
	6	Gas bottle	Piece	1		22kg Cooking Gas Cylinder Lpg Gas Cylinder	
	7	plastic table	Piece	1		Plastic Table dimension (150L * 100W * 75H) CM	
	8	water glasses	Piece	6		Glass type: clear glass Style: simple Height: 16.5 CM Weight: 215G	
	9	hood cooking ventilation	Piece	1		fixed on wall - 90 cm- DWW09W450B	
Total Amount for E-BSP-30							

E-BSP-31	1	Rotating Office Chair	Piece	2		Rotating Office Chair Fabric seat with 55kg/m3 mould foam and 1.2cm Plywood Adjustable (height Type: Office Furniture Size: 70*50*112~120cm Seat up-down and 135 ° back tilt-angle control function	
	2	Office Desk	Piece	1		Office Desk 140CM*70CM*75CM, Wooden type	
	3	Air Conditioner	Piece	1		Air Conditioner R32 Wall Unit Standard Plus PC125Q 3.5 kW I 12000 BTU	
	4	rack	Piece	3		Material: Metallic Feature: Single/one Sided Style: Light Duty Capacity:50-150kg/layer Layer:1-7 Layers Color: Optional Function: Store Display Stand Dimension: High 180CM * Length 90CM * Width 45CM	
	5	Heating Output:	Piece	1		Heating Output: 3.4kW/ 12,500Btu/hr Heating Area: 21m ² Burner Type: Double Glass Burner Ignition Type: Battery (Automatic) Tank Capacity: 5.2 Ltr Fuel Consumption: 0.36ltr/h Burning Hours: Approx. 12-13hrs	
Total Amount for E-BSP-31							
E-BSP-32	1	Camera master lens 70-24	Piece	1		Viewing Angle (Horizontal, Vertical, Diagonal) 74 degrees - 29 degrees. 53° - 19° and 30 arc minutes, 84° - 34° Lens mount (parts/groups): 18/13 Number of fender blades: 9 Minimum aperture:22 Closest focus distance (m) :0.38 (macro) Maximum magnification (number of times): 0.21 (at 70mm) filter diameter (mm): 82 Max diameter x length (mm): 88.5 x 113 Weight (g): 805	
	2	Ronin - RS2	Piece	1			
Total Amount for E-BSP-32							
E-BSP-33	1	stand for displaying materials	Piece	50		Material: Metallic Feature: Single/one Sided Style: Light Duty Capacity:50-150kg/layer Layer:1-7 Layers Color: Optional Function: Store Display Stand Dimension: High 180CM * Length 90CM * Width 45CM	
	2	supermarket vegetable display	Piece	2		supermarket vegetable display 1500 عالية التلاجة عرض زجاجية 1500 السعة	
	3	Air Conditioner	Piece	1		Air Conditioner R32 Wall Unit Standard Plus PC125Q 3.5 kW I 12000 BTU	
	4	40 kg electronic scale	Piece	1			
Total Amount for E-BSP-33							

E-BSP-34	1	Appetizer refrigerator 120 cm	Piece	1		Size:- 1500*770*(850+460)mm Power:- 680W Voltage:- 220V /110V 50HZ/60HZ Refrigerant:- R22/R134a Temperature:- 0-10° Weight:- 93kg Refrigeration:- Air cooling Housing material:- Stainless steel ,stainlite Equipped with four push casters,and the casters are equipped with brakrs	
	2	Grill	Piece	1		MaterialPorcelain, Stainless Steel, Cast Iron ColorStainless Steel Item Dimensions LxWxH50.3 x 20 x 45.3 inches Item Weight69 Pounds 435 square inches of cooking space on durable porcelain-coated, cast iron grates plus a 130 square inch swing-away warming rack ideal for sides and buns. Porcelain-coated cast iron grates offer superior heat retention & are rust-resistant. Main cooking surface measures 24.5-inches wide x 17.1-inches deep and provides ample cooking space for about 24 burgers, while the warming rack measures 21.6-inches wide x 6-inches deep & includes the Chef's Delight tray for greater grilling versatility.	
	3	Double door refrigerator	Piece	1		Product dimension (WxDxH)mm:- 923x710x1751 Effective Capacity :- 550L/171L for freezer part Shelf/Drawer :- 4 glass shelves, 5 full door bin, 2 drawers in fridge compartment, 3 glass shelves, 3 full door bin, 2 drawers in freezer compartment handle:- Short and Metal-External Type of refrigerator:- R600a Compressor:- Inverter Features :- Door opening alarm mode,electronic contrl with LED display,super freezing function,child lock mode,LED light,automatic ice-maker	
	4	Potato fryer 90x 40	Piece	1		Material:- stainless steel Voltage:- 220-240V Dimensions:- 440*380*310MM Gross weight:- 12kg Power:- 2000W+2000W Specification :- 440*380*310MM	
Total Amount for E-BSP-34							
E-BSP-35	1	PC	pack	1		CPU :- i9 11900k Motherboard z590 msi pro RAM 64 G 3200 SSD 512 Mz Samsung SSD 1 T Mz XP4 VGA 3070 8 GB case msi sekira + fan msi 240 psu 750w gold	
Total Amount for E-BSP-35							

E-BSP-36	1	Canon 90D	Piece	1		<p>Lens Mount:- Canon EF-S Sensor Resolution:- Actual: 34.4 Megapixel Effective:- 32.5 Megapixel (6960 x 4640) Sensor Type:- 22.3 x 14.8 mm (APS-C) CMOS Crop Factor:- 1.6x Image Stabilization:- Digital (Video Only) Mirror Lock-Up:- Yes Type. 22.3mm x 14.8mm CMOS. Effective Pixels. Approx. 32.5 MP. Total Pixels. Approx. 34.4 MP. Aspect Ratio. 3:2. Low-Pass Filter. Built-in/Fixed. Sensor Cleaning. EOS integrated cleaning system. Colour Filter Type. Primary Colour.</p>	
	2	lens 40mm f2.8	Piece	1		<p>Image Circle:- 35mm Focal Length:- 40 mm Max Aperture:- f/2.8 Min Aperture:- f/22 Focus Details:- AF/MF with STM (Stepping Motor Technology) Filter Size :- 52mm Weight 130g</p>	
	3	macbook pro 13	Piece	1		<p>Screen:- 13.3 inches (2560 x 1600) Battery life :- 16:32 of web browsing (M1, tested) Up to 20 hours (Apple M1, claimed) 10:21 (Intel, tested) Processor:- Apple M1 (8-core) Graphics:- Integrated 7-core M1 GPU Integrated 8-core GPU Storage:- 256GB to 2TB Memory:- 8GB, 16GB Ports:- 2 Thunderbolt 3/USB4 Security:- Touch ID Audio:- Stereo speakers, Dolby Atmos support, 3-mic array Dimensions:- 12 x 8.4 x 0.6 inches Weight:- 3.0 pounds</p>	
	4	DJI Ronin - M 3	Piece	1		<p>Dimensions:- 19.7 x 8.3 x 16.5" / 500 x 210 x 420 mm Weight:- 5.07 lb / 2.3 kg (with Handlebar) Stabilization Accuracy:- ±0.02° (Motionless) Supported Camera Dimensions:- W: 6.3 x H: 7.7 x D: 4.7" / W: 160 x H: 195 x D: 120 mm Batteries:- 1 Lithium Polymer batteries required. (included) Maximum Weight Recommendation:- 8 Pounds</p>	
	5	Rode video mic	Piece	1		<p>Form Factor:- Stand/Boom Mount Sound Field:- Mono Frequency Range:- 40 Hz to 20 kHz Diaphragm:- 0.5" / 12.70 mm Polar Pattern :- Supercardioid High-Pass Filter:- 80 Hz Gain Adjustment:- -10 dB to +20 dB Indicators:- 1 x Single LED (Power) Dimensions:- 3.94 x L: 6.69" / ø: 100 x L: 169.93 mm Weight:- 3 oz / 85 g On-Board Controls:- Gain/Sensitivity, High-Pass Filter, On/Off Windscreen Foam (Included)</p>	
Total Amount for E-BSP-36							

E-BSP-37	1	ceiling fan	Piece	10		Double seal bearings with low noise 5-speed control switch Rotational speed: 290rpm; Temperature rise: 80° C Power strong wind Voltage:- 220V Frequency:- 50Hz Motor:- Copper Power:- 60W Blade:- 3 metal blades Color:- White Maximum Speed :- 280+20 r/min Max.Temperature arise:- ≤ 90K Down rod:- 300mm	
	2	vertical fan	Piece	10		Body material:- plastic +Metal Blade material:- Iron or Aluminum or ABS Voltage/Frequency:- 110V-127V/60Hz 220~240V/50Hz Power :- 30W Specification of Motor :- 66*66*12MM,71*71*16mm copper , copper mix or aluminum wire Motor speed(±100RPM):- 1:1100RPM 2:1100RPM 3:1350RPM Speed setting:- 3 speeds Height:- 100cm(adjustable) No. of vane:- 3 Base:- round base Fan guard:- 1.1mm*120 pcs radial guard, outside dimension:φ500mm Oscillation degree:- 80°-90° Gross weight:- 10.0 KGS Net weight:- 9.0 KGS	
	3	Swamp Coolers	Piece	20		Power:1.1kw Air flow(m³/h):15000 Fan type:Centrifugal Voltage:3phase380v/415v Frequency:50/60hz Cooling pad:5090 Control system:Single speed/ adjustable speed Size:1.08*1.08*1.18M Cooling area:120-150M² Noise:≤70DB Weight:85KG Air outlet size:670*670MM	
Total Amount for E-BSP-37							
E-BSP-38	1	Car Washing Machines	Piece	4		Pump Type: 6050 Pump Material: Aluminum Max Pressure(Bar): 115 Working Pressure (Bar): 77±5 Rated Pressure (Bar):77 Rated Flow (L/Min):5.0 Working Flow (L/Min): 4.8±0.4 Auto Stop System Motor: 8040 Motor Type: carbon brush- copper wire Motor size (W): 1600 Voltages / Frequency: 220-240V/50-60HZ	
	2	tv screen display	Piece	2		55" FULL HD Smart TV Resolution: 1920x1080 Brightness: 220 cd/m2 Contrast Ratio: 4000:1 Response Time: 6.5ms HDMI: 3 USB: 1 Wi-Fi Digital Teletext	
	3	Vacuum Cleaner	Piece	3		Capacity 21 liters 2000 watts 9 meter wire cloth bag	
	4	car towel	Piece	1			
	5	perfume vaporizer for car	Piece	1			
	6	water pump	Piece	2		Max. Head:- 30-50m Max.Capacity:- <50 L/min Driving Type: - Motor Material:- Cast Iron Structure:- Single-stage Pump Power:- Electric	
	7	water tank	Piece	2		Zinc coating: 275 g/m² (minimum) Thickness: 0.80 mm (minimum) Grade: ASTM A653M FS Type A/B Surface: veneer	
Total Amount for E-BSP-38							

E-BSP-39	1	air conditioner	Piece	2		Air Conditioner R32 Wall Unit Standard Plus PC125Q 3.5 kW I 12000 BTU	
	2	cashier laptop	Piece	1		CPU:- Intel Celeron Processor J1800 2.41 GHz (J1900/ i3/ i5 optional) Memory:- DDR3: 2GB (4GB/ 8GB optional) SSD:- 32GB (64GB/ 128GB/ 256GB optional) Main display:- 15.6 inch LCD,1920*1080, 16:9 , capacitive 10 point touch	
	3	rack	Piece	4		Material: Metallic Feature: Single/one Sided Style: Light Duty Capacity:50-150kg/layer Layer:1-7 Layers Color: Optional Function: Store Display Stand Dimension: High 180CM * Length 90CM * Width 45CM	
	4	Double door vertical cooler refrigerator	Piece	1		Dimension(L*W*H mm) :- 1310*810*1910 Exterior:- powder-coated Steel Plate Interior :- Steel Plate Temperature Type:- Single-temperature Function:- Fresh and Display Temperature:- 2-8 Exterior/Interior Material:- Steel Plate OEM/ODM:- Acceptable Door Material :- Steel Anti Fog Glass Door Usage:- Show Beverage Milk Vegetable Weight(kg):- 255 Volume(L):- 1050 Cooling type:- Ventilated cooling Defrost type:- auto-defrost	
	5	Double Door Bottle refrigerator	Piece	1		Specification :- 1196*535*1524mm Capacity:- 401-500L Shelf :- 6 Door Number:- Double Doors Temperature:- 2 ~ 8 °c (35 ~ 46 °f) Function:- Cold Storage & Freezing Door Type:- Sliding Door Power Source:- Electricity Temperature Control:- Computer Thermostat	
	6	small printer device	Piece	1		Expression Home XP-342 A4 Print/Scan/Copy Up to 33 ppm Mono Print 5,760 x 1,440 dpi Print Up to 15 ppm Colour Print Manual Double-Sided Printing USB & Wireless 100 Sheets Input Tray Windows & Mac Compatible 3.7cm Colour LCD Touch Screen	
Total Amount for E-BSP-39							

E-BSP-40	1	Phone	Piece	2		<p>203</p> <p>CPU Type Octa-Core Processor 2.2GHz, 2GHz Specifications Detail Processor CPU Speed 2.2GHz, 2GHz CPU Type Octa-Core Display Size (Main_Display) 167.2mm (6.6") Resolution (Main Display) 1080 x 2408 (FHD+) 3G UMTS B1(2100), B2(1900), B5(850), B8(900) 4G FDD LTE B1(2100), B2(1900), B3(1800), B5(850), B7(2600), B8(900), B20(800), B28(700)"&" 5G FDD Sub6 N1(2100), N3(1800), N5(850), N7(2600), N8(900), N20(800), N28(700) 5G TDD Sub6 N38(2600), N40(2300), N41(2500), N78(3500), N79(4500) Connectivity</p>	
	2	Phone	Piece	2		<p>NETWORK technology GSM / HSPA / LTE LAUNCH Announced 2022, March 04 Status Available. Released 2022, March 25 BODY Dimensions 164.5 x 76.9 x 8.4 mm (6.48 x 3.03 x 0.33 in) Weight 195 g (6.88 oz) Build Glass front (Gorilla Glass 5), plastic frame, plastic back SIM Single SIM (Nano-SIM) or Dual SIM (Nano-SIM, dual stand-by) DISPLAY Type PLS LCD, 90Hz Size 6.6 inches, 104.9 cm² (~83.0% screen-to-body ratio) Resolution 1080 x 2408 pixels, 20:9 ratio (~400 ppi density) Protection Corning Gorilla Glass 5 PLATFORM OS Android 12, One UI 4.1 Chipset Qualcomm SM6225 Snapdragon 680 4G (6 nm) CPU Octa-core (4x2.4 GHz Kryo 265 Gold & 4x1.9 GHz Kryo 265 Silver) GPU Adreno 610</p>	
	3	Phone	Piece	1		<p>NETWORK technology GSM / CDMA / HSPA / LTE LAUNCH Announced 2018, May Status Available. Released 2018, May BODY Dimensions 148.9 x 68.1 x 8 mm (5.86 x 2.68 x 0.31 in) Weight 150 g (5.29 oz) Build Glass front (Gorilla Glass 5), glass back (Gorilla Glass 5), aluminum frame SIM Hybrid Dual SIM (Nano-SIM, dual stand-by) IP68 dust/water resistant (up to 1.5m for 30 mins) DISPLAY Type Super AMOLED Size 5.8 inches, 85.4 cm² (~84.2% screen-to-body ratio) Resolution 1080 x 2220 pixels, 18.5:9 ratio (~426 ppi density) Protection Corning Gorilla Glass 5 Always-on display PLATFORM OS Android 8.0 (Oreo) Chipset Qualcomm SDM660 Snapdragon 660 (14 nm) CPU Octa-core (4x2.2 GHz Kryo 260 Gold & 4x1.8 GHz</p>	
	4	power bank	Piece	5		<p>mophie Powerstation XXL Power Bank - 20,000 mAh Large Internal Battery, (2) USB-A Ports and (1) 18W USB-C PD Fast Charging Input/Output Port, Travel-Friendly, Includes USB-A to USB-C Power Cord</p>	
	5	charger galaxy	Piece	10		<p>EP-TA20JBEUGUS Fast Charge USB-C 15W Wall Charger for Galaxy Note 8, 9, Galaxy S8, S8+, S9, S9+, S10, S10+, S10E Inbox Replacement - Retail Packaging</p>	
	6	Rotating Office Chair	Piece	1			
	7	Office Desk	Piece	1			
Total Amount for E-BSP-40							

E-BSP-41	1	6 feet refrigerator	Piece	1		525 x 509 x 1202 mm one door 6 feet 165 liters 220 - 240 volts 50/60 Hz")	
	2	led uv printing for Candles	Piece	1		Voltage/ Power VAC220/110 ± 10 ,50HZ~60HZ,Power≤ 35W UV lamp power 50 W + 50 W UV lamp Temperature 60 degree(UV lamp surface)40 degree (1cm far from lamp surface) Working environment 10-35 degrees (50°-95°F), humidity 20~80% Head Cleaning method Automatic / Manual Printer/packing size 87cm×72cm×58cm / 96*83*79cm Net /Gross weight 49kg / 88.5kg	
	3	candle molds silicone	Piece	5			
	4	Powder colors for wax	KG	5			
	5	wax wick	Piece	100			
	6	candle perfume	Piece	5		Soy wax blend candle, delivering a clean burn Lead-free wick Wood lid provided Approximate burn time of 50 hours Measures 3.2 x 3.2 x 4.6	
	7	Free Candle Wax Kit	KG	3		Package Dimensions7.7 x 5.8 x 0.8 inches Item Weight5.6 ounces	
Total Amount for E-BSP-41							

E-BSP-42	1	Air compression Air Presure 150Lt Speed: 2850 rmp Power : 1.5/2KWHP Voltage : 220 V	Piece	1			Liter capacity: 200 liters Capacity: 3 horsepower Drainage: 360 liters per minute Electricity: 220 volts - 1 phase		
	2	high pressure grease pump 30Lt Air pressure: 0.6-0.8MPa Tranmission Pressure: 30-10MPa Grease output:0.85L/min Pressure Ratio:50:1	piece	1					
	3	water pump1 horsepower	piece	1			1 horse Coil 100% copper, thrust force 70 meters height Size 70mm		
	4	Tool Box 186 Piece multiply usage	piece	1			Complete hand kit containing 186 multi-use pieces		
	6	Water Gun Compatible Max temperature: 60°C Max pressure: 160bar	piece	2			Material: engineering plastics & copper Max. Temperature: 60 °C Max. Pressure: 160bar Max. Stream: 3.96GPM Inlet Fitting: M14 Thread Appropriate outlet: bayonet fitting nozzle: variable		
	7	Hose car wash	piece	1			50 M		
	8	Car oil extraction device with a total capacity of 90 liters Tempered glass top 10 liters Equipped with a full range of different connections for all cars Equipped with an upper oil receiving tank of heat-resistant metal Lower tank capacity of 80 liters can be emptied by air It only needs 1.5 minutes to deflate the oil extraction process Weight 34 kg	piece	1			Air pressure entering the machine: 6: 8 kg / cm ² (extraction), 1: 2.5 kg / cm ² (parcel). Air consumption rate: 200 liters / minute. The degree of drag (racking): 0: 12 PSI, 0: 0.1 MPa. Machine tank capacity: 80 liters (21 gallons). Glass container"&" capacity: 10 liters (2.6 gallons). Top bowl capacity (funnel): 13 liters (3.4 gallons). Operating temperature: from 40 to 60 degrees (engine oil temperature). Fluids that can be worked on: engine oil (and any other fluids) Total weight of the mac"&"hine: 28 kg")		
	9	Car Washing Machines	piece	1			Pump Type: 6050 Pump Material: Aluminum Max Pressure(Bar): 115 Working Pressure (Bar): 77±5 Rated Pressure (Bar):77 Rated Flow (L/Min):5.0 Working Flow (L/Min): 4.8±0.4 Auto Stop System Motor: 8040 Motor Type: carbon brush- copper wire Motor size (W): 1600 Voltages / Frequency: 220-240V/50-60HZ		
	10	water tank	piece	1			10 thousand liters water tank		
	11	Mild steel rack	piece	2			MaterialMild Steel Storage Capacity80 kg ColorGray Height6 ft MATS Bolt Less Rack with 5 Steel Shelves		
	14	car oil	piece	2			0w40 0w16		
	15	car oil	piece	2			0w30 0w20		
	16	car oil	piece	2			5w30 5w20		
	17	car oil	piece	2			10w30 10w40		
	18	car oil	piece	2			15w40 20w50		
	Total Amount for E-BSP-42								

E-BSP-43	1	Camera	Piece	1		<p>High image quality with 32.5 Megapixel CMOS (APS-C) sensor</p> <p>High-speed continuous shooting of up to 10 fps with no time Lag during off shooting</p> <p>4K UHD 30P/ Full HD 120P video</p> <p>45-Point All Cross-type AF System supports up to 27 points with an F/8 metering</p> <p>Use the EOS Utility Webcam Beta Software (Mac and Windows) to turn your Canon camera into a high-quality webcam, or do the same using a clean HDMI output.</p>	
	2	laptop Gaming	Piece	1		<p>Standing screen display size15.6 Inches</p> <p>Screen Resolution1920 x 1080 pixels</p> <p>Max Screen Resolution1920 x 1080 Pixels</p> <p>Processor2.4 GHz core_i7</p> <p>RAM16 GB DDR4</p> <p>Memory Speed3200 MHz</p> <p>Hard Drive512 GB SSD</p> <p>Graphics CoprocessorNVIDIA GeForce RTX 3070</p> <p>Chipset BrandNVIDIA</p> <p>Card DescriptionDedicated</p> <p>Graphics Card Ram Size8 GB</p> <p>Wireless TypeBluetooth</p> <p>Number of USB 3.0 Ports3</p>	
Total Amount for E-BSP-43							

E-BSP-44	1	camera	Piece	1		<p>Spectacular 42.4MP full-frame resolution w/ evolved image processing Up to 10fps1 Silent or Mechanical Shutter with AE/AF tracking Incredible autofocus: 399 phase-detection / 425 contrast AF points 15-stop4 dynamic range, 14-bit uncompressed RAW15, ISO 50 to 102,4005 4K2 HDR3 Movie w/ full pixel readout and no pixel binning6 5-axis in-body image stabilization, 5.5 step7 shutter speed advantage Pixel Shift Multi Shooting for superior resolution from 42.4MP Secure and versatile dual media slots (UHS-II SD Card compatible) Long-lasting Z battery w/ approx. 2.2x the capacity of W batteries Instant HDR3 workflow with Hybrid Log-Gamma (HLG) encoding</p>	
	2	laptop	Piece	1		<p>Business Laptop Processor: Intel® Core™ i7 , 10th Gen or 11th Memory: 8 GB DDR4 Display: 14" FHD (1920 x 1080) not touch screen Webcam: 720p HD with microphone built in Storage: M.2 256GB PCIe NVMe Solid State Drive Battery : 45Whr battery I/O ports:USB ports ,at less one of them V3.0 , HDMI Port RJ-45 (Ethernet), Headphone / microphone combo jack WiFi: 802.11b/g/n/ac TPM build in BOIS 1 year warranty / include replace spare parts or laptop. Keyboard English / Arabic Not refurbished</p>	
	3	gopro hero 10	Piece	1		<p>Includes free SD card and rechargeable battery All-new GP2 processor makes this the most powerful GoPro ever Unreal 5.3K60 + 4K120 video resolution + 23 megapixel photos Advanced HyperSmooth 4.0 video stabilization Waterproof to 33ft + built tough Automatically upload footage to the cloud when charging TimeWarp 3.0, 8X Slo-Mo + tons of other features to nail any shot Compatible with Quik app Compatible with over 30 mounts + accessories</p>	
	4	shure mv7 black	Piece	1		<p>Inspired by the legendary SM7B, the MV7 is a dynamic microphone with both USB and XLR outputs for use with computers and professional interfaces alike. Connect via USB and explore additional set-up features and Auto Level Mode within our ShurePlus™ MOTIV app, to control your vocal tone, and distance from the microphone. With Auto Level Mode, you can let the microphone do the work for you.</p>	
	5	Wireless Microphone for Camera	Piece	2		<p>Uhf 514~596mhz 96 selectable channels in 2 groups Headphone monitoring jack and volume control 2-Ch receiver Easy-to-read LCD displays</p>	
	6	Video Lighting	Piece	2		<p>【Video Lighting Kit:】 The small LED panel light is equipped with a 1/4 universal ball head, which can adjust the panel 180°to to easily meet your different shooting angle requirements; cable control 10%~100% brightness level option. The up and down buttons can easily meet the needs of your shooting occasion. 【Diversification Shooting Effects:】 LED desktop video lighting with a tripod is equipped with 2 * 4 color filters (red, orange, white, blue), which can meet a variety of photography requirements and visual effects, and suitable for YouTube videos, product photography, video conferences, online courses, etc.</p>	
Total Amount for E-BSP-44							

E-BSP-45	1	meat mincer machine	Piece	1			
	2	Turkish hummus machine	Piece	1			Capacity 10 liters knife 4 Length 60 cm Width 30 cm Height 39 cm Frequency 60 Hz power consumption 220 volts Horse power 1.5 watts
	3	Onion and potato peeler	Piece	1			
	4	salad maker HR1388	Piece	1			200 watts 6 discs Directly to pot, pot and pan XL Slicing Disc for French Fries
	5	vegetable cutting machine	Piece	1			
	6	cooker oven	Piece	1			stainless steel botagas - (light + self-ignition + overhead grill)- copper - reflective overhead glass - double glazing- 55 x 55 cm
	7	large size mold	Piece	1			Fat Daddio's RMP-12 Anodized Aluminum Ring Mold Pan, 12 x 4 Inch, Silver
Total Amount for E-BSP-45							
E-BSP-46	1	air conditioner	Piece	1			Air Conditioner R32 Wall Unit Standard Plus PC12SQ 3.5 kW I 12000 BTU
	2	cashier laptop	Piece	1			CPU:- Intel Celeron Processor J1800 2.41 GHz (J1900/ i3/ i5 optional) Memory:- DDR3: 2GB (4GB/ 8GB optional) SSD:- 32GB (64GB/ 128GB/ 256GB optional) Main display:- 15.6 inch LCD,1920*1080, 16:9 , capacitive 10 point touch
	3	rack	Piece	2			Material: Metallic Feature: Single/one Sided Style: Light Duty Capacity:50-150kg/layer Layer:1-7 Layers Color: Optional Function: Store Display Stand Dimension: High 180CM * Length 90CM * Width 45CM
	4	Double Door Bottle refrigerator	Piece	2			Specification :- 1196*535*1524mm Capacity:- 401-500L Shelf :- 6 Door Number:- Double Doors Temperature:- 2 ~ 8 °c (35 ~ 46 °f) Function:- Cold Storage & Freezing Door Type:- Sliding Door Power Source:- Electricity Temperature Control:- Computer Thermostat
	5	ICE cream refrigerator	Piece	1			Size:- 1500*770*(850+460)mm Power:- 680W Voltage:- 220V /110V 50HZ/60HZ Refrigerant:- R22/R134a Temperature:- 0-10° Weight:- 93kg Refrigeration:- Air cooling Housing material:- Stainless steel ,stainlite Equipped with four push casters,and the casters are equipped with brakers
Total Amount for E-BSP-46							
B-BSP-47	1	Desktop computer	Piece	1			Ralit RTX 3080 GP 12GB ci7 11700k GIGABYTE z590 UD xpg d30 16 GB 3600 windows 10 pro LEXAR NVMe 500GB HDD 1TB deepcool PM850 80+ deepcool L240 ARGB AIO
Total Amount for B-BSP-47							

B-BSP-48	1	0.8 HP 24 Litres Oil Free Copper Air Compressor	Piece	1			Voltage: 220-240V~50Hz Input power: 600W (0.8HP) Tank: 24Litres (6.3Gal) Oil Free system Noise: 60db Copper Wire motor No-load speed: 1440 RPM Operation pressure: Max. 8 Bar	
	2	Sata gun for painting	Piece	1			Item Weight1.3 pounds Product Dimensions8.6 x 5.25 x 2 inches ExteriorSmooth	
	3	Sata gun for metallic	Piece	1			Power SourceAir-Powered Item Dimensions LxWxH6.69 x 5.91 x 9.25 inches	
	4	Sata gun	Piece	1			Item Weight2.53 pounds Package Dimensions9.17 x 6.38 x 5.31 inches	
	5	car polish machine	Piece	1			smoothing surface tool Item Weight5.4 pounds Product Dimensions18.43 x 6.15 x 4.92 inches Voltage120 Volts	
	6	car polish machine	Piece	1			polishing tool	
	7	drill (chargable)	Piece	1			18v cordless drill with two batteries battery is 1.5Ah*2pcs BMC packing No load speed :350rpm/1350rpm Max drilling dia:10mm for steel 25mm for wood	
	8	angle grinder	Piece	1			7-Inch, 13-Amp (DW840) Item Weight : 11.6 pounds Product Dimensions : 21.5 x 8.88 x 4.38 inches Item model number : DW840 Size : Medium Material : Alloy Steel Power Source : Corded Electric Voltage : 120 Volts	
	9	hose	ML	1			20 meter	
Total Amount for B-BSP-48								
B-BSP-49	1	Air conditioner (AC) Split System 1 Ton	Piece	2			Cooling capacity: 18,000 BTU/h with 17 SEER efficiency Heating capacity: 19,000 BTU/h with 9 HSPF efficiency Power supply: 220V/60HZ 5 operating modes: cooling/heating/dehumidification/ventilation/Auto changeover mode Quick cooling / heating Auto restart Remote control with timer and sleep mode iFEEL function Refrigerant: R410A Pre-Charged Condenser and Full Installation Accessories Kit Easy to install-Quick connector	
	2	LED Smart TV 43"	Piece	2			Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box	
	3	water cooler (drinking water dispenser)	Piece	2			Hot Water, Cold Water, Hot and Cold Both, Top Loading, Bottom Loading number of tap :3 Cooling Capacity (l / Hr) 3 liter Weight (kg) 20 kg	
	4	Ceiling fan	Piece	2			five speeds / three feathers	
	5	Deep freezer	Piece	1			Item Weight : 73 pounds Product Dimensions : 31.2 x 21.7 x 33.5 inches size:12ft Door Hinges : Top Shelves : 7	
	6	Refrigerator	Piece	1			14 feet size	
	7	Gas cooker	Piece	2			5 burner gas cooker with oven	
	8	Vertical fan	Piece	2			Multiple speeds / swing/ remote control	
Total Amount for B-BSP-49								

B-BSP-50	1	side-by-side Refrigerator	Piece	1		Item Weight :245 pounds Product Dimensions :33.81 x 35.5 x 69.25 inches Capacity:24.57 Cubic Feet Freezer Capacity :9.11 Cubic Feet Form Factor :Stand Alone Voltage :120 Volts Connector Type :Water Line Shelf Type :Glass Shelves : 2 Material Type : Steel
	2	air conditioner Split System 1 Ton (inverter)	Piece	2		Air Conditioner R32 Wall Unit Standard Plus PC125Q 3.5 kW I 12000 BTU
	3	LED Smart TV 43"	Piece	1		Powerful :20W stereo speakers 700,000+ hours of content on PatchWall 64-bit quad-core processor, 1GB RAM + 8GB Storage One remote: Control TV, set-top box
	4	water heater 50 gallons	Piece	1		Item Weight :150 pounds Product Dimensions :22 x 22 x 60 inches Item model number:RE350T6-1NCWW Voltage :240 Volts Wattage :3500 watts
	5	food table	Piece	1		plastic
	6	chair	Piece	4		plastic with handles
	7	tea table	Piece	1		
	8	pots	set	1		
	9	Pans	set	1		
	10	one use cups	dozsn	1		
	11	LPG Gas Cylinder 22Kg	piece	4		(cooking gas)

Total Amount for B-BSP-50

Grand Total Amount

NOTES:

- All the items should be approved by our organization's field Staff.
- Our organization is not bound to buy the whole quantity mentioned in the BOQ and will order as per need.
- All the item quantities should be applied INCOTERM 2010 DDP (Delivery Duty Paid) to the mentioned locations.
- Our organization is not bound to contract with one company and can split the award between one or more companies.
- The delivery Location is Baghdad and Erbil- Iraq.
- The offered Prices includes, transportation, loading & unloading and any other cost to deliver and Implementation to locations mentioned in point (5) above.
- E-BSP = stands for Erbil Location, B-BSP stands for Baghdad Location.
- Sign and stamp all 96 BoQ along with the financial offer (A) and (B).
- For Each B-BSP and E-BSP, a full specification in separate BoQ is provided, attached with the package.

ملاحظات:

- يجب الموافقة على جميع الفقرات من قبل موظف الموقع لمنظمتنا
- منضممتنا ليست ملزمة بشراء الكمية الكاملة المذكورة في جدول الكميات ويكون الطلب حسب الحاجة.
- جميع كميات المواد يجب ان يكون (التسليم واجب مدفوعة) إلى الموقع المذكور.
- المنظمة ليست ملزمة بان تتعاقد مع شركة واحدة, و يمكن تجزئة العطاء بين أكثر من شركة
- موقع الأستلام بغداد و أربيل - العراق.
- الأسعار المقدمة تشمل جميع المصاريف من النقل و التحميل و التسليم والتنفيذ للمناطق المذكورة في النقطة رقم (5) اعلاه.
- E-BSP- تعني موقع أربيل ، B-BSP تعني موقع بغداد.
- توقيع وختم جميع أوراق الكميات 96 مع العرض المالي (A) و (B).
- لكل B-BSP و E-BSP ، يتم توفير مواصفات كاملة في BoQ منفصلة ، مرفقة مع الباكج.

Name of Signatory: _____

Title of Signatory: _____

Name of Bidder: _____

Stamp and Signature: _____

Date of Signing: _____