

Brands offered (please provide catalogues when applicable)

Construction works	Rehabilitation of Dar Al Salam school in Heet
Company name	

No.	Item	Description	Brand offered
A-5	Floor replacement	Supply materials and remove the ground floor tiles, underlaying concrete, and layers beneath to reach depth enough to install the new floor finish with the same existing level. price includes disposing the rubble to the location specified by the municipality, then casting 10 cm concrete using sulphate resisting cement and installing new mosaic tiles (40*40) cm with cement mortar using sulphate resisting cement according to the instructions of the supervising engineer (tile's sample must be submitted and officially approved by the supervising engineer prior to implementation). price includes jointing with white cement paste.	
A-17	Evaporative air coolers	Supply materials and install (duct type) evaporative air coolers " OUBER FAB18-IQ " or equivalent with the following specifications: * Air flow = 18000 m ³ /h * Air outlet: Side * power = 1.1 kW * dimensions (not less than) : 100*100*95 cm * Fan Type: Axial * Controller: LCD Screen, Remote Control (15 m coverage), not less than 50 speeds * Water Lack Protection * Applicable Area: 100-150 m ² * Water Container: 25 L price includes installing 4 wall air vents (diffusers) for each air cooler. Air vents should be properly attached to the windows according to the instructions of the supervising engineer.	

Brands offered (please provide catalogues when applicable)

A-25 E-27	Ceiling fan	Supply materials and install ceiling fan " Panasonic " or equivalent, size 56 inch, with safety hook, safety wire, safety screw, and safety fuse. Price includes all electrical requirements including cables, connection to the electrical system, and regulator. construction company will be responsible for safe connection of the fan. Samples must be submitted by the construction company and approved by the supervising engineer prior to implementation	
B-4	Basin Mixer Taps	Supply materials and install mixer taps " Grohe " or equivalent, best quality. Price includes connecting to the water source by special hoses for hot and cold water, two angle valves with each mixer, an adjustable drain hose/tube, and all required fittings and accessories according to the instructions of the supervising engineer. Samples must be submitted by the construction company and approved by the supervising engineer prior to implementation	
B-7 C-6	Water mixer and Chrome handheld bidet	Supply materials and install hot-cold water mixer with chrome handheld bidet (wall mounted) " Grohe or equivalent ". Price includes connecting to the water source and well fixing to the wall according to the instructions of the supervising engineer. Samples must be submitted by the construction company and approved by the supervising engineer prior to implementation.	
B-11 C-10	Water heater	Supply materials and install wall mounted vertical water heater " Heatex " or equivalent, 45 L capacity. Price includes connecting to the electric source with all necessary cables and circuit breakers according to the instructions of the supervising engineer, all necessary water pipes, safety valves, and shut valves for warm and cold water. the heater should be fixed to the wall according to the instruction and location selected by the supervising engineer. Samples must be submitted by the construction company and approved by the supervising engineer prior to implementation. Note: Heater's thermostat must be adjusted to a suitably low temperature before operation to ensure safety of pupils against hot water burns (a special acceptance document must be signed by supervising authority before operation of the heater).	

Brands offered (please provide catalogues when applicable)

B-14	Water pump	Supply materials and install automatic domestic water pump " INGCO " or equivalent, 1 Hp, 50 lit/min, 1 inch size for inlet and outlet, with ball valve and all fittings according to the instructions of the supervising engineer (with steel box for protection) and all accessories. The price includes connecting the pump with electrical source using wire 3*2.5 mm and socket. Samples must be submitted by the construction company and approved by the supervising engineer prior to implementation	
E-31	AC 2 ton	Supply and install Split type air conditioner, 2 tons 24,000 BTU Single phase of heating and cooling inverter R410 Economic and environmental (GE or equivalent) with good electrical protection device and with Circuit 30 amp MCB installed as per instruction of supervising Engineer. the price include wire connections using 3*4 mm ² and AC condensate dewatering: PVC or PPR pipes, DN 32.	

Signature	
Date	
Name	
Company's stamp	