

Request for Quotations (RFQ)

RFQ Number: IRP II-PROG-BPA-2023-006 (Home Appliances)

Issuance Date: June 22nd, 2023

Deadline for Offers: July 13th, 2023

Description: RFQ for BPA for Home Appliances

For: Iraq Community Resilience Initiative (ICRI) – Ta’afi

Funded By: United States Agency for International Development (USAID),
7200AA19D00015

Implemented By: Chemonics International Inc through its entity Chemonics Iraq LLC.

Point of Contact: procurement team - ICRI Taafi Solicitations solicitations@icritaafi.org

***** ETHICAL AND BUSINESS CONDUCT REQUIREMENTS *****

Chemonics is committed to integrity in procurement, and only selects suppliers based on objective business criteria such as price and technical merit. Chemonics expects suppliers to comply with our Standards of Business Conduct, available at <https://www.chemonics.com/our-approach/standards-business-conduct/>.

Chemonics does not tolerate fraud, collusion among offerors, falsified proposals/bids, bribery, or kickbacks. Any firm or individual violating these standards will be disqualified from this procurement, barred from future procurement opportunities, and may be reported to both USAID and the Office of the Inspector General.

Employees and agents of Chemonics are strictly prohibited from asking for or accepting any money, fee, commission, credit, gift, gratuity, object of value or compensation from current or potential vendors or suppliers in exchange for or as a reward for business. Employees and agents engaging in this conduct are subject to termination and will be reported to USAID and the Office of the Inspector General. In addition, Chemonics will inform USAID and the Office of the Inspector General of any supplier offers of money, fee, commission, credit, gift, gratuity, object of value, or compensation to obtain business.

Offerors responding to this RFQ must include the following as part of the proposal submission:

- Disclose any close, familial, or financial relationships with Chemonics or project staff. For example, if an offeror’s cousin is employed by the project, the offeror must state this.
- Disclose any family or financial relationship with other offerors submitting proposals. For example, if the offeror’s father owns a company that is submitting another proposal, the offeror must state this.
- Certify that the prices in the offer have been arrived at independently, without any consultation, communication, or agreement with any other offeror or competitor for the purpose of restricting competition.
- Certify that all information in the proposal and all supporting documentation are authentic and accurate.
- Certify understanding and agreement to Chemonics’ prohibitions against fraud, bribery, and kickbacks.

Please contact suri@icritaafi.org with any questions or concerns regarding Ethical and Business Conduct Requirements or to report any potential violations. Potential violations may also be reported directly to Chemonics at to BusinessConduct@chemonics.com.

Section 1: Instructions to Offerors

1. **Introduction:** The ICRI Taafi Project is a USAID program implemented by Chemonics International through its entity Chemonics Iraq LLC. The goal of the program is to increase stability in Iraq. As part of project activities, the ICRI Taafi Project requires the purchase of home appliances.

The purpose of this RFQ is to solicit quotations from eligible suppliers for as-needed, ad hoc purchases of home appliances. As a result of this RFQ, the ICRI Taafi Project anticipates issuing a blanket purchase agreement (BPA)—or possibly multiple BPAs—to establish specific pricing levels and parameters for ordering these commodities/services. This will allow the ICRI Ta'afi Project to issue specific purchase orders, on an as-needed basis, for the procurement of these items over the next 12 months. The Supplier shall furnish the supplies/services described in any purchase orders issued by Chemonics under this BPA. Chemonics is only obligated to pay for supplies/services ordered through purchase orders issued under this BPA and delivered by the Supplier in accordance with the terms/conditions of this BPA.

Offerors are responsible for ensuring that their offers are received by Chemonics in accordance with the instructions, terms, and conditions described in this RFQ. Failure to adhere with instructions described in this RFQ may lead to disqualification of an offer from consideration.

2. **Offer Deadline and Protocol:** Offers must be received no later than 17:00 local Erbil time on July 13th, 2023, by email solicitations@icritaafi.org ICRI Taafi Project. Please reference the RFQ number in any response to this RFQ. Offers received after this time and date will be considered late and will be considered only at the discretion of Chemonics.
3. **Questions:** Questions regarding the technical or administrative requirements of this RFQ may be submitted no later than 15:00 local Erbil time on July 6th, 2023, by email to solicitations@icritaafi.org. Questions and requests for clarification—and the responses thereto—that Chemonics believes may be of interest to other offerors will be circulated to all RFQ recipients who have indicated an interest in bidding.

Only the written answers issued by Chemonics will be considered official and carry weight in the RFQ process and subsequent evaluation. Any verbal information received from employees of Chemonics, or any other entity should not be considered as an official response to any questions regarding this RFQ.

4. **Specifications:** Section 3 contains the technical specifications of the items that may be ordered under the BPA. All commodities offered in response to this RFQ must be new and unused. In addition, all electrical commodities must operate on 240V, 50Hz.

Please note that, unless otherwise indicated, stated brand names or models are for illustrative description only. An equivalent substitute, as determined by the specifications, is acceptable.

At this time, specific quantities to be purchased under any BPA resulting from this RFQ are unknown. Specific quantities will depend on the needs of the ICRI Taafi Project. Individual purchase orders will be issued under the BPA agreement, as the need arises for additional commodities/services.

5. **Quotations:** The per-unit pricing in quotations in response to this RFQ must be priced on a fixed-price, all-inclusive basis, including delivery and all other costs. Pricing must be presented in USD. Prices quoted must remain fixed for a minimum of 12 months. Offerors are requested to provide quotations on official letterhead or quotation format; in the event this is not possible, offerors may use the table in Section 3 to include the specifications for the offered items.

In addition, offerors responding to this RFQ must submit the following:

- Organizations responding to this RFQ are requested to submit a copy of their official registration or business license.
- Contact information for at least three (3) references of past or present clients indicating the relevant commodities were sold in the last three (3) years that best illustrate company qualifications and past performance.

6. **Delivery:** The delivery locations for the items described in this RFQ are listed in Section 3. As part of its response to this RFQ, each offeror is expected to provide an estimate (in calendar days) of the delivery timeframe (after receipt of order). The delivery estimate presented in an offer in response to this RFQ must be upheld in the performance of any resulting contract.
7. **Source/Nationality/Manufacture:** All goods and services offered in response to this RFQ or supplied under any resulting award must meet **USAID Geographic Code 935** in accordance with the United States Code of Federal Regulations (CFR), [22 CFR §228](#). The cooperating country for this RFQ is Iraq.

Offerors may not offer or supply any commodities or services that are manufactured or assembled in, shipped from, transported through, or otherwise involving any of the following countries: Cuba, Iran, North Korea, Syria.

Any and all items that are made by Huawei Technology Company, ZTE Corporation, Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, Dahua Technology Company will not be accepted. If quotes include items from these entities, please note that they will be deemed not technically responsive and excluded from competition.

8. **Warranty:** Warranty service and repair within the cooperating country is required for all commodities under this RFQ. The warranty coverage must be valid on all commodities for a minimum of twelve (12) months after delivery and acceptance of the commodities, unless otherwise specified in the technical specifications.
9. **Taxes and VAT:** The agreement under which this procurement is financed does not permit the financing of any taxes, VAT, tariffs, duties, or other levies imposed by any laws in effect in the Cooperating Country. No such Cooperating Country taxes, charges, tariffs, duties or levies will be paid under any order resulting from this RFQ.
10. **Unique Entity Identifier (“Exempt per USAID letter dated November 29, 2021” :)** Companies or organizations, whether for-profit or non-profit, might be requested to provide a Unique Entity Identifier (UEI) number if selected to receive an award in response to this RFQ valued greater than or equal to USD\$30,000 (or equivalent in other currency). Contact sam.gov to obtain a number. Further guidance on obtaining a UEI number is available from Chemonics upon request.
11. **Eligibility:** By submitting an offer in response to this RFQ, the offeror certifies that it and its principal officers are not debarred, suspended, or otherwise considered ineligible for an award by the U.S. Government. Chemonics will not award a contract to any firm that is debarred, suspended, or considered to be ineligible by the U.S. Government.
12. **Evaluation and Award:** The award will be made to a responsible offeror whose offer follows the RFQ instructions, meets the eligibility requirements, meets, or exceeds the minimum technical specifications in the below table, and is determined via a trade-off analysis to be the best value based on application of the following evaluation criteria. The relative importance of each individual criterion is indicated by the number of points below:

- **Delivery – 35 points:** The speed of delivery in calendar days.
- **Technical –30 points.** Technical evaluation will be based on responsiveness to the technical specifications and requirements listed below for each item. Suppliers offering the items listed below, technically acceptable similar items, or items that exceed the requirements will receive full credit. All items are weighted equally.
- **Price – 35 points:** The overall items cost, and delivery cost presented in the offer.

Please note that if there are significant deficiencies regarding responsiveness to the requirements of this RFQ, an offer may be deemed “non-responsive” and thereby disqualified from consideration. Chemonics reserves the right to waive immaterial deficiencies at its discretion.

Best-offer quotations are requested. It is anticipated that the award will be made solely on the basis of these original quotations. However, Chemonics reserves the right to conduct any of the following:

- Chemonics may conduct negotiations with and/or request clarifications from any offeror prior to award.
- While preference will be given to offerors who can address the full technical requirements of this RFQ, Chemonics may issue a partial award or split the award among various suppliers, if in the best interest of the ICRI Taafi Project.
- Chemonics may cancel this RFQ at any time.
- Chemonics may reject any and all offers, if such an action is considered to be in the best interest of Chemonics.
- Based on the past performance and registration letter, Chemonics reserves the right to disqualify any vendors who are not specialized in the mentioned BPA subject.

Please note that in submitting a response to this RFQ, the offeror understands that USAID is not a party to this solicitation and the offeror agrees that any protest hereunder must be presented—in writing with full explanations—to the ICRI Taafi Project for consideration, as USAID will not consider protests regarding procurements carried out by implementing partners. Chemonics, at its sole discretion, will make a final decision on the protest for this procurement.

13. **Terms and Conditions:** This is a Request for Quotations only. Issuance of this RFQ does not in any way obligate Chemonics, the ICRI Taafi Project, or USAID to make an award or pay for costs incurred by potential offerors in the preparation and submission of an offer.

This solicitation is subject to Chemonics’ standard terms and conditions. Any resultant award will be governed by these terms and conditions; a copy of the full terms and conditions is available upon request. Please note the following terms and conditions will apply:

- (a) Chemonics’ standard payment terms are net 30 days after receipt and acceptance of any commodities or deliverables. Payment for purchase orders issued under any BPA resulting from this RFQ will only be issued to the entity submitting the offer in response to this RFQ and identified in the corresponding BPA award; payment will not be issued to a third party.
- (b) Any award resulting from this RFQ will be in the form of a Blanket Purchase Agreement (BPA). The ICRI Taafi Project anticipates issuing a BPA (or multiple BPAs) under which specific purchase orders can be issued—on an as-needed basis—at the pricing levels established in the BPA. When the need arises for the commodities/services described in the BPA, the ICRI Taafi Project will issue a purchase order to the BPA-holder. If there are multiple BPA-holders under this RFQ, the purchase order will be issued to the BPA-holder that presents the best value for that specific order, based on price and delivery time. This BPA will have a minimum duration of at least 12 months. The Supplier shall furnish the supplies/services described in any purchase orders issued by the ICRI Taafi Project under the BPA. The ICRI Taafi Project is only obligated to pay for supplies/services to the extent purchase orders are issued under any BPA resulting from this RFQ.

- (c) No commodities or services may be supplied that are manufactured or assembled in, shipped from, transported through, or otherwise involving any of the following countries: Cuba, Iran, North Korea, Syria.
- (d) Any international air or ocean transportation or shipping carried out under any award resulting from this RFQ must take place on U.S.-flag carriers/vessels.
- (e) United States law prohibits transactions with, and the provision of resources and support to, individuals and organizations associated with terrorism. The supplier under any award resulting from this RFQ must ensure compliance with these laws.
- (f) The title to any goods supplied under any award resulting from this RFQ shall pass to Chemonics following delivery and acceptance of the goods by Chemonics. Risk of loss, injury, or destruction of the goods shall be borne by the offeror until title passes to Chemonics.

Section 2: Technical Requirements for Offerors:

To be determined responsive, all of the following documents must be included in the Technical Offer (failure to submit all the following documents may result in disqualification from award):

- ☐ Cover letter, signed by an authorized representative of the offeror (see Section 4 for template)
- ☐ Official quotation, including specifications of offered equipment (see Section 3 for example format)
- ☐ Information on Past Performance: Similar experience with a proven track record of supplying similar goods is required, otherwise offers may not be considered. Offerors must include (3) three past performance references of their work (under contracts or subcontracts) implemented in the last (3) three years that best illustrate company's qualifications and past performance. The references listed by the Offeror might be contacted to complete a survey.
- ☐ Information on any other "Key Individuals" within the company. (i.e., those who have decision making authority to make financial decisions on behalf of the company).
- ☐ A copy of the official registration or business license, in federal Iraq and/or Kurdistan region of Iraq. Company profile or 2-3 pages introduction to company's areas of expertise and practice, and description of the team and main clients.

Section 3: Specifications and Technical Requirements

The table below contains the list of commodities/services that may be ordered under the BPA mechanism. Offerors are requested to provide per-unit quotations containing the information below on official letterhead or official quotation format. In the event this is not possible, offerors may use the table in Section 3 to include the specifications for the offered items and submit a signed/stamped version to Chemonics.

Please note that, unless otherwise indicated, stated brand names or models are for illustrative description only. An equivalent substitute, as determined by the specifications, is acceptable.

Line Item	Description of Item	Units	Items and Specifications Offered	Unit Price USD (1 to 25 units)	Unit Price USD (26 to 50 units)	Unit Price USD (51+ units)
1	Kerosene heater 5 L : • Dimensions (H) x (W) x (D) : 46 x 61 x 32 cm • Max. 9,800BTU/h / 2.87kW / 2,470kcal/h Min. 7,800BTU/h / 2.29kW / 1,970kcal/h . • Fuel consumption rate : 0.279 – 0.23 l / h • Heater output 7,000 – 9,000 BTU/hour • Fuel tank capacity : 5 L • Automatic safety shut-off • Electrical spark ignition system • Material : Metal	each				
2	Kerosene heater 7 L: • Dimensions (H) x (W) x (D): 46 x 61 x 56 cm • BTU: 23,000 • Fuel consumption rate: Up to 12 h • Heater output 7,000 – 9,000 BTU/hour • Fuel tank capacity: 7 L • Automatic safety shut-off • Electrical spark ignition system • Material: Metal	each				
3	Electricity Heater 1200w: • Powerful and Quick Heat - Quick heat in 3 seconds to warm the air around you. Easy adjustable thermostat controls and 2 heat settings: 1200W/700W. • Item Weight: 1.15 kg • Dimensions: at least 40 cm L x 20cm W x 10cm Thickness • Voltage Input: 220v • Two heat settings: High/low • low heat setting (600 watts) • high heat setting (1200 watts) • Power consumption: 600 w/ 1200 w	each				

4	Electricity Heater 1800w: • Powerful and Quick Heat - Quick heat in 3 seconds to warm the air around you. Easy adjustable thermostat controls and 2 heat settings: 1800W. • Item Weight: 2.5 kg • Dimensions: at least 60 cm L x 40cm W x 20cm Thickness • Voltage Input: 220v • Two heat settings: High/low • low heat setting (750 watts) • high heat setting (1800 watts) • Power consumption: 750 w/ 1800 w • Safety tip over switch	each				
5	Gas Heater: • Gas Heater Type: Infrared Heater • Function: Thermostat • 3 levels(W): 4200/2800/1400 • Gas pressure: 28~30 mbar • Product Size: 420*310*720mm • Use: Bathroom, Bedroom, Living Room • Heat Input: 4200W(299g/h) • N.W./G.W.: 9.0/10.0kg	each				
6	Refrigerator 12 Feet: • Item Weight: 60 kg • Dim: 160 x 60 x 65 Cm • Capacity: 350 L • Installation Type: Free Standing • Voltage: 220-240 V • Material: Steel • Adjustable Glass Shelves • Humidity Control Crispers. • No Frost Technology. • Active Ionizer. • Multi Zone Compartment	each				

7	Refrigerator 14 Feet: • Item Weight: 70 kg • Dim: 170 x 70 x 65 Cm • Capacity: 370L • Installation Type: Free Standing • Voltage: 220-240 V • Adjustable Glass Shelves • Automatic Defrost • ADA Compliant • Humidity Control Crispers. • No Frost Technology. • Active Ionizer. • Multi Zone Compartment	each				
8	Frozen 200L: • Hight: 82cm • Length: 57 cm • Width: 94 cm • Capacity: 200l • Watt: 120w • Voltage: 220-240 V • Refrigerator Type: Commercial Use • Freezer Type: Chest Freezer • Weight: 40 g • Shelf Type: Glass • Material: Metal • Freezer at Bottom: yes • Type: Single Door • Compressor Type: Standard	each				
9	Frozen 400L: • Hight: 90 cm • Length: 60 cm • Width: 100 cm • Capacity: 400 L • Watt: 220W • Voltage: 220-240 V • Refrigerator Type: Commercial Use • Freezer Type: Chest Freezer • Weight: 60kg • Shelf Type: Glass • Material: Metal • Freezer at Bottom: yes	each				

	• Type: Single Door • Compressor Type: Standard					
10	Fan 16 Inch: • Power Source: Electric • Installation: Floor • Voltage (V): 220 • Material: Plastic with metal stands • Power (W): 45 • Changeable switch • Motor size: 14mm • 3 position speed: Low/Mid/High • Aluminium/Copper or equivalent • Preferable remote control if available	each				
11	Fan 18 Inch: • Power Source: Electric • Installation: Floor • Voltage (V): 220 • Material: Plastic with metal stands • Power (W): 50 • Power supply: 220-240V/50HZ 55W • Changeable switch • Motor size: 14mm • 3 position speed: Low/Mid/High • Motor: Aluminium/Copper or equivalent • Preferable remote control if available	each				
12	Ceiling fan: • Power Source: Electric • Installation: Ceiling • Voltage (V): 220 • Material: Plastic with metal Ceiling • Size: 42" • Power (W): 51 • Power supply: 220-240V • Changeable switch • Motor size: 20mm • 3 position speed: Low/Mid/High • Motor: Aluminium/Copper or equivalent	each				

13	Chargeable Fan: • Voltage (V): 12 • owner supply: Solar Panel • Voltage: DC 12V • Size: L60.0XW14.5XH43.0CM • Speed: 3 Speed Settings • LED quantity: 10PCS • Preferable remote control if available • Motor: Aluminium/Copper or equivalent • Material: Plastic with metal stands • Changeable switch • Power Source: Battery/electric	Set				
14	Gas Cooker Four Radiant: • Material: metal • Changeable switches • Supported with gas bottle • Size at least: 70cm L x 50cm W x 10cm	Set				
15	Gas Cooker Five Radiant: • Material: metal • Changeable switches • Supported with gas bottle • Size at least: 80cm L x 60cm W x 15cm	each				
16	Oven Stove (Gas): • Weight: 100 kg • Material: Stainless-Steel • Changeable switches • Dim at least: 60 x 90 x 110 Cm • Installation Type: Free Standing	each				
17	30 Litre Oven (Electric Type) : • Height : 315mm • Width : 300 mm • Depth : 438 mm • Weight : 10kg • Grill Power Consumption (output) : 1250W • Convection Power Consumption (output) : 2200W • Oven Type : Grill + Convection • Oven Capacity : 30 L • Child Lock : Yes • Overheating protection : Yes • Control Type : Digital • Material : Stainless Steel • Adjustable timer, Power on indicator : 2200 w	Set				
18	30 Litre Microwave Oven (Electric Type) :	each				

	• Height : 315mm • Width : 300 mm • Depth : 438 mm • Weight : 10kg • Microwave Power Consumption (output) : • 350 upto 1400W : 1400 w : 1250 w • Oven Type : Microwave • Oven Capacity : 30 L • Child Lock : Yes • Overheating protection : Yes • Control Type : Digital • Material : Stainless Steel • Adjustable timer, Power on indicator : 2200 w					
19	Air cooler 2000rs: • Power Consumption(W): 150 • 140 W • Fan Speed (RPM): 2000 rs • Weight: 15kg • 40 • Tank Capacity: 30 L to 35L • Cooler Type: Portable, Desert • Material: Plastic • Auto swing louvers • Low noise	each				
20	Air cooler 2500rs: • Power Consumption(W): 160 • 140 W • Fan Speed (RPM): 2500 rs • Weight: 20kg • 40 • Tank Capacity: 35L • Cooler Type: Portable, Desert • Material: Plastic • Auto swing louvers • Low noise	each				
21	Chargeable air cooler 1500rs: • Power Consumption(W): 150 • 140 W • Fan Speed (RPM): 1500 rs • Weight: 15kg • 40 • Tank Capacity: 30 L to 35L • Cooler Type: Portable, Desert • Material: Plastic • Auto swing louvers • Low noise • Rechargeable Battery at least 4hours	each				

22	Chargeable air cooler 2000rs: • Power Consumption(W) : 150 • 140 W • Weight : 15kg • 40 • Tank Capacity : 30 L to 35L • Cooler Type : Portable, Desert • Material : Plastic • Auto swing louvers • Low noise • Rechargeable Battery at least 6hours .	each				
23	Smart TV 49” : • 60 Hz Refresh Rate for Smooth Motion • HLG via USB & Streaming / HDR10 Support • Full HD, 1920 x 1080 Pixels Screen • Direct-lit panel • Noise Reduction • Dynamic Colour • Resolution Upscaler • LG Content Store for app downloads • Full web browser • DTS-HD decoding • Wi-Fi 5 (802.11ac) • HDMI-CEC (Simplink) • Smartphone connectivity • ARC via HDMI 2 • HDR Compatibility : HDR10, Hybrid Log Gamma • Video System : NTSC • Input Ports : 2xHDMI Type A (Side) / 1xHDMI Type A (Rear) / 1 x F-Type (RF Antenna) (Rear) / 1 x RCA (Composite) (Rear) / 1 x 2RCA (Analog Audio) (Rear) . • Output Ports : 1 x TOSLINK	each				

	OPTICAL (Digital Audio) Rear .					
24	Air conditioner 1.5 ton : • Capacity: 2 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : W-1090mm x H-300mm x D-218mm Or Equivalent . • Installation services is included .	each				
25	Air conditioner 2 ton : • Capacity: 2 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor	each				

	• Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : W-1090mm x H-300mm x D-218mm - Or Equivalent . • Installation services is included .				
26	Air conditioner 2.5 ton : • Capacity: 2.56 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 320 x 998 x 238 mm - Or Equivalent. • Installation services is included.	each			

27	Air conditioner 3 ton : • Capacity: 2.56 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 320 x 998 x 238 mm Or Equivalent. • Installation services is included	each				
28	Vertical Tower Air conditioner: • Capacity: 3 Ton • BEE Rating: 2 to 5 Star • AC Type: Tower • Usage: Office • Features: Anti Rust Cabinet, Intelligent Defrosting, Quiet Operation, Self-Diagnosis And Auto Protection, Valve Protection Cover • Noise Level Indoor: 51 DB • AC Type: Split • Usage: Home • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity 48000 BTU/ h • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 540x1775x379 Or Equivalent .	each				

	• Installation services is included					
29	Vertical Tower Air conditioner : • Capacity: 4 Ton(s) • BEE Rating: 2 • AC Type: Tower • Usage: Office • Features: Anti Rust Cabinet, Intelligent Defrosting, Quiet Operation, Self-Diagnosis And Auto Protection, Valve Protection Cover • Noise Level Indoor: 51 DB • AC Type: Split • Usage: Home • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity 48000 BTU/ h • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 540x1775x379 Or Equivalent . • Installation services is included	each				
30	Fruit Juice machine: • Output: One litre • Wide circular feeding hole :75 mm diameter • Heavy duty, particularly silent motor: 1/3 HP (220-240) volts, 50 Hz • Watt: 200W • Material: Plastic & Stainless Steel • Changeable switch	each				

31	Vacuum Cleaner: • Power (W): 1250 W • Type: Ultra Fine Air filter • Function: Wet And Dry • Motor Power: 1250W • Tank Size: 20 litre • Power Take-Off: 2430W(DE 230V)/ 1740W(UK 230V) • Max Airflow: 50 L/sec • Air Watts: 200W • Voltage (V): 240 • Tank Material: Polyethylene • Noise Level: 75 db(A) • Max Vacuum Pressure: 18 kPa Or Equivalent .	each				
32	Electric Kettle 3 litre: • Cord length: 0.75 m • Rated frequency: 50Hz • Rated input power: 2000w • Rated voltage: 220v • Materials: Prefer the Stainless steel	each				
33	Electric Kettle 5 litre: • Rated frequency: 50Hz • Rated input power: 3000w • Rated voltage: 220v • Materials: Prefer the Stainless steel • One switch button. Auto shut-off and boil-dry protection. Waterline on the inner side. Soft indicator light. 360-degree swivel base. Power cord storage	each				

34	Water Dispenser: • Type: Cold & Hot • Housing Material: Stainless Steel • Dimensions (30cm L x 40 W x 100 H) • Voltage (V): 220-240 • Cooling capacity: 4L/hour • Lightweight Durable Plastic Body • LED Indicator Lights Or Equivalent.	each				
35	Water Dispenser Filter: • Capacity: At least 10L • The filter monitor system measures the amount of water that passes through the filter and alerts you when it is time to replace the filter. • Test Parameters: pH = 201 • Flow = 0.50 gpm (1.89 Lpm). • Pressure = 60 psig (413.7 kPa). • Temp. = 68°F to 71.6°F (20°C to 22°C). • Material: Plastic Or Equivalent.	each				
36	Water filter system : • Voltage (V): 220 • Stage Filtering : 5 , 6 , 7 & 8 Stages • Function: Removes Bacteria • Application: Household Drinking Water Filtration • Flow rate:2.0 l/min • Power(W) : 28 to 40 • Product Size: at least 390 * 180 * 400mm • Net Weight: 7.5KG • Filter combination: 5um PPF + UDF + 1um PPF + RO +T33(customized) • Capacity: 75 GPD • Pressure Tank 3.2G • Frequency : 50/60Hz Or Equivalent . • Installation services is included	each				

37	Coffee Machine: • Capacity water tank: 1.2 • Coffee temperature: 80-85 Degree • Cord length: 0.85m • Voltage: 220V-240V • Frequency: 50Hz • Material water tank : Plastic • Material of main body : Stainless steel & Plastic Or Equivalent .	each				
38	Cloth Iron: • Steam output: yes • Continuous steam output: 17 g / min • Variable steam settings: Yes • Spray: Yes • Steam tip : Yes • Power : 1440 W • Water tank capacity : 180 ml • Filling and emptying water : Sideways Opening door • Weight of iron : 1.06kg • Dim : 26 x 11.5 x 13.5 cm • Voltage : 240v • Frequency : 50Hz	each				
39	Air conditioner 1.5 ton : • inverter ACs • Capacity: 2 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : W-1090mm x H-300mm x D-218mm - Or Equivalent . • Installation services is included .	each				

40	Air conditioner 2 ton : • inverter ACs • Capacity: 2 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : W-1090mm x H-300mm x D-218mm Or Equivalent . • Installation services is included .	each				
41	Air conditioner 2.5 ton : • inverter ACs • Capacity: 2.56 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 320 x 998 x 238 mm Or Equivalent . • Installation services is included .	each				

42	Air conditioner 3 ton : • inverter ACs • Capacity: 2.56 tons • BEE Rating: 5 Star • AC Type: Split • Usage: Home • Features: 3M Micro Protection Filter, E Saver Mode, Rotary Compressor • Noise Level Indoor: 36 DB • air circulation (in/out) of 565/1550 CFM • indoor noise level of 36 dB-A. • Timers: Yes • Auto Restart: Yes • Sleep Mode: Yes • Remote Control: Yes • Indoor Weight : 15kg • Power V/Hx/Ph 220-240V / 50Hz 1Ph • Capacity (BTU/hr) 24000 • Air Flow Volume (m3/h) 1100 • 5 KVA Stabilizers • Dimensions : 320 x 998 x 238 mm Or Equivalent . • Installation services is included .	each				
43	wall mounted fan 12 inch	each				
44	wall mounted fan 16 inch	each				
45	wall mounted fan 18 inch	each				
46	Cooker on table with 4 small, medium and big burners	each				
47	Ventilation fan 6 inch	each				
48	Ventilation fan 8 inch	each				
49	Metal water dispenser for 40 litter 2 taps with a three –stage filter	each				
50	Metal water dispenser 3 taps with a three –stage filter tank Capacity: 65L/h Compressor size: 1/4 hp Voltage: 220-240 v Frequency: 50HZPower Supply	each				
51	Washing machine for dishes 7kg	each				
52	Washing machine for cloths 7kg	each				
53	Plastic water tanker 1000 L 1.2 mm	each				
54	Galvanized Water tanker 1000 L 1.2 mm	each				
55	refrigerators: 16 feet 0~10°C fridge; -15°Cfreezer C-pentane, totally CFC free Feature: COMPRESSOR	each				
56	refrigerators: 18 feet 0~10°C fridge; -15°Cfreezer C-pentane, totally CFC free Feature: COMPRESSOR	each				

57	refrigerators: 20 feet 0~10°C fridge; -15°C freezer C-pentane, totally CFC free Feature: COMPRESSOR	each				
58	refrigerators: 21 feet 0~10°C fridge; -15°C freezer C-pentane, totally CFC free Feature: COMPRESSOR	each				
59	Refrigerator 6 feet, Top freezer, Inverter motor, multi-directional air cooling, Shelves in tempered glass, Height: 110-120 cm Width: 55 cm	each				
60	Showcase refrigerator 14-feet (590*520*1970) 220V/50HZ 110V/60HZ	each				
61	Washing machine for dishes: Drawer Dish Washer Housing Material: Stainless Steel Inner Material: Stainless Steel Power (W): 1800 Voltage (V): 220	Each				
62	Washing machine for cloths 7kg: Automatic Control: Knob+Touch Loading Type: Front Loading Tub Material: Stainless Steel, Plastic	Each				
63	Cooker for table: Surface Material: Stainless Steel Cooker Quantity: Four-cooker Cooktop Installation: Table, built-in Heat load (Kw): 3.3+1.5+1.5+1.0 Pan support: Cast Iron or Enamel	Each				
64	Smart TV 55" • 60 Hz Refresh Rate for Smooth Motion • HLG via USB & Streaming / HDR10 Support • Full HD, 1920 x 1080 Pixels Screen • Direct-lit panel • Noise Reduction • Dynamic Colour • Resolution Upscaler • LG Content Store for app downloads • Full web browser • DTS-HD decoding	Each				

	• Wi-Fi 5 (802.11ac) • HDMI-CEC (Simplink) • Smartphone connectivity • ARC via HDMI 2 • HDR Compatibility : HDR10, Hybrid Log Gamma • Video System : NTSC • Input Ports : 2xHDMI Type A (Side) / 1xHDMI Type A (Rear) / 1 x F-Type (RF Antenna) (Rear) / 1 x RCA (Composite) (Rear) / 1 x 2RCA (Analog Audio) (Rear) . • Output Ports: 1 x TOSLINK OPTICAL (Digital Audio) Rear					
65	Smart TV 65" • 60 Hz Refresh Rate for Smooth Motion • HLG via USB & Streaming / HDR10 Support • Full HD, 1920 x 1080 Pixels Screen • Direct-lit panel • Noise Reduction • Dynamic Colour • Resolution Upscaler • LG Content Store for app downloads • Full web browser • DTS-HD decoding • Wi-Fi 5 (802.11ac) • HDMI-CEC (Simplink) • Smartphone connectivity • ARC via HDMI 2 • HDR Compatibility : HDR10, Hybrid Log Gamma • Video System : NTSC	Each				

	• Input Ports : 2xHDMI Type A (Side) / 1xHDMI Type A (Rear) / 1 x F-Type (RF Antenna) (Rear) / 1 x RCA (Composite) (Rear) / 1 x 2RCA (Analog Audio) (Rear) . • Output Ports: 1 x TOSLINK OPTICAL (Digital Audio) Rear					
66	Smart TV 75" • 60 Hz Refresh Rate for Smooth Motion • HLG via USB & Streaming / HDR10 Support • Full HD, 1920 x 1080 Pixels Screen • Direct-lit panel • Noise Reduction • Dynamic Colour • Resolution Upscaler • LG Content Store for app downloads • Full web browser • DTS-HD decoding • Wi-Fi 5 (802.11ac) • HDMI-CEC (Simplink) • Smartphone connectivity • ARC via HDMI 2 • HDR Compatibility : HDR10, Hybrid Log Gamma • Video System : NTSC • Input Ports : 2xHDMI Type A (Side) / 1xHDMI Type A (Rear) / 1 x F-Type (RF Antenna) (Rear) / 1 x RCA (Composite) (Rear) / 1 x 2RCA (Analog Audio) (Rear) . • Output Ports: 1 x TOSLINK OPTICAL (Digital Audio) Rear	Each				

67	Show case Refrigerator – 12 Feet	Each				
68	Show case Refrigerator – 16 Feet	Each				
69	Fridge – 12 Feet	Each				
70	Ventilation Fan – 10 Inch	Each				
71	Ventilation Fan – 12 Inch	Each				
72	Washing Machine for Clothes – 10 KG	Each				
73	Washing Machine for Clothes – 15 KG	Each				
74	Hand Blender	Each				
Totals in USD						

Delivery time (after receipt of order), calendar days.

Location	Delivery time (1 to 25 units)	Cost USD	Delivery time (26 to 50 units)	Cost USD	Delivery time (51+)	Cost USD
Kurdistan region						
Sinjar city						
Sinune - Sinjar						
Qahtanaya-Sinjar						
Qabusiya-Sinjar						
Talaafar						
Ba'aj (بعاچ)						
Mosul City						
Ninawa plains						
Anbar - Ramadi						
Anbar- Rummanah						
Anbar- Qaam						
Anbar- Rutba						
Anbar- Baghdadiya						
Salah Al-Din (Balad)						
Sharqat						
Baghdad						
ThiQar						
Basra						

Length of warranty on offered equipment, if applicable: _____ years

Location of service center(s), if applicable for after-sales service, including warranty repair:

The prices quoted above remain fixed for the next 12 months:

____ Yes ____ No

Section 4: Offer Cover Letter

The following cover letter must be placed on letterhead and completed/signed/stamped by a representative authorized to sign on behalf of the offeror:

To: ICRI Taafi Project
Erbil, Kurdistan Region-Iraq

Reference: RFQ No. # IRP II-PROG-BPA-006

To Whom It May Concern:

We, the undersigned, hereby provide the attached offer to perform all work required to complete the activities and requirements as described in the above-referenced RFQ. Please find our offer attached.

We hereby acknowledge and agree to all terms, conditions, special provisions, and instructions included in the above-referenced RFQ. We further certify that the below-named firm—as well as the firm’s principal officers, and all commodities and services offered in response to this RFQ—are eligible to participate in this procurement under the terms of this solicitation and under USAID regulations.

Furthermore, we hereby certify that, to the best of our knowledge and belief:

- We have no close, familial, or financial relationships with any Chemonics or ICRI Taafi Project staff members.
- We have no close, familial, or financial relationships with any other offerors submitting proposals in response to the above-referenced RFQ; and
- The prices in our offer have been arrived at independently, without any consultation, communication, or agreement with any other offeror or competitor for the purpose of restricting competition.
- All information in our proposal and all supporting documentation is authentic and accurate.
- We understand and agree to Chemonics’ prohibitions against fraud, bribery, and kickbacks.

We hereby certify that the enclosed representations, certifications, and other statements are accurate, current, and complete.

Authorized Signature: _____

Name and Title of Signatory: _____

Date: _____

Company Name: _____

Company Address: _____

Company Telephone and Website: _____

Company Registration or Taxpayer ID Number: _____

Company Unique Entity Identified (UEI) Number **(If Applicable)**: _____

Does the company have an active bank account (Yes/No)? _____

Official name associated with bank account (for payment): _____